

2011
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates

where available

Jurisdiction Report

19

Charlotte County
Town of Charlotte C.H.
Town of Drakes Branch
Town of Keysville
Town of Phenix

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Mecklenburg County Line															
15 Barnesville Hwy	Charlotte County	7.39	1200	G	90%	1%	1%	1%	7%	0%	F	0.09	F	0.532	1300	G
	To: SR 92 Barnes Junction															
15 Barnesville Hwy	Charlotte County	3.24	1700	G	90%	1%	1%	1%	7%	0%	F	0.093	F	0.509	1800	G
	From: US 360 Near Wyltiesburg															
15 360 Kings Hwy	Charlotte County	3.88	4500	G	81%	1%	1%	1%	14%	2%	F	0.080	F	0.539	4700	G
	To: SR 47 Krafon Gate															
15 360 Kings Hwy	Charlotte County	6.60	4000	G	81%	1%	1%	1%	14%	2%	F	0.076	F	0.537	4300	G
	From: BUS US 15 South of Keysville															
15 360 Kings Hwy	Charlotte County	3.36	3800	G	81%	1%	1%	1%	14%	2%	C	0.082	F	0.571	4000	G
	To: SR 40 Keysville															
15 360 Kings Hwy	Charlotte County	2.10	5100	G	86%	1%	1%	2%	11%	0%	F	NA		5200	G	
	From: US 360, BUS US 15 North of Keysville															
15 Farmville Hwy	Charlotte County	1.73	3300	G	94%	1%	1%	1%	4%	0%	F	0.084	F	0.62	3500	G
	To: Prince Edward County Line															
	From: US 15 S of Keysville															
Bus 15 Bus 360 Olds Kings Hwy	Charlotte County	2.93	1200	G	93%	1%	1%	1%	4%	0%	C	0.097	F	0.54	1300	G
	To: CL Keysville															
Bus 15 Bus 360	Town of Keysville (Maint: 19)	0.73	1200	N	93%	1%	1%	1%	4%	0%	N	0.097	N	0.54	1300	N
	From: S SR 40															
Bus 15 Bus 360 40 McDonald Rd	Town of Keysville (Maint: 19)	0.56	4700	G	93%	1%	1%	1%	4%	0%	F	0.101	F	0.565	5000	G
	From: N SR 40															
Bus 15 Bus 360 Four Locust Hwy	Town of Keysville (Maint: 19)	0.37	3900	G	93%	1%	1%	1%	4%	0%	F	0.096	F	0.554	4200	G
	To: CL Keysville															
Bus 15 Bus 360	Charlotte County	1.34	3900	N	93%	1%	1%	1%	4%	0%	N	0.096	N	0.554	4200	N
	To: US 15 N of Keysville															
	From: Campbell County Line															
40 Patrick Henry Hwy	Charlotte County	6.74	1000	G	81%	1%	1%	2%	15%	0%	C	0.092	F	0.505	1100	G
	To: WCL Phenix															
40 Phenix Main St	Town of Phenix (Maint: 19)	0.97	1000	N	81%	1%	1%	2%	15%	0%	N	0.092	N	0.505	1100	N
	From: 19-727 Washington Ave; Red House Rd															
40 Patrick Henry Hwy	Town of Phenix (Maint: 19)	0.62	1900	G	81%	1%	1%	2%	15%	0%	F	0.102	F	0.512	2000	G
	To: ECL Phenix															
40 Patrick Henry Hwy	Charlotte County	0.78	1900	N	81%	1%	1%	2%	15%	0%	N	0.102	N	0.512	2000	N
	From: 19-746 East of Phenix															
40 Patrick Henry Hwy	Charlotte County	4.38	1900	G	81%	1%	1%	2%	15%	0%	F	0.102	F	0.711	2000	G
	To: WCL Charlotte C.H.															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: WCL Charlotte C.H.															
40 David Bruce Ave	Town of Charlotte C.H. (Maint: 19)	0.98	1900	N	81%	1%	1%	2%	15%	0%	N	0.102	N	0.711	2000	N
	To: SR 47 Le Grande Ave															
40 47 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.10	4700	G	81%	1%	1%	2%	15%	0%	F	0.102	F	0.529	4900	G
	To: SR 47 Thomas Jefferson Hwy															
40 George Washington Hwy	Town of Charlotte C.H. (Maint: 19)	0.94	2100	G	81%	1%	1%	2%	15%	0%	F	0.109	F	0.547	2200	G
	To: ECL Charlotte C.H.															
40 George Washington Hwy	Charlotte County	7.58	2100	N	81%	1%	1%	2%	15%	0%	N	0.109	N	0.547	2200	N
	To: WCL Keysville															
40 Church St	Town of Keysville (Maint: 19)	0.54	2100	N	81%	1%	1%	2%	15%	0%	N	0.109	N	0.547	2200	N
	To: Bus US 15, Bus US 360															
40 Bus 15 Bus 360 McDonald Rd	Town of Keysville (Maint: 19)	0.56	4700	G	93%	1%	1%	1%	4%	0%	F	0.101	F	0.565	5000	G
	To: E US 15 BUS															
40 Lunenburg Hwy	Town of Keysville (Maint: 19)	0.40	2900	G	90%	2%	1%	2%	5%	0%	F	0.085	F	0.553	3000	G
	To: ECL Keysville															
40 Lunenburg Hwy	Charlotte County	0.85	2900	N	90%	2%	1%	2%	5%	0%	N	0.085	N	0.553	3000	N
	To: Lunenburg County Line															
	From: Mecklenburg County Line															
47 Craftons Gate Hwy	Charlotte County	2.70	1500	G	79%	1%	2%	7%	11%	0%	F	0.086	F	0.507	1600	G
	To: US 15 Kings Hwy															
47 Graftons Gate Hwy	Charlotte County	6.55	1600	G	79%	1%	2%	7%	11%	0%	F	0.088	F	0.519	1700	G
	To: SCL Drakes Branch															
47	Town of Drakes Branch (Maint: 19)	2.09	1600	N	79%	1%	2%	7%	11%	0%	N	0.088	N	0.519	1700	N
	To: SR 59															
47	Town of Drakes Branch (Maint: 19)	0.25	2300	G	79%	1%	2%	7%	11%	0%	F	0.089	F	0.588	2400	G
	To: NCL Drakes Branch															
47	Charlotte County	3.03	2300	N	79%	1%	2%	7%	11%	0%	N	0.089	N	0.588	2400	N
	To: SCL Charlotte C.H.															
47	Town of Charlotte C.H. (Maint: 19)	0.99	2300	N	79%	1%	2%	7%	11%	0%	N	0.089	N	0.588	2400	N
	To: SR 40 S Thomas Jefferson Hwy; David Bruce Ave															
47 40 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.10	4700	G	81%	1%	1%	2%	15%	0%	F	0.102	F	0.529	4900	G
	To: N SR 40															
47 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.98	1600	G	79%	1%	2%	7%	11%	0%	F	0.092	F	0.643	1700	G
	To: N SR 40 G. W. Hwy															
	To: NCL Charlotte C.H.															
47	Charlotte County	3.47	1600	N	79%	1%	2%	7%	11%	0%	N	0.092	N	0.643	1700	N
	To: 19-660															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
							From: 19-660										
47	Thomas Jefferson Hwy	Charlotte County	7.02	1300	G	79%	1%	2%	7%	11%	0%	C	0.084	F	0.534	1400	G
							To: 19-649 Madisonville										
47	Thomas Jefferson Hwy	Charlotte County	2.82	1500	G	79%	1%	2%	7%	11%	0%	F	0.086	F	0.603	1600	G
							From: Prince Edward County Line Charlotte County Line										
47	Thomas Jefferson Hwy	Charlotte County	1.59	1600	G	79%	1%	2%	7%	11%	0%	F	0.083	F	0.561	1700	G
							To: Appomattox County Line										
							From: SR 47 North of Drakes Branch										
59		Town of Drakes Branch (Maint: 19)	0.55	1400	G	93%	1%	1%	1%	4%	0%	C	0.094	F	0.524	1500	G
							To: NCL Drakes Branch										
59		Charlotte County	6.77	1400	N	93%	1%	1%	1%	4%	0%	N	0.094	N	0.524	1500	N
							From: WCL Keysville										
59		Town of Keysville (Maint: 19)	0.58	1400	N	93%	1%	1%	1%	4%	0%	N	0.094	N	0.524	1500	N
							To: SR 40 Keysville										
							From: Mecklenburg County Line										
92	JEB Stuart Hwy	Charlotte County	2.11	1800	G	95%	0%	1%	1%	3%	0%	F	0.085	F	0.56	2000	G
							From: US 15 Barnes Junction										
92	JEB Stuart Hwy	Charlotte County	3.80	1600	G	95%	0%	1%	1%	3%	0%	F	0.084	F	0.541	1700	G
							From: US 360 Kings Hwy										
92	JEB Stuart Hwy	Charlotte County	0.70	430	G	95%	0%	1%	1%	3%	0%	F	NA		440	G	
							To: Halifax County Line										
							From: Halifax County Line										
360	Kings Hwy	Charlotte County	1.73	5100	G	86%	1%	1%	2%	11%	0%	F	0.082	F	0.541	4900	G
							To: SR 92 JEB Stuart Hwy										
360	Kings Hwy	Charlotte County	4.64	3700	G	86%	1%	1%	2%	11%	0%	F	0.082	F	0.519	3600	G
							From: W US 15										
360 15	Kings Hwy	Charlotte County	3.88	4500	G	81%	1%	1%	1%	14%	2%	F	0.080	F	0.539	4700	G
							To: SR 47 Krafton Gate										
360 15	Kings Hwy	Charlotte County	6.60	4000	G	81%	1%	1%	1%	14%	2%	F	0.076	F	0.537	4300	G
							From: S US 15 BUS										
360 15	Kings Hwy	Charlotte County	3.36	3800	G	81%	1%	1%	1%	14%	2%	C	0.082	F	0.571	4000	G
							To: SR 40 Keysville										
360 15	Kings Hwy	Charlotte County	2.10	5100	G	86%	1%	1%	2%	11%	0%	F	NA		5200	G	
							From: E US 15										
360	Kings Hwy	Charlotte County	1.69	5100	G	86%	1%	1%	2%	11%	0%	F	0.074	F	0.534	5000	G
							To: Prince Edward County Line										
							From: US 15 S OF KEYSVILLE										
Bus 360 Bus 15	Olds Kings Hwy	Charlotte County	2.93	1200	G	93%	1%	1%	1%	4%	0%	C	0.097	F	0.54	1300	G
							To: CL Keysville										

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 360 Bus 15	From: CL Keysville Town of Keysville (Maint: 19)	0.73	1200	N	93%	1%	1%	1%	4%	0%	N	0.097	N	0.54	1300	N
Bus 360 Bus 15 40	To: S SR 40 From: McDonald Rd Town of Keysville (Maint: 19)	0.56	4700	G	93%	1%	1%	1%	4%	0%	F	0.101	F	0.565	5000	G
Bus 360 Bus 15	To: N SR 40 From: Four Locust Hwy Town of Keysville (Maint: 19)	0.37	3900	G	93%	1%	1%	1%	4%	0%	F	0.096	F	0.554	4200	G
Bus 360 Bus 15	To: CL Keysville From: Charlotte County	1.34	3900	N	93%	1%	1%	1%	4%	0%	N	0.096	N	0.554	4200	N
	To: US 15 N OF KEYSVILLE															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(F627)	0.04	10	R											NA		05/16/2006
(F628) Pur Year Rd	0.79	20	R											NA		05/16/2006
(F629) Walkers Pond Lane	0.13	10	R											NA		05/16/2006
(600) Pine Tree Rd	0.60	140	R											NA		05/31/2006
(601) Keysville Rd	0.70	50	R											NA		04/07/2009
(601) Gholson Rd	0.20	320	R											NA		04/07/2009
(601) Gholson Rd	0.70	250	R											NA		04/07/2009
(602) Barnes Rd	0.10	190	R											NA		05/23/2006
(602) Barnes Rd	0.99	100	R											NA		05/31/2006
(602) Barnes Rd	0.91	120	R											NA		05/31/2006
(603) Lindward Rd	0.50	120	R											NA		04/07/2009
(603) Lindward Rd	1.50	90	R											NA		05/23/2006
(603) Lindward Rd	0.60	50	R											NA		05/23/2006
(604) Roanoke Ridge Rd	2.83	820	G	82%	1%	1%	13%	3%	0%	C	0.098	F	0.516	870	G	2011
(604) Abilene Rd	1.50	720	R											NA		04/21/2009
(604) Abilene Rd	3.40	730	R											NA		04/21/2009
(605) Whitlow Rd	1.59	110	R											NA		05/31/2006
(605) Whitlow Rd	0.10	370	R											NA		05/31/2006
(605) Rutledge Rd	1.06	200	R											NA		05/31/2006
(605) Rutledge Rd	0.50	120	R											NA		05/31/2006
(605) Rutledge Rd	0.27	100	R											NA		05/31/2006
(606) Bacon School Rd	2.00	150	R											NA		05/09/2006

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(606) Bacon School Rd	3.50	270	R									NA		NA		05/09/2006
(606) Bacon School Rd	0.54	700	R									NA		NA		05/23/2006
(606) Bacon School Rd	0.88	440	R									NA		NA		05/23/2006
(607) River Rd	3.06	100	R									NA		NA		04/07/2009
(607) Roanoke Station Rd	2.95	100	R									NA		NA		04/07/2009
(607) Roanoke Station Rd	2.10	370	G									NA	380	G	2011	
(607) Roanoke Station Rd	1.50	140	R									NA		NA		04/07/2009
(607) Roanoke Station Rd	0.60	70	G							0.151	F	0.588	80	G	2011	
(607) Jackson Vaughan Rd	0.85	210	R									NA		NA		04/07/2009
(607) Moody Creek Rd	0.70	260	R									NA		NA		04/07/2009
(607) Moody Creek Rd	1.70	90	R									NA		NA		04/07/2009
(607) West Spring Hill Rd	1.50	100	R									NA		NA		04/07/2009
(608) Rocky Branch Rd	1.46	220	G	93%	1%	0%	0%	6%	0%	F	0.111	F	0.733	240	G	2011
(608) Public Fork Rd	0.86	220	G	93%	1%	0%	0%	6%	0%	C	0.124	F	0.533	240	G	2011
(608) Tobacco Hill Rd	2.12	540	G	93%	1%	0%	0%	6%	0%	F	0.124	F		570	G	2011
(608) Tobacco Hill Rd	1.95	440	R									NA		NA		04/07/2009
(608) Salem School Rd	0.88	400	R									NA		NA		05/31/2006
(608) Atkins Rd	0.25	90	R									NA		NA		05/31/2006
(609) Robertson Rd	1.70	110	R									NA		NA		05/23/2006
(609) Robertson Rd	1.29	140	R									NA		NA		05/23/2006
(609) Robertson Rd	0.31	270	R									NA		NA		05/23/2006
(610) Carrington Rd	1.89	210	R									NA		NA		05/31/2006
(611) Hebron Church Rd	1.10	440	G	95%	2%	1%	1%	1%	0%	C	0.095	F	0.694	470	G	2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(611) Hebron Church Rd	1.80	250	R								NA			NA		04/07/2009
						From: 19-634 Westview Farm Rd										
						To: 19-625 Mill Pond Rd										
(611) Hebron Church Rd	1.20	160	R								NA			NA		04/07/2009
						From: 19-607 Roanoke Station Rd										
(611) Coleman Ferry Rd	3.35	110	R								NA			NA		04/07/2009
						To: 19-608 Rocky Branch Rd										
(612) Herman Rd	2.20	460	G	93%	1%	2%	0%	4%	0%	F	0.11	F	0.575	490	G	2011
						From: 19-746 Scuffletown Rd										
						To: 19-641 Mulberry Hill Rd										
(612) Herman Rd	0.69	550	G	93%	1%	2%	0%	4%	0%	C	0.107	F	0.531	580	G	2011
						From: 19-637 N, Saxkey Rd										
						To: 19-637 E, Saxkey Rd; Sylvan Hill Rd										
(612) Herman Rd	1.10	210	R								NA			NA		04/15/2009
						From: 19-613 Country Rd										
(612) Herman Rd	1.30	220	R								NA			NA		04/15/2009
						From: 19-634 Westview Farm Rd										
(612) Sunnyside Rd	3.20	170	R								NA			NA		04/15/2009
						To: SR 47 Graftons Gate Hwy										
(613) Country Rd	2.20	180	R								NA			NA		05/09/2006
						From: 19-612 Herman Rd										
(613) Country Rd	2.70	330	R								NA			NA		05/16/2006
						From: SR 47 N, Graftons Gate Hwy										
						To: SR 47 S, Graftons Gate Hwy										
(613) Alegra Rd	4.50	160	R								NA			NA		05/23/2006
						From: 19-623 West Point Stephens Rd										
(614) Friend-Leigh Rd	0.50	50	R								NA			NA		05/16/2006
						From: SR 59										
						To: Dead End										
(615) Lawyers Rd	1.19	980	G	97%	0%	1%	0%	2%	0%	F	0.099	F	0.511	1000	G	2011
						From: 19-727 Red House Rd										
(615) Rolling Hill Rd	0.39	690	G	97%	0%	1%	0%	2%	0%	C	0.101	F	0.59	730	G	2011
						From: 19-672 Mt Zion Rd										
(615) Rolling Hill Rd	0.31	690	G	97%	0%	1%	0%	2%	0%	F	0.097	F	0.516	730	G	2011
						From: 19-663 Bear Creek Rd										
(615) Rolling Hill Rd	1.25	570	G	97%	0%	1%	0%	2%	0%	F	0.109	F	0.511	600	G	2011
						From: 19-701 Thortons Mill Rd										
(615) Rolling Hill Rd	2.99	440	R								NA			NA		04/06/2009
						From: 19-664 Butterwood Rd										
(615) Rolling Hill Rd	2.13	410	R								NA			NA		04/06/2009
						From: SR 47 Thomas Jefferson Hwy										
(616) Smiths Mill Rd	1.68	150	R								NA			NA		04/25/2006
						From: Campbell County Line										
						To: 19-672 S, Midway Rd										
(616) Whites Chapel Rd	1.00	150	R								NA			NA		04/25/2006
						From: 19-672 N, Midway Rd										
(616) Whites Chapel Rd	2.97	80	R								NA			NA		04/20/2006
						From: 1.00 ME 19-672										
						To: 19-727 Red House Rd										
(617) Old Well Rd	1.30	190	R								NA			NA		04/06/2009
						From: 19-672 Midway Rd										
						To: 19-762 Turkey Creek Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(617) Old Well Rd	1.70	200	R								NA			NA		04/06/2009
(617) Old Well Rd	1.60	210	G	89%	2%	1%	1%	7%	0%	C	0.122	F	0.679	220	G	2011
(617) Bethel Rd	0.60	250	R								NA			NA		04/25/2006
(617) Bethel Rd	2.50	200	R								NA			NA		04/21/2009
(618) Turnip Creek Rd	0.90	230	R								NA			NA		04/25/2006
(619) Staunton Hill Rd	3.50	120	R								NA			NA		04/27/2009
(619) Staunton Hill Rd	3.00	170	R								NA			NA		04/27/2009
(619) Ridgeway Rd	0.50	230	R								NA			NA		04/28/2009
(619) Aspen Wall Rd	2.58	200	R								NA			NA		04/27/2009
(619) Cub Creek Church Rd	2.29	140	R								NA			NA		04/27/2009
(619) Harrisburg Rd	0.10	90	R								NA			NA		04/27/2009
(619) Harrisburg Rd	1.30	70	R								NA			NA		04/27/2009
(619) Harrisburg Rd	1.50	80	R								NA			NA		04/25/2006
(619) Chandler Fork Rd	2.55	30	R								NA			NA		05/02/2006
(619) Double Bridges Rd	3.00	50	R								NA			NA		04/27/2009
Town of Drakes Branch																
(619) Proctor St	0.41	310	G	99%	0%	0%	0%	0%	0%	F	0.104	F	0.514	330	G	2011
(619) Proctor St	0.56	290	G	99%	0%	0%	0%	0%	0%	C	0.12	F	0.5	310	G	2011
Charlotte County																
(620) Clarkton Bridge Rd	2.80	30	R								NA			NA		04/25/2006
(621) Floralee Rd	1.68	45	R								NA			NA		04/08/2009
(622) Old Kings Rd	1.10	70	R								NA			NA		04/27/2009
(622) Old Kings Rd	1.02	320	R								NA			NA		04/27/2009
(622) West Ontario Rd	1.10	340	G	94%	1%	1%	0%	3%	0%	C	0.117	F	0.535	360	G	2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Drakes Branch																
(623) West Point Stevens Rd	1.07	450	G	97%	1%	1%	1%	2%	0%	C	0.135	F	0.507	480	G	2011
Charlotte County																
(623) West Point Stevens Rd	1.67	330	G	97%	1%	1%	1%	2%	0%	F	0.121	F	0.544	350	G	2011
(623) West Point Stephens Rd	3.00	310	R									NA		NA		04/22/2009
(623) West Point Stephens Rd	1.00	290	R									NA		NA		04/27/2009
(623) West Point Stephens Rd	0.70	450	R									NA		NA		04/27/2009
(623) Friendship Church Rd	1.40	250	R									NA		NA		04/27/2009
(624) Morgan Rd	1.00	230	R									NA		NA		04/07/2009
(625) Mill Pond Rd	2.30	70	R									NA		NA		04/07/2009
(626) Hatchet Rd	0.70	100	R									NA		NA		04/15/2009
(626) Hatchet Rd	0.50	120	R									NA		NA		04/15/2009
(626) Hatchet Rd	0.70	8	R									NA		NA		05/23/2006
(627) Shelton Hall Rd	1.30	160	R									NA		NA		04/07/2009
(627) Tate Mill Rd	1.90	100	R									NA		NA		04/07/2009
(628) Puryear Rd	0.50	550	R									NA		NA		04/27/2009
(629) Juniper Creek Rd	1.30	250	R									NA		NA		04/21/2009
(629) Southern Dr	0.46	240	R									NA		NA		04/21/2009
Town of Keysville																
(629) Southern Dr	0.24	220	R									NA		NA		05/16/2006
Charlotte County																
(630) Fort Mitchell Rd	1.78	280	R									NA		NA		04/27/2009
(631) Kings Cross Rd	1.00	100	R									NA		NA		05/31/2006
(631) Kings Cross Rd	1.00	200	R									NA		NA		05/31/2006

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
631 Kings Cross Rd	1.80	150	R			From: SR 92; 19-624					NA			NA		05/31/2006
631 Kings Cross Rd	0.30	120	R			From: US 360 Kings Hwy					NA			NA		05/31/2006
						To: 19-607 Roanoke Station Rd										
632 Jones Store Rd	1.60	180	R			From: 19-605 Whitlow Rd					NA			NA		05/31/2006
632 Jones Store Rd	4.45	90	R			From: 19-608 Salem School Rd					NA			NA		05/31/2006
						To: 19-640 Laconia Rd										
633 Horse Horn Rd	1.70	110	R			From: 19-608 S, Tobacco Hill Rd					NA			NA		05/31/2006
633 Horse Horn Rd	1.20	190	R			From: 19-702 Arbor Rd					NA			NA		05/31/2006
						To: 19-608 N, Tobacco Hill Rd										
634 Westview Farm Rd	0.30	310	R			From: 19-611 Hebron Church Rd					NA			NA		05/31/2006
634 Westview Farm Rd	2.80	260	R			From: 19-679 Bailey Farm Rd					NA			NA		05/09/2006
634 Westview Farm Rd	1.40	260	R			From: 19-606 Bacon School Rd					NA			NA		05/09/2006
						To: 19-612										
635 Williams Rd	0.60	20	R			From: 19-609 Robertson Rd					NA			NA		05/23/2006
						To: 19-607										
636 Garnette Rd	0.70	20	R			From: 19-746 Scuffletown Rd					NA			NA		04/20/2006
636 Roxabel Rd	1.10	60	R			From: Dead End: Gap					NA			NA		05/02/2006
						To: 19-645 Carwile Springs Rd										
637 Sylvan Hill Rd	2.99	250	G	95%	1%	1%	1%	3%	0%	F	0.119	F	0.621	260	G	2011
637 Saxkey Rd	3.56	380	G	95%	1%	1%	1%	3%	0%	F	0.128	F	0.632	400	G	2011
637 Saxkey Rd	2.67	630	G	95%	1%	1%	1%	3%	0%	C	0.126	F	0.542	670	G	2011
						To: WCL Drakes Branch										
Town of Drakes Branch																
637 Saxkey Rd	0.13	630	N	95%	1%	1%	1%	3%	0%	N	0.126	N	0.542	670	N	2011
						From: WCL Drakes Branch										
637 Saxkey Rd	0.36	780	R			From: 19-619 E, Proctor St					NA			NA		04/21/2009
637 Saxkey Rd	0.38	990	R			From: 19-1207 Green St					NA			NA		04/21/2009
						To: SR 47; SR 59										
Charlotte County																
638 Wheelers Spring Rd	0.10	100	R			From: Appomattox County Line					NA			NA		06/09/2006
638 Wheelers Spring Rd	1.70	60	R			From: 19-691 Tower Rd					NA			NA		05/31/2006
638 Wheelers Spring Rd	2.40	80	R			From: 06-628 Piney Ridge Rd					NA			NA		04/06/2009
						To: 06-725; 19-725										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(639) Towler Rd	1.90	200	R			From: 19-623 West Point Stephens Rd To: 19-622 Old Kings Rd					NA			NA		05/16/2006
(640) Laconia Rd	1.15	50	R			From: Dead End To: 1.15 ME Dead End					NA			NA		05/31/2006
(640) Laconia Rd	0.15	50	R			From: 19-632 Jones Store Rd To: 19-632 Jones Store Rd					NA			NA		05/31/2006
(640) Laconia Rd	0.71	100	R			From: US 15 N, Barnesville Hwy To: US 15 S, Barnesville Hwy					NA			NA		04/07/2009
(640) Wheatland Rd	0.20	110	R			From: US 15 S, Barnesville Hwy To: Mecklenburg County Line					NA			NA		04/07/2009
(641) Mulberry Hill Rd	3.72	60	R			From: 19-607 Roanoke Station Rd; River Rd To: 19-612 Herman Rd					NA			NA		04/15/2009
(642) Mossingford Rd	0.28	420	R			From: 19-746 Scuffletown Rd To: 19-645 Carwile Springs Rd					NA			NA		05/02/2006
(642) Mossingford Rd	2.60	210	R			From: 19-643 Brick House Rd To: 19-637 S, Saxkey Rd					NA			NA		05/02/2006
(642) Mossingford Rd	1.11	340	R			From: 19-637 N, Saxkey Rd To: 19-637 N, Saxkey Rd					NA			NA		05/09/2006
(642) Mossingford Rd	2.00	190	R			From: 19-613 Country Rd To: 19-746 Scuffletown Rd					NA			NA		05/09/2006
(643) Brick House Rd	1.70	150	R			From: 1.70 ME 19-746 Scuffletown Rd To: 19-642 Mossingford Rd					NA			NA		05/02/2006
(643) Brick House Rd	0.57	150	R			From: 19-615 Lawyers Rd To: Campbell County Line					NA			NA		04/06/2009
(644) Hancock Rd	0.50	260	R			From: Appomattox County Line To: 19-642 Mossingford Rd					NA			NA		04/06/2009
(645) Carwile Springs Rd	1.10	260	R			From: 1.10 MN 19-642 Mossingford Rd To: 1.73 MN 19-642 Mossingford Rd					NA			NA		05/02/2006
(645) Carwile Springs Rd	0.63	250	R			From: 19-619 Double Bridges Rd; Chandler Fork Rd To: 19-786 Dogwood Rd					NA			NA		05/02/2006
(645) Carwile Springs Rd	1.35	240	R			From: 19-786 Dogwood Rd To: WCL Charlotte CH					NA			NA		05/23/2006
(645) Evergreen Rd	0.30	460	R			From: WCL Charlotte CH To: 19-1106 Gold Leaf Dr					NA			NA		10/17/2000
(645) Evergreen Rd	0.48	580	R			From: SR 40 David Bruce Ave To: SR 40 David Bruce Ave					NA			NA		05/23/2006

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(646) Slaughter House Rd	0.75	60	R								NA			NA		04/15/2009
(647) Adams Rd	2.10	30	R								NA			NA		04/25/2006
(648) Hannah Rd	3.29	30	R								NA			NA		05/02/2006
(648) Hannah Rd	2.29	20	R								NA			NA		04/20/2006
(649) Coles Ferry Rd	2.00	50	R								NA			NA		04/27/2009
(649) Coles Ferry Rd	1.80	10	R								NA			NA		04/20/2006
(649) Coles Ferry Rd	0.50	100	R								NA			NA		04/27/2009
(649) Coles Ferry Rd	0.62	50	R								NA			NA		04/20/2006
(649) Coles Ferry Rd	0.30	50	R								NA			NA		04/25/2006
(649) Coles Ferry Rd	2.16	40	R								NA			NA		04/25/2006
(649) Coles Ferry Rd	1.01	90	R								NA			NA		04/25/2006
(649) Fears Town Rd	2.50	220	R								NA			NA		04/21/2009
(649) Fearstown Rd	2.50	370	G	88%	1%	0%	1%	10%	0%	C	0.11	F	0.546	390	G	2011
(649) Germantown Rd	3.00	440	R								NA			NA		04/08/2009
(649) Germantown Rd	1.57	330	R								NA			NA		04/08/2009
(649) Crawley Rd	0.70	80	R								NA			NA		04/08/2009
(649) Crawley Rd	3.84	180	R								NA			NA		04/08/2009
(650) Hill Cross Rd	2.36	80	R								NA			NA		05/10/2006
(650) Hill Cross Rd	1.15	180	R								NA			NA		05/10/2006
(650) Hill Cross Rd	3.58	190	R								NA			NA		05/10/2006
Town of Charlotte C.H.																
(650) Woodfork Rd	1.12	210	R								NA			NA		05/23/2006
Charlotte County																
(651) Morton Rd	1.49	170	R								NA			NA		04/21/2009

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(651) Country Club Rd	1.70	60	R								NA			NA		05/10/2006
						From: 19-654 S, Mt Harmony Rd										
						To: 19-653 Maple Rd										
(651) Mt Harmony Rd	0.80	80	R								NA			NA		04/21/2009
						From: 0.80 ME 19-653										
(651) Whitehead Rd	1.40	130	R								NA			NA		04/21/2009
						From: 19-652 S, Briery Rd										
						To: 19-652 N, Briery Rd										
(651) Country Club Rd	0.56	140	G	96%	1%	1%	1%	1%	0%	C	0.123	F	0.591	150	G	2011
						From: US 15 Farmville Hwy										
						To: 19-654 Mt Harmony Rd										
(652) Eureka Mill Rd	1.64	60	R								NA			NA		05/16/2006
						From: 1.64 ME 19-654										
(652) Eureka Mill Rd	0.66	90	R								NA			NA		05/16/2006
						From: 19-653 Maple Rd										
(652) Briery Rd	2.20	230	R								NA			NA		04/21/2009
						From: 19-651 S, Whitehead Rd										
(652) Briery Rd	0.60	300	R								NA			NA		04/21/2009
						To: Prince Edward County Line										
(653) Maple Rd	1.60	220	R								NA			NA		05/16/2006
						From: SR 40 George Washington Hwy										
						To: 19-652 Briery Rd; Eureka Mill Rd										
(653) Maple Rd	1.20	60	R								NA			NA		05/31/2006
						From: 19-652 N, Briery Rd										
						To: 19-651 Country Club Rd										
(654) Eureka School Rd	2.23	260	R								NA			NA		04/27/2009
						From: SR 59										
						To: SR 40 E, George Washington Hwy										
(654) Mt Harmony Rd	3.70	230	R								NA			NA		04/21/2009
						From: SR 40 W, George Washington Hwy										
(654) Crab Orchard Rd	0.75	190	R								NA			NA		04/21/2009
						From: 19-651 N, Morton Rd										
(654) Crab Orchard Rd	1.45	310	R								NA			NA		04/21/2009
						From: 19-749 Hills Creek Rd										
						To: Prince Edward County Line										
(655) Bethlehem Rd	1.91	170	R								NA			NA		05/10/2006
						From: 19-604 Abilene Rd; Roanoke Ridge Rd										
(655) Bethlehem Rd	1.70	270	R								NA			NA		05/10/2006
						From: 19-658 Welsh Tract Rd										
						To: 19-671 County Line Rd										
(656) Greenfield Rd	2.50	60	R								NA			NA		05/10/2006
						From: SR 40 George Washington Hwy										
						To: 19-604 Roanoke Ridge Rd										
(657) Bradner Rd	0.80	90	R								NA			NA		05/10/2006
						From: 19-649										
						To: Dead End										
(658) Welsh Tract Rd	4.41	290	R								NA			NA		05/10/2006
						From: 19-709 Union Cemetery Rd										
						To: 19-655 Bethlehem Rd										
(659) McCoys Shop Rd	0.60	160	R								NA			NA		05/10/2006
						From: 19-660 Taro Rd										
						To: 19-671 County Line Rd										
(660) Virginia Rd	1.55	140	R								NA			NA		04/27/2009
						From: 19-650 Hill Cross Rd										
						To: SR 47 S, Thomas Jefferson Hwy										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(660) Taro Rd	3.10	290	R								NA			NA		04/08/2009
(660) Taro Rd	0.80	160	R								NA			NA		04/08/2009
(661) Wards Fork Mill Rd	5.12	200	R								NA			NA		05/10/2006
(662) Tower Loop Rd	0.50	80	R								NA			NA		05/09/2006
(663) Bear Creek Rd	3.80	110	R								NA			NA		04/06/2009
(664) Butterwood Rd	1.70	150	R								NA			NA		04/06/2009
(664) Butterwood Rd	1.23	60	R								NA			NA		05/09/2006
(665) Harvey Rd	3.47	210	R								NA			NA		05/09/2006
(666) Vincent Store Rd	1.36	330	R								NA			NA		04/06/2009
(666) Vincent Store Rd	2.75	420	R								NA			NA		04/06/2009
(667) Hillcroft Rd	3.17	120	R								NA			NA		04/06/2009
Town of Phenix																
(668) Stockdale Rd	0.09	50	R								NA			NA		04/06/2009
(668) Stockdale Rd	0.26	20	R								NA			NA		04/20/2006
Charlotte County																
(668) Stockdale Rd	1.95	30	R								NA			NA		05/23/2006
(669) Sandy Creek Rd	0.50	60	R								NA			NA		05/01/2006
(669) Sandy Creek Rd	0.28	80	R								NA			NA		05/01/2006
(670) Poindexter Rd	0.80	30	R								NA			NA		04/25/2006
(671) County Line Rd	1.88	180	G	87%	2%	1%	9%	1%	0%	C	0.1	F	0.619	190	G	2011
(671) County Line Rd	1.10	30	G	87%	2%	1%	9%	1%	0%	F	NA			30	G	2011
(671) County Line Rd	4.92	230	G	87%	2%	1%	9%	1%	0%	F	0.159	F	0.659	240	G	2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(672) Mt Carmel Rd	2.10	430	R			From: 19-678 Aspen Rd; Francisco Rd					NA			NA		04/25/2006
(672) Mt Caramel Rd	1.60	480	G	98%	1%	0%	1%	0%	0%	C	0.099	F	0.558	500	G	2011
(672) Midway Rd	1.30	360	G	98%	1%	0%	1%	0%	0%	F	0.116	F	0.659	380	G	2011
(672) Midway Rd	7.30	270	G	98%	1%	0%	1%	0%	0%	F	0.117	F	0.543	290	G	2011
(672) Mt Zion Rd	1.20	210	R			From: 19-727 Red House Rd					NA			NA		04/25/2006
(673) Cedar Grove Rd	0.50	60	R			From: Dead End					NA			NA		04/25/2006
(674) Jordans Gate School Rd	1.30	150	R			From: 19-672 Midway Rd					NA			NA		04/25/2006
(675) Tola Rd	0.87	210	R			From: 19-617 Bethel Rd					NA			NA		04/25/2006
(675) Tola Rd	0.80	210	R			From: 19-676 Poor House Rd					NA			NA		05/01/2006
Town of Phenix																
(675) Tola Rd	0.60	410	R			From: SCL Phenix					NA			NA		07/17/2000
Charlotte County																
(676) Poor House Rd	1.10	110	R			From: 19-675 Tola Rd					NA			NA		04/25/2006
(677) Red Hill Rd	1.10	120	R			From: Dead End					NA			NA		05/02/2006
(678) Ridgeway Rd	0.45	90	R			From: Dead End					NA			NA		04/27/2009
(678) Ridgeway Rd	1.20	160	R			From: 19-649 S, Coles Ferry Rd					NA			NA		04/27/2009
(678) Ridgeway Rd	0.80	340	R			From: 19-649 N, Coles Ferry Rd					NA			NA		04/27/2009
(678) Francisco Rd	0.60	300	G	98%	1%	0%	1%	0%	0%	C	0.108	F	0.639	320	G	2011
(678) Aspen Rd	3.10	110	G	98%	1%	0%	1%	0%	0%	F	0.179	F	0.522	110	G	2011
(679) Bailey Farm Rd	2.80	80	R			From: 19-724 Col Smith Rd					NA			NA		04/15/2009
(680) Crymes Orchard Rd	1.41	230	R			From: 19-619 Aspen Wall Rd; Ridgeway Rd					NA			NA		04/21/2009
(681) Moon Rd	1.30	150	R			From: 19-619 Aspen Wall Rd					NA			NA		04/25/2006
						From: 19-634 Westview Farm Rd					NA			NA		04/15/2009
						From: 19-606 Bacon School Rd					NA			NA		04/15/2009
						From: Bus US 15					NA			NA		04/21/2009
						From: 19-652 Briery Rd					NA			NA		04/21/2009
						From: 19-672 Midway Rd					NA			NA		04/25/2006
						From: Dead End					NA			NA		04/25/2006

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(682) Womacks Loop Rd	0.10	290	R			From: 19-649 Fearstown Rd					NA			NA		04/21/2009
						To: SR 40 Patrick Henry Hwy										
(683) Otter Creek Rd	0.25	120	R			From: 19-686 Roseland Rd					NA			NA		04/07/2009
						To: Mecklenburg County Line										
(684) Quarter Horse Rd	1.70	110	R			From: US 15 Kings Hwy					NA			NA		05/23/2006
						To: 19-603 Lindward Rd										
(685) S Berles Creek Rd	0.50	50	R			From: 19-608 Public Fork Rd					NA			NA		04/07/2009
						To: US 360 W, Kings Hwy										
(685) N Berles Creek Rd	0.65	30	R			From: US 360 E, Kings Hwy					NA			NA		05/31/2006
						To: 19-607 Roanoke Station Rd										
(686) Roseland Rd	0.40	200	R			From: 19-602; 19-609					NA			NA		05/31/2006
						To: 19-683 Otter Creek Rd										
(686) Roseland Rd	0.80	100	R			From: 19-607 West Spring Hill Rd					NA			NA		05/23/2006
						To: Dead End										
(687) Mt Mitchell Rd	1.00	210	R			From: 19-630 Fort Mitchell Rd					NA			NA		05/23/2006
						To: Dead End										
(687) Mt Mitchell Rd	0.20	30	R			From: Dead End					NA			NA		05/23/2006
						To: Dead End										
(688) Blue Stone Rd	0.52	90	R			From: 19-754 Harmony Rd					NA			NA		05/16/2006
						To: WCL Keysville										
(688) Blue Stone Rd	0.38	130	R			From: WCL Keysville					NA			NA		04/21/2009
						To: SR 40 Church St; George Washington Hwy										
Town of Keysville																
(688) Blue Stone Rd	0.07	160	R			From: WCL Keysville					NA			NA		04/21/2009
						To: SR 40 Church St; George Washington Hwy										
Charlotte County																
(689) Carwile Rd	0.60	30	R			From: SR 47 Thomas Jefferson Hwy					NA			NA		05/09/2006
						To: 19-649 Crawley Rd										
(690) Little Retreat Rd	0.50	30	R			From: Dead End					NA			NA		05/31/2006
						To: 0.50 ME Dead End										
(690) Little Retreat Rd	0.03	80	R			From: US 15 Barnesville Hwy					NA			NA		05/31/2006
						To: 19-638 Wheelers Spring Rd										
(691) Tower Rd	1.20	70	R			From: 19-701 Thortons Mill Rd					NA			NA		04/20/2006
						To: Prince Edward County Line										
(691) Tower Rd	3.00	100	R			From: Prince Edward County Line					NA			NA		04/06/2009
						To: Charlotte County Line										
Prince Edward County																
(691) Tower Rd	0.10	100	N			From: Charlotte County Line					NA			NA		04/06/2009
						To: SR 47 Thomas Jefferson Hwy										
Charlotte County																
(692) Wpa Rd	0.70	250	R			From: SR 47 Graftons Gate Hwy					NA			NA		04/27/2009
						To: 19-623 West Point Stevens Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
693 Terrell Rd	2.80	90	R			From: 19-619 Staunton Hill Rd					NA		NA			04/27/2009
						To: 19-672 Mt Carmel Rd										
694 Pillow Rd	0.10	160	R			From: 19-672 Midway Rd					NA		NA			04/06/2009
						To: 19-617 Old Well Rd										
695 Rough Creek Rd	2.80	60	R			From: 19-617 Old Well Rd					NA		NA			05/09/2006
						To: 19-727 Red House Rd										
696 Corner Rd	0.10	20	R			From: 19-665 Harvey Rd					NA		NA			05/09/2006
						To: 19-703 Mapleton Rd										
696 Corner Rd	0.15	20	R			From: SR 47 Thomas Jefferson Hwy					NA		NA			05/09/2006
						To: SR 47 S, Thomas Jefferson Hwy										
697 Dixon Rd	0.10	60	R			From: SR 47 S, Thomas Jefferson Hwy					NA		NA			04/27/2009
						To: 0.10 MN SR 47 Thomas Jefferson Hwy										
697 Dixon Rd	0.41	30	R			From: SR 47 N, Thomas Jefferson Hwy					NA		NA			04/27/2009
						To: SR 47 N, Thomas Jefferson Hwy										
698 Greenview Rd	0.90	70	R			From: Dead End					NA		NA			04/07/2009
						To: 19-746 Scuffletown Rd										
699 Deer Rd	0.80	80	R			From: Dead End					NA		NA			04/06/2009
						To: SR 47 Thomas Jefferson Hwy										
700 Hamlet Rd	1.40	160	R			From: Dead End					NA		NA			04/25/2006
						To: 19-727 Red House Rd										
701 Thortons Mill Rd	1.55	150	R			From: 19-615 Rolling Hill Rd					NA		NA			04/25/2006
						To: 19-736 Hunters Rd										
701 Thortons Mill Rd	1.35	60	R			From: 19-691 Tower Rd					NA		NA			04/25/2006
						To: 19-633 Horse Horn Rd										
702 Arbor Rd	0.50	40	R			From: Dead End					NA		NA			05/31/2006
						To: Dead End										
703 Mapleton Rd	0.70	30	R			From: Dead End					NA		NA			05/09/2006
						To: 19-696 Corner Rd										
704 Nollie Rd	0.57	10	R			From: 19-727 S, Red House Rd					NA		NA			05/09/2006
						To: 19-727 N, Red House Rd										
705 Mosley Ferry Rd	0.50	230	R			From: Dead End					NA		NA			05/31/2006
						To: SR 92 JEB Stuart Hwy										
706 Alberts Rd	0.60	30	R			From: SR 40 Patrick Henry Hwy					NA		NA			04/08/2009
						To: 19-669 Sandy Creek Rd										
707 Waddell-Nelson Rd	0.72	50	R			From: 19-671 W, County Line Rd					NA		NA			05/10/2006
						To: 0.72 ME 19-671 County Line Rd										
707 Waddell-Nelson Rd	1.48	100	R			From: 19-760 Station Rd					NA		NA			05/10/2006
						To: 19-760 Station Rd										
707 Waddell-Nelson Rd	0.17	150	R			From: 73-671 E, County Line Rd					NA		NA			04/27/2009
						To: 73-671 E, County Line Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(708) Micajah Rd	0.60	60	R			From: Dead End					NA			NA		04/25/2006
						To: 19-672 Mt Caramel Rd										
Town of Charlotte C.H.																
(709) Union Cemetery Rd	0.48	1300	G	89%	1%	1%	7%	2%	0%	C	0.103	F	0.585	1400	G	2011
						From: SR 47 Thomas Jefferson Hwy										
						To: NCL Charlotte CH										
Charlotte County																
(709) Union Cemetery Rd	0.95	950	G	89%	1%	1%	7%	2%	0%	F	0.107	F	0.533	1000	G	2011
						From: NCL Charlotte CH										
						To: 19-604 Roanoke Ridge Rd										
(709) Union Cemetery Rd	1.32	580	G	89%	1%	1%	7%	2%	0%	F	0.121	F	0.539	610	G	2011
						From: 19-604 Roanoke Ridge Rd										
						To: SR 40 George Washington Hwy										
(710) Oak Hill Rd	1.35	50	R			From: SR 47 Graftons Gate Hwy					NA			NA		04/27/2009
						To: 1.35 ME SR 47										
(710) Oak Hill Rd	2.80	100	R			From: 1.35 ME SR 47					NA			NA		04/27/2009
						To: US 15 Kings Hwy										
(711) Carden Rd	1.00	80	R			From: Dead End					NA			NA		04/25/2006
						To: 19-617 Bethel Rd										
Town of Keysville																
(712) Church St	1.02	710	R			From: Bus US 15					NA			NA		04/21/2009
						To: NCL Keysville										
Charlotte County																
(712) Horseshoe Bend Rd	1.22	210	R			From: NCL Keysville					NA			NA		04/27/2009
						To: Lunenburg County Line										
(712) Horseshoe Bend Rd	0.65	110	R			From: Lunenburg County Line					NA			NA		04/27/2009
						To: Lunenburg County Line										
(712) Horseshoe Bend Rd	1.59	490	R			From: Lunenburg County Line					NA			NA		04/27/2009
						To: US 15; US 360										
(713) Deuprees Store Rd	0.35	90	R			From: 19-606 Bacon School Rd					NA			NA		04/15/2009
						To: 19-730 Shiloh Church Rd										
(713) Deuprees Store Rd	1.20	120	R			From: 19-730 Shiloh Church Rd					NA			NA		04/15/2009
						To: SR 47 Graftons Gate Hwy										
Town of Keysville																
(714) Railroad Ave	0.10	450	R			From: 19-712 Horseshoe Bend Road					NA			NA		04/21/2009
						To: 19-716 Farrar St										
(714) Railroad Ave	0.02	320	R			From: 19-716 Farrar St					NA			NA		04/21/2009
						To: Dead End										
(715) J St	0.06	2	R			From: Dead End					NA			NA		05/02/2006
						To: 19-757 Osborne St										
(715) J St	0.07	530	R			From: 19-757 Osborne St					NA			NA		05/02/2006
						To: Bus US 15										
(716) Farrar St	0.35	630	R			From: 19-714 Railroad Ave					NA			NA		05/02/2006
						To: 19-712 Horseshoe Bend Road										
(716) Farrar St	0.20	270	R			From: 19-712 Horseshoe Bend Road					NA			NA		05/02/2006
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(717) Wright Rd	0.45	100	R			From: Dead End					NA			NA		05/16/2006
						To: Bus US 15										
Town of Keyville																
(718) H St	0.08	870	R			From: Bus US 15					NA			NA		05/02/2006
						To: 19-712 Horseshoe Bend Road										
Charlotte County																
(719) Sublett Place Rd	0.50	60	R			From: 19-674 Jordans Gate School Rd					NA			NA		04/25/2006
						To: Dead End										
(720) Price Rd	0.65	60	R			From: Dead End					NA			NA		05/09/2006
						To: 19-615 Rolling Hill Rd										
(721) Pugh Rd	0.80	70	R			From: 19-666 Vincent Store Rd					NA			NA		05/09/2006
						To: Dead End										
Town of Keyville																
(722) Spaulding Ave	0.07	400	R			From: Dead End					NA			NA		05/16/2006
						To: 19-757 Osborne St										
(722) Spaulding Ave	0.05	1000	R			From: 19-757 Osborne St					NA			NA		05/16/2006
						To: Bus US 15										
Charlotte County																
(723) Cedar Tavern Rd	1.00	70	R			From: 19-678 Ridgeway Rd					NA			NA		04/25/2006
						To: Dead End										
(724) Col Smith Rd	1.00	60	R			From: 19-678 Ridgeway Rd					NA			NA		04/25/2006
						To: Dead End										
(725) Point Rd	0.13	49	R			From: 06-725; 19-638					NA			NA		05/09/2006
						To: SR 47; Pr Edward CL										
(726) Lockett Rd	1.80	80	R			From: US 15 Barnesville Hwy					NA			NA		05/31/2006
						To: 19-608 Salem School Rd										
Town of Phenix																
(727) Washington Ave.	0.28	1300	G	96%	1%	2%	1%	1%	0%	F	0.149	F	0.542	1300	G	2011
						From: SR 40; 19-1008										
						To: NCL Phenix										
Charlotte County																
(727) Red House Rd	4.02	1300	N	96%	1%	2%	1%	1%	0%	N	0.149	N	0.542	1300	N	2011
						From: NCL Phenix										
						To: 19-783 Ulrich Plt (Plantation) Rd										
(727) Red House Rd	4.03	650	G	96%	1%	2%	1%	1%	0%	F	0.101	F	0.561	680	G	2011
						From: 19-783 Ulrich Plt (Plantation) Rd										
						To: 19-672 S; Midway Rd										
(727) Red House Rd	1.37	900	G	96%	1%	2%	1%	1%	0%	F	0.095	F	0.623	950	G	2011
						From: 19-672 S; Midway Rd										
						To: 19-615 Lawyers Rd, Rolling Hill Rd										
(727) Red House Rd	0.94	1300	G	96%	1%	2%	1%	1%	0%	C	0.096	F	0.643	1300	G	2011
						From: 19-615 Lawyers Rd, Rolling Hill Rd										
						To: Appomattox County Line										
(728) Parsons Rd	0.45	60	R			From: 19-650 Hill Cross Rd					NA			NA		05/19/2006
						To: Dead End										
(729) Maloneys Shop Rd	0.60	60	R			From: Dead End					NA			NA		04/25/2006
						To: 19-672 Midway Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(730) Shiloh Church Rd	0.15	170	R								NA			NA		05/15/2009
(730) Shiloh Church Rd	0.04	60	R								NA			NA		04/15/2009
(730) Shiloh Church Rd	1.21	40	R								NA			NA		04/15/2009
Town of Keysville																
(731) Pettus St	0.07	100	G	86%	1%	0%	2%	11%	0%	C	0.127	F	0.6	100	G	2011
Charlotte County																
(732) Dickerson Rd	0.75	50	R								NA			NA		05/09/2006
(733) Ford Rd	0.58	30	R								NA			NA		05/09/2006
(734) Trents Cemetery Rd	0.80	50	R								NA			NA		04/25/2006
Town of Keysville																
(735) Pecan St	0.08	70	R								NA			NA		04/21/2009
(735) Pecan St	0.02	10	R								NA			NA		04/21/2009
Charlotte County																
(736) Hunters Rd	0.90	80	R								NA			NA		04/20/2006
(737) Tatem Rd	0.30	120	R								NA			NA		05/02/2006
(738) Ferguson Rd	0.22	40	R								NA			NA		05/10/2006
Town of Keysville																
(739) Wilson St	0.12	140	R								NA			NA		05/02/2006
Charlotte County																
(740) Old Forty-Seven Rd	0.33	90	R								NA			NA		05/16/2006
(741) Roanoke Creek Rd	0.25	60	R								NA			NA		05/09/2006
(742) Duffey Rd	0.55	90	R								NA			NA		05/31/2006
(743) Shady Oaks Rd	0.50	100	R								NA			NA		05/16/2006
(744) Elam Rd	0.55	50	R								NA			NA		05/23/2006

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(745) Forest Trail Rd	0.20	60	R								NA		NA			05/16/2006
(746) Scuffletown Rd	6.34	700	G	90%	1%	1%	1%	7%	0%	C	0.103	F	0.578	750	G	2011
(746) Scuffletown Rd	3.76	520	G	90%	1%	1%	1%	7%	0%	F	0.113	F	0.513	550	G	2011
(746) Scuffletown Rd	2.08	470	G	90%	1%	1%	1%	7%	0%	F	0.122	F	0.507	500	G	2011
(747) Seamster Rd	0.80	70	R								NA		NA			04/25/2006
(748) Deaner Rd	0.35	10	R								NA		NA			04/25/2006
(749) Hills Creek Rd	0.25	60	R								NA		NA			05/10/2006
(750) New Town Rd	1.10	60	R								NA		NA			05/02/2006
(751) St Louis Rd	0.90	100	R								NA		NA			05/23/2006
(752) Azalea Rd	0.70	160	R								NA		NA			04/06/2009
(753) Pump Handle Rd	0.30	20	R								NA		NA			04/25/2006
(754) Harmony Rd	0.40	50	R								NA		NA			05/02/2006
(755) Legion Rd	0.15	8	R								NA		NA			05/02/2006
(756) Wren Rd	1.80	90	R								NA		NA			04/08/2009
Town of Keysville																
(757) Osborne St	0.03	350	R								NA		NA			04/21/2009
(757) Osborne St	0.42	280	G	98%	1%	1%	0%	0%	0%	C	0.126	F	0.585	290	G	2011
(757) Osborne St	0.14	310	R								NA		NA			04/21/2009
(758) I St	0.11	30	G	98%	1%	1%	0%	0%	0%	F	NA		30	G	2011	
(758) I St	0.09	120	G	98%	1%	1%	0%	0%	0%	C	0.178	F	0.579	120	G	2011
(758) I St	0.09	420	R								NA		NA			04/21/2009

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(759) Hailey Rd	0.12	160	R									NA		NA		05/09/2006
(760) Station Rd	0.18	45	R									NA		NA		05/10/2006
(761) Inge Rd	0.85	30	R									NA		NA		05/09/2006
(762) Turkey Creek Rd	3.25	110	R									NA		NA		04/20/2006
(763) Able Rd	0.70	60	R									NA		NA		05/23/2006
(764) Kennedy Rd	0.45	70	R									NA		NA		05/31/2006
Town of Keyville																
(765) Arvin St	0.05	200	R									NA		NA		05/02/2006
(765) Front St	0.15	160	G	98%	1%	0%	0%	1%	0%	F	0.118	F	0.583	170	G	2011
(765) Front St	0.15	150	G	98%	1%	0%	0%	1%	0%	C	0.153	F	0.586	160	G	2011
Charlotte County																
(766) Fernado Rd	0.40	50	R									NA		NA		04/25/2006
(767)	0.02	NA										NA		NA		
(768)	0.02	NA										NA		NA		
Town of Keyville																
(769) Mary Knoll Lane	0.23	100	R									NA		NA		05/16/2006
Charlotte County																
(770) Sawmill Rd	0.35	110	R									NA		NA		05/23/2006
Town of Keyville																
(771) Shaw Dr	0.10	80	R									NA		NA		05/02/2006
(771) Shaw Dr	0.10	10	R									NA		NA		05/02/2006
Charlotte County																
(772) Hill Ave	0.05	90	G	99%	0%	0%	1%	0%	0%	F	0.17	F	0.636	100	G	2011
(772) Hill Ave	1.59	230	G	99%	0%	0%	1%	0%	0%	F	0.132	F	0.536	240	G	2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Keyesville																
(772) Hill Ave	0.38	230	N	99%	0%	0%	1%	0%	0%	N	0.132	N	0.536	240	N	2011
From: SCL Keyesville																
To: 19-757 W, Osborne St																
(772) Railroad Ave	0.10	510	G	99%	0%	0%	1%	0%	0%	C	0.105	F	0.621	540	G	2011
From: Bus US 15																
To: 19-774 Priddy St																
(773) Priddy St	0.05	90	R									NA		NA		04/21/2009
From: SR 59																
To: 19-826 Merry Oakes Lane																
(774) Priddy St	0.16	40	R									NA		NA		04/21/2009
From: 19-773 Priddy St																
To:																
Charlotte County																
(775) Moldavia Rd	0.25	50	R									NA		NA		04/27/2009
From: Dead End																
To: 19-709 Union Cemetery Rd																
(775) Dabbs Bridge Rd	0.45	40	R									NA		NA		04/20/2006
From:																
To: Dead End																
Town of Keyesville																
(776) Mary Ave	0.04	190	R									NA		NA		05/02/2006
From: SR 59																
To: 19-772 Hill Ave																
Charlotte County																
(777) Candy Rd	0.45	60	R									NA		NA		04/07/2009
From: Dead End																
To: 19-746 Scuffletown Rd																
(778) Coppermine Rd	0.50	60	R									NA		NA		05/16/2006
From: Dead End																
To: 19-772 Hill Ave																
(779) Jacksonville Rd	0.40	80	R									NA		NA		05/02/2006
From: Dead End																
To: 19-746 Scuffletown Rd																
(780) Sunset	0.20	20	R									NA		NA		05/10/2006
From: Dead End																
To: 19-654 Crab Orchard Rd																
Town of Keyesville																
(781) Pine Haven St	0.09	60	R									NA		NA		05/16/2006
From: Dead End																
To: SR 40 Lunenburg Hwy																
Charlotte County																
(782) Walton Rd	0.63	140	R									NA		NA		04/27/2009
From: Dead End																
To: SR 40 George Washington Hwy																
(783) Ulrich Plt (Plantation) Rd	0.30	50	R									NA		NA		05/09/2006
From: Dead End																
To: 19-727 Red House Rd																
(784) Scott Rd	0.90	170	R									NA		NA		05/16/2006
From: Dead End																
To: 19-613 Country Rd																
(785) Barrett Rd	0.75	60	R									NA		NA		04/25/2006
From: Dead End																
To: 19-672 Midway Rd																
(786) Dogwood Rd	0.60	180	R									NA		NA		05/23/2006
From: Dead End																
To: 19-645 Evergreen Rd; Carwile Springs Rd																
Town of Keyesville																
(787) Keyesville Main St	0.09	90	R									NA		NA		05/02/2006
From: 19-716 Farrar St																
To: 19-796 Shadow Lane																

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Keysville																
(787) Keysville Main St	0.05	2	R			From: 19-796 Shadow Lane					NA			NA		05/02/2006
						To: Dead End										
Charlotte County																
(788) Carys Shop Rd	0.40	70	R			From: SR 47 Graftons Gate Hwy					NA			NA		05/23/2006
						To: Dead End										
Town of Keysville																
(789) Pecan St	0.06	80	R			From: Dead End					NA			NA		04/21/2009
						To: 19-735 Pecan St										
Charlotte County																
(790) Rosa Rd	0.50	60	R			From: Dead End					NA			NA		04/25/2006
						To: 19-678 Aspen Rd										
(791) Thompson Blvd	0.22	60	R			From: SR 59					NA			NA		05/16/2006
						To: Dead End										
(792) Trainview Rd	0.60	70	R			From: Dead End					NA			NA		04/25/2006
						To: 19-672 Mt Carmel Rd										
(793) Trails End Rd	0.70	130	R			From: Dead End					NA			NA		05/09/2006
						To: SR 47 Thomas Jefferson Hwy										
(794) Jenkins Creek Rd	0.40	50	R			From: Dead End					NA			NA		05/09/2006
						To: 19-649 Crawley Rd										
Town of Keysville																
(795) Arvin Rd	0.08	60	R			From: Dead End					NA			NA		05/02/2006
						To: 19-765 Arvin St										
(796) Shadow Lane	0.08	150	R			From: Bus US 15					NA			NA		04/21/2009
						To: 19-787 Keysville Main St										
(796) Shadow Lane	0.12	100	R			From: Dead End					NA			NA		04/21/2009
						To: 19-771 Shaw Dr										
Charlotte County																
(797) Jackson Court Rd	0.20	140	R			From: US 360 Kings Hwy					NA			NA		04/27/2009
						To: Dead End										
(798) Community Rd	0.10	140	R			From: 19-606 Bacon School Rd					NA			NA		04/15/2009
						To: Dead End										
(799) Ccc Rd	0.41	90	R			From: Dead End					NA			NA		05/23/2006
						To: 19-623 West Point Stephens Rd										
(800) Hook Rd	0.30	49	R			From: Dead End					NA			NA		04/27/2009
						To: 73-664; Pr Ed CL										
(800) Hook Rd	0.44	140	R			From: Dead End					NA			NA		04/27/2009
						To: 19-671 County Line Rd										
(801) Pump Rd	0.08	10	R			From: Dead End					NA			NA		04/25/2006
						To: 19-753 Pump Handle Rd										
(801) Pump Rd	0.67	60	R			From: Dead End					NA			NA		04/25/2006
						To: Campbell County Line										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(802) Horsepen Creek Lane	0.19	70	R								NA			NA		05/09/2006
(804) Roanoke Bridge Rd	0.25	40	R								NA			NA		04/21/2009
(805) Pulliam Farm Rd	0.21	70	R								NA			NA		04/15/2009
(807) Eubanks Rd	0.30	60	R								NA			NA		05/31/2006
(810) Hare Rd	0.50	50	R								NA			NA		05/31/2006
(815) Canary Lane	0.06	40	R								NA			NA		05/23/2006
(820) Pine Crest Rd	0.34	80	R								NA			NA		05/16/2006
Town of Keysville																
(823) June Lane	0.10	90	R								NA			NA		04/20/2006
(824) Leisure Dr	0.15	20	R								NA			NA		04/20/2006
(825) Merry Oaks Lane	0.35	20	R								NA			NA		05/02/2006
Charlotte County																
(826) Merry Oaks Lane	0.04	30	R								NA			NA		05/02/2006
Town of Keysville																
(826) Merry Oaks Lane	0.10	30	R								NA			NA		05/02/2006
Charlotte County																
(830) Dat Rd	0.30	30	R								NA			NA		05/02/2006
Town of Phenix																
(1001) Lincoln St	0.43	80	R								NA			NA		04/08/2009
(1001) Lincoln St	0.07	210	R								NA			NA		04/08/2009
(1002) Charlotte Ave	0.14	290	R								NA			NA		04/08/2009
(1003) Virginia Ave	0.07	60	R								NA			NA		04/08/2009
(1003) Virginia Ave	0.07	70	R								NA			NA		04/08/2009

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Phenix																
1003 Virginia Ave	0.06	30	R			From: 19-1005 Park St					NA			NA		05/01/2006
						To: 19-1006 Randolph St										
1004 Church St (Keysville)	0.23	50	R			From: Dead End					NA			NA		04/08/2009
1004 Church St (Keysville)	0.09	50	R			From: 19-727 Washington Ave; Red House Rd					NA			NA		04/08/2009
1004 Church St (Keysville)	0.08	50	R			From: 19-1003 Virginia Ave					NA			NA		05/01/2006
1004 Church St (Keysville)	0.09	20	R			From: 19-1013 Florida Ave					NA			NA		05/01/2006
						To: Dead End										
1005 Park St	0.09	20	R			From: Dead End					NA			NA		04/08/2009
1005 Park St	0.09	47	R			From: 19-1002 Charlotte Ave					NA			NA		04/08/2009
1005 Park St	0.16	70	R			From: 19-727 Washington Ave; Red House Rd					NA			NA		04/08/2009
						To: Dead End										
1006 Randolph St	0.15	50	R			From: Dead End					NA			NA		05/01/2006
1006 Randolph St	0.21	140	R			From: 0.15 ME Dead End					NA			NA		05/01/2006
1006 Randolph St	0.04	20	R			From: 19-727 Gap Dead End; Gap					NA			NA		05/01/2006
						To: 19-1003 Virginia Ave										
1007 Chester St	0.09	110	R			From: 19-1001 Lincoln St					NA			NA		04/08/2009
						To: 19-1008 Chester St										
1008 Chester St	0.07	290	R			From: 19-1007 Chester St					NA			NA		04/08/2009
						To: SR 40; 19-727										
1009 Kentucky Ave	0.05	6	R			From: Dead End					NA			NA		05/01/2006
						To: 19-675 Tola Rd										
1010 Halifax St	0.05	45	R			From: Dead End					NA			NA		04/08/2009
1010 Halifax St	0.19	60	R			From: 0.05 ME Dead End					NA			NA		05/01/2006
						To: 19-727 Red House Rd										
1011 Pennsylvania Ave	0.07	20	R			From: 19-675 Tola Rd					NA			NA		04/08/2009
1011 Pennsylvania Ave	0.07	40	R			From: SR 40 Phenix Main St					NA			NA		04/08/2009
						To: 19-1004 Church St Keysville										
1012 Florida Ave	0.05	40	R			From: SR 40 Patrick Henry Hwy					NA			NA		05/01/2006
						To: 19-1013 Florida Ave										
1013 Florida Ave	0.06	20	R			From: 19-1012 Florida Ave					NA			NA		05/01/2006
						To: 19-1004 Church St Keysville										
Town of Charlotte C.H.																
1101 Watkins Dr	0.34	120	R			From: Dead End					NA			NA		05/23/2006
						To: SR 47										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Charlotte C.H.																
1102	Chestnut Ln	0.11	30	R			From: SR 47 Thomas Jefferson Hwy					NA		NA		04/21/2009
							To: Dead End									
1103	Patrick Henry Ave	0.56	130	R			From: SR 47 Thomas Jefferson Hwy					NA		NA		04/21/2009
							To: SR 40 George Washington Hwy									
1104	Morrison Grove Dr	0.19	60	R			From: Dead End					NA		NA		04/21/2009
							To: 19-709 Union Cemetery Rd									
1105	Wilfan Dr	0.06	90	R			From: 19-1103 Patrick Henry Ave					NA		NA		04/20/2006
							To: Dead End									
1106	Gold Leaf Dr	0.50	190	R			From: Dead End					NA		NA		05/23/2006
							To: 19-645 Evergreen Rd									
1107	Twin Oaks Dr	0.09	50	R			From: SR 40 George Washington Hwy					NA		NA		04/21/2009
							To: 19-1103 Patrick Henry Ave									
1108	Dixie Youth Dr	0.19	160	R			From: Dead End					NA		NA		05/23/2006
							To: SR 40 George Washington Hwy									
1109	Carey Dr	0.25	70	R			From: 19-709 Union Cemetery Rd					NA		NA		04/21/2009
							To: Dead End									
1110	Moses Dr	0.15	70	R			From: Dead End					NA		NA		04/21/2009
							To: SR 47 Thomas Jefferson Hwy									
1111	Statesman Dr	0.65	570	R			From: SR 40 David Bruce Ave					NA		NA		04/21/2009
							To: SR 47									
1113		0.25	260	R			From: Dead End					NA		NA		04/21/2009
							To: 19-1111 Statesman Dr									
1114	Law Lane	0.08	230	R			From: 19-1111 Statesman Dr					NA		NA		05/23/2006
							To: 0.08 ME 19-1111 Statesman Dr									
1114	Law Lane	0.14	360	R			From: 0.08 ME 19-1111 Statesman Dr					NA		NA		05/23/2006
							To: SR 47									
Town of Drakes Branch																
1201	School St	0.12	110	R			From: Dead End					NA		NA		05/16/2006
							To: 19-619 Proctor St									
1202	White St	0.20	160	R			From: SR 47					NA		NA		05/16/2006
							To: Dead End									
1203	Harold St	0.03	450	R			From: 19-619 Proctor St					NA		NA		05/16/2006
							To: SR 47									
1204	Isabella St	0.24	230	R			From: 19-619 Proctor St					NA		NA		05/16/2006
							To: SR 47									
1205	Marshall St	0.25	240	R			From: SR 47					NA		NA		04/20/2006
							To: 0.25 ME SR 47									
1205	Marshall St	0.25	260	R			From: 0.25 ME SR 47					NA		NA		04/20/2006
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Drakes Branch																
(1206) New York Ave	0.25	160	R				SR 47				NA			NA		05/16/2006
							Dead End									
(1207) Green St	0.21	130	R				19-619 Proctor St				NA			NA		05/16/2006
							19-637 Saxkey Rd									
(1208) Pine St	0.06	20	R				Dead End				NA			NA		05/16/2006
							19-619 Proctor St									
(1209) Bedford St	0.16	100	R				Cul-de-Sac				NA			NA		05/16/2006
							19-623 West Point Stevens Rd									
(1210) Dunlop St	0.15	2	R				Dead End				NA			NA		05/16/2006
							19-1212 Foster St									
(1210) Dunlop St	0.01	340	R				SR 47				NA			NA		05/16/2006
							Dead End									
(1211) Fawthorp St	0.06	30	R				Dead End				NA			NA		05/16/2006
							19-623 West Point Stevens Rd									
(1212) Foster St	0.12	190	R				19-1210 Dunlop St				NA			NA		05/16/2006
							Dead End									
(1213) Payne St	0.06	130	R				Dead End				NA			NA		05/16/2006
							SR 47									
Charlotte County																
(9091) School Lane	0.23	170	R				19-654				NA			NA		05/16/2006
							Eureka Elem School									
(9477)	0.06	390	R				J Murry Jeffress Elem Sch				NA			NA		03/09/2009
							SR 40 Patrick Henry Hwy									
Town of Charlotte C.H.																
(9504)	0.03	170	R				SR 47 Thomas Jefferson Hwy				NA			NA		05/23/2006
							Central High School									
Town of Phenix																
(9729)	0.09	220	R				19-727 Red House Rd				NA			NA		05/01/2006
							Phenix Elem School									
Charlotte County																
(9730) Bacon Elem School	0.09	300	R				19-606 Bacon School Rd				NA			NA		05/23/2006
							Bacon Elem School									