

2011

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

25

Dickenson County
Town of Clintwood
Town of Haysi
Town of Clinchco

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
63	Dante Mountain Rd	From: Russell County Line; 83-616	4.02	1300	G	86%	0%	1%	3%	9%	0%	F	0.092	F	0.648	1400	G
63	Dante Mountain Rd	To: 25-656 Roaring Fork Rd	7.83	1500	G	86%	0%	1%	3%	9%	0%	F	0.086	F	0.561	1600	G
63	Dante Mountain Rd	To: 25-714 N, Ritter Circle	2.05	2700	G	77%	0%	1%	2%	19%	0%	C	0.085	F	0.504	2800	G
63	Dickenson Hwy	To: SR 83 Fremont	4.94	4600	G	91%	1%	2%	1%	6%	0%	F	0.090	F	0.551	4800	G
63	Dickenson Hwy	To: SR 83 CLINCHCO															
63	Big Ridge Rd	From: SR 83 Clincho	3.51	920	G	97%	1%	2%	0%	0%	0%	F	0.089	F	0.588	960	G
63	Big Ridge Rd	To: 25-616 The Lake Rd	2.70	460	G	97%	1%	2%	0%	0%	0%	C	0.1	F	0.542	470	G
63	Big Ridge Rd	To: 25-614 Flannagan Dam Rd															
63	Big Ridge Rd	From: 25-614 Flannagan Dam Rd	3.01	1900	G	97%	1%	2%	0%	0%	0%	F	0.1	F	0.504	1900	G
63		To: WCL Haysi															
63	Town of Haysi (Maint: 25)	From: Town of Haysi (Maint: 25)	0.79	1900	N	97%	1%	2%	0%	0%	0%	N	0.1	N	0.504	1900	N
63		To: N SR 80 & SR 83															
72	Coeburn Rd	From: Dickenson County Line	2.55	2800	G	88%	0%	1%	0%	11%	0%	F	0.079	F	0.539	3000	G
72	Coburn Rd	To: 25-665															
72	Coburn Rd	From: 25-665 Lick Fork Rd	5.13	2000	G	88%	0%	1%	0%	11%	0%	C	0.085	F	0.683	2100	G
72	Coburn Rd	To: SR 83 Georges Fork															
80	Helen Henderson Hwy	From: Buchanan County Line	3.49	1300	G	89%	1%	1%	3%	6%	0%	F	0.087	F	0.662	1300	G
80	Helen Henderson Hwy	To: 25-682															
80	Helen Henderson Hwy	From: 25-682 Priest Fork Rd	7.05	1700	G	89%	1%	1%	3%	6%	0%	C	0.094	F	0.567	1800	G
80	Helen Henderson Hwy	To: SCL Haysi															
80	Helen Henderson Hwy	From: Town of Haysi (Maint: 25)	0.27	3300	G	89%	1%	1%	3%	6%	0%	F	0.107	F	0.579	3400	G
80	Helen Henderson Hwy	To: SR 83 S Dickenson Hwy															
80	Dickenson Hwy	From: Town of Haysi (Maint: 25)	0.34	4700	G	91%	1%	2%	1%	6%	0%	F	0.091	F	0.583	4900	G
80	Dickenson Hwy	To: E SR 63															
80	Dickenson Hwy	From: Town of Haysi (Maint: 25)	1.08	3800	G	91%	1%	2%	1%	6%	0%	F	0.082	F	0.547	3900	G
80		To: CL Haysi															
80		From: Dickenson County	0.01	3800	N	91%	1%	2%	1%	6%	0%	N	0.082	N	0.547	3900	N
80		To: SR 83 N															
80	Breaks Park Rd	From: SR 83 S, Dickenson Hwy	8.49	1100	G	82%	1%	1%	1%	15%	0%	C	0.107	F	0.597	1200	G
80		To: Buchanan County Line															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
83 Dickenson Hwy	Dickenson County	3.91	6500	G	91%	1%	2%	1%	6%	0%	F	0.091	F	0.769	6700	G
83 W Main St	Dickenson County	0.69	8700	G							0.092	F	0.509	9000	G	
83	Town of Clintwood (Maint: 25)	1.78	8700	N							0.092	N	0.509	9000	N	
83 Dickenson Hwy	Dickenson County	5.57	5100	G	91%	1%	2%	1%	6%	0%	F	0.093	F	0.605	5300	G
83 63 Dickenson Hwy	Dickenson County	4.94	4600	G	91%	1%	2%	1%	6%	0%	F	0.090	F	0.551	4800	G
83 Dickenson Hwy	Dickenson County	2.44	3800	G	91%	1%	2%	1%	6%	0%	F	0.089	F	0.616	4000	G
83 Dickenson Hwy	Dickenson County	3.23	3600	G	91%	1%	2%	1%	6%	0%	F	0.088	F	0.558	3700	G
83	Town of Haysi (Maint: 25)	0.56	3600	N	91%	1%	2%	1%	6%	0%	N	0.088	N	0.558	3700	N
83 80 Dickenson Hwy	Town of Haysi (Maint: 25)	0.34	4700	G	91%	1%	2%	1%	6%	0%	F	0.091	F	0.583	4900	G
83 80 Dickenson Hwy	Town of Haysi (Maint: 25)	1.08	3800	G	91%	1%	2%	1%	6%	0%	F	0.082	F	0.547	3900	G
83 80	Dickenson County	0.01	3800	N	91%	1%	2%	1%	6%	0%	N	0.082	N	0.547	3900	N
83 Dickenson Hwy	Dickenson County	0.04	2100	G	91%	1%	2%	1%	6%	0%	C	0.088	F	0.507	2200	G
83	Town of Haysi (Maint: 25)	0.04	2100	N	91%	1%	2%	1%	6%	0%	N	0.088	N	0.507	2200	N
83	Dickenson County	3.38	2100	N	91%	1%	2%	1%	6%	0%	N	0.088	N	0.507	2200	N
							Buchanan County Line									

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(632)	0.62	230	R			From: 25-751 Old Vanover Farm Rd								NA	08/14/2003	
			To: SR 83 Dickenson Hwy													
(633) Strouth Rd	1.40	290	R			From: Dead End								NA	08/12/2003	
			To: SR 72 S. Cranes Nest Rd													
(633)	1.30	330	R			From: SR 72 N. Cranes Nest Rd								NA	08/12/2003	
			To: 25-636													
(633)	1.10	300	R			From: 25-636								NA	08/12/2003	
			To: From: 25-784 Deer Lick Hollow													
(633) Strouth Rd	0.53	30	R			From: Dead End								NA	01/09/2006	
			To: SR 72 Coeburn Rd													
(634)	0.50	70	R			From: Dead End								NA	08/12/2003	
			To: SR 72 Coeburn Rd													
(635)	0.95	120	R			From: Dead End								NA	08/12/2003	
			To: SR 72 Cranes Nest Rd													
(636)	2.60	220	R			From: 25-637								NA	08/12/2003	
			To: 25-633													
(637)	0.06	1100	R			From: SR 72 Cranes Nest Rd								NA	08/12/2003	
			To: 25-636													
(637)	3.33	910	R			From: 25-636								NA	08/12/2003	
			To: From: 25-649 W. DC Caney Ridge Rd													
(637) DC Caney Ridge Rd	4.19	520	G	98%	0%	1%	1%	1%	0%	F	0.096	F	0.596	540	G	2011
			To: 25-731 Bise Ridge													
(637) DC Caney Ridge Rd	1.10	1400	G	98%	0%	1%	1%	1%	0%	C	0.091	F	0.688	1400	G	2011
			To: SR 83 Dickenson Hwy													
(637)	0.69	870	R			From: Dead End								NA	08/29/2003	
			To: 25-638													
(637)	4.96	620	R			From: SR 63 Big Ridge Rd								NA	08/29/2003	
			To: 25-638													
(638)	1.40	180	R			From: Dead End								NA	08/29/2003	
			To: 25-637													
(639)	1.80	210	R			From: Dead End								NA	08/29/2003	
			To: 25-637 DC Caney Ridge Rd													
(640)	0.20	230	R			From: SR 72 Cranes Nest Rd								NA	08/12/2003	
			To: Wise County Line													
(640)	0.30	190	R			From: 0.30 ME of CL								NA	08/12/2003	
			To: 0.30 ME of CL													
(640)	1.10	120	R			From: Dead End								NA	08/12/2003	
			To: Dead End													
(641)	0.40	100	R			From: Dead End								NA	08/12/2003	
			To: 25-648													
(642)	1.30	180	R			From: 25-652 Dr Ralph Stanley Hwy								NA	08/06/2003	
			To: Dead End													

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(643)	1.50	210	R			From:	25-652 Dr Ralph Stanley Hwy				NA		NA	08/06/2003		
(643)	1.50	170	R			To:	1.50 MN 25-652				NA		NA	08/06/2003		
(643)	2.00	60	R			From:	25-654 SOUTH				NA		NA	08/06/2003		
(643) Carter Stanley Hwy	1.97	60	R			To:	25-698 Rainwater Trail Rd				NA		NA	12/07/2006		
(643) Carter Stanley Hwy	0.03	130	R			From:	1.97 MN 25-698				NA		NA	12/07/2006		
(643)	0.08	400	R			To:	25-654 NORTH				NA		NA	08/06/2003		
(643)						From:	SR 63 Dante Mountain Rd									
(644)	0.50	120	R			From:	25-649 DC Caney Ridge Rd				NA		NA	08/06/2003		
(644)	4.82	70	R			To:	0.50 ME 25-649				NA		NA	08/06/2003		
(644)	1.12	230	R			From:	25-719 Flat Top Rd				NA		NA	08/06/2003		
(644)						To:	25-652 Dr Ralph Stanley Hwy									
(645) Canyon Rd	0.39	50	R			From:	25-649 DC Caney Ridge Rd				NA		NA	01/04/2006		
(645) Bad Ridge	3.00	170	R			To:	Dead End; Gap				NA		NA	12/07/2006		
(645)						From:	25-652 Dr Ralph Stanley Hwy									
(646)	0.42	70	R			From:	Dead End				NA		NA	08/12/2003		
(646)	0.58	170	R			To:	25-659				NA		NA	08/12/2003		
(646)						From:	25-649 DC Caney Ridge Rd									
(647) Lewis Stone Rd	0.34	40	R			From:	Dead End				NA		NA	02/09/2006		
(647)						To:	25-695									
(648)	0.90	100	R			From:	25-649 S, DC Caney Ridge Rd				NA		NA	08/12/2003		
(648)	1.00	270	R			To:	25-641				NA		NA	08/12/2003		
(648)						From:	25-649 N, DC Caney Ridge Rd									
(649) DC Caney Ridge Rd	7.20	300	G	96%	1%	1%	1%	1%	0%	C	0.105	F	0.758	310	G	2011
(649)							To:	25-637 W, Rockhouse Rd								
(649) DC Caney Ridge Rd	4.05	320	R			From:	25-637 E, DC Caney Ridge Rd				NA		NA	01/04/2006		
(649) Rush Creek	1.00	170	R			To:	4.05 MN 25-637 E				NA		NA	01/04/2006		
(649)						From:	SR 83 Dickenson Hwy									
(650)	2.97	510	R			From:	Wise County Line 97-651				NA		NA	08/06/2003		
(650)	4.90	300	R			To:	97-654 Wise County Line				NA		NA	08/06/2003		
(650)						From:	25-627									
(651)	2.70	350	R			To:	25-650				NA		NA	08/06/2003		
(651)						From:	25-697									

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(651)	0.48	270	R												NA	08/06/2003
(651)	4.37	270	R												NA	08/06/2003
(652) Dr Ralph Stanley Hwy	1.03	1400	G	81%	1%	1%	4%	13%	0%	F	0.095	F	0.622	1400	G	2011
(652) Dr Ralph Stanley Hwy	3.18	1000	G	81%	1%	1%	4%	13%	0%	F	0.089	F	0.613	1100	G	2011
(652) Dr Ralph Stanley Hwy	0.71	1000	G	81%	1%	1%	4%	13%	0%	F	0.107	F	0.59	1000	G	2011
(652) Dr Ralph Stanley Hwy	4.41	890	G	81%	1%	1%	4%	13%	0%	C	0.100	F	0.674	930	G	2011
(652)	1.46	270	R												NA	08/06/2003
(652) Dyers Chapel Rd	1.00	290	R												NA	12/12/2006
(652) Dyers Chapel Rd	0.24	150	R												NA	12/12/2006
(652) Dyers Chapel Rd	0.07	150	R												NA	12/12/2006
(652) Dog Branch Gap Rd	0.41	470	G	91%	0%	1%	4%	4%	0%	C	0.120	F	0.508	510	G	2011
(652) Nealy Ridge	1.12	90	G	91%	0%	1%	4%	4%	0%	F	0.158	F	0.559	90	G	2011
(652) Nealy Ridge	1.84	110	G	91%	0%	1%	4%	4%	0%	F	0.134	F	0.533	110	G	2011
(652) Nealy Ridge	2.04	120	G	91%	0%	1%	4%	4%	0%	F	0.152	F	0.628	130	G	2011
(652) Turkey Branch Rd	0.23	290	G	91%	0%	1%	4%	4%	0%	F	0.130	F	0.535	300	G	2011
(652)	0.53	250	R												NA	08/21/2003
(652)	3.19	120	R												NA	08/21/2003
(652)	0.53	360	R												NA	08/21/2003
Town of Haysi																
(652)	0.48	360	N												NA	08/21/2003
Dickenson County																
(653)	0.41	70	R												NA	08/14/2003
(654)	1.47	90	R												NA	08/06/2003
(654)	1.82	120	R												NA	08/06/2003

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(654)	0.28	150	R			From:	3.29 MN 25-643			NA			NA	08/06/2003		
						To:	25-643 N, Carter Stanley Hwy									
(655)	0.69	30	R			From:	25-627 Long Ridge			NA			NA	08/06/2003		
						To:	0.69 ME 25-627									
(655)	1.01	30	R			From:	1.70 ME 25-627			NA			NA	08/06/2003		
						To:	SR 63 Dante Mountain Rd									
(656)	0.60	370	R			From:	SR 63 Dante Mountain Rd			NA			NA	08/04/2003		
						To:	0.60 ME SR 63									
(656)	2.60	330	R			From:	3.20 ME SR 63			NA			NA	08/04/2003		
						To:	25-657 East Hazel Mountain Rd									
Russell County																
(657)	0.31	320	G	82%	1%	1%	12%	4%	0%	C	0.101	F	0.526	330	G	2011
						From:	83-616 Cheney Cr									
						To:	Dickenson County Line									
Dickenson County																
(657) East Hazel Mountain Rd	4.28	320	G	82%	1%	1%	12%	4%	0%	C	0.101	F	0.526	330	G	2011
						From:	Russell County Line									
(657) East Hazel Mountain Rd	1.02	270	G	82%	1%	1%	12%	4%	0%	F	0.1	F	0.542	280	G	2011
						To:	25-656 Roaring Fork Rd									
						To:	25-600 Wilder Rd									
(658)	2.20	180	R			From:	25-657			NA			NA	08/04/2003		
						To:	Dead End									
(659)	0.28	48	R			From:	Dead End			NA			NA	08/12/2003		
						To:	25-646									
(660) Bear Ridge	6.40	50	R			From:	25-604			NA			NA	12/05/2006		
						To:	25-699 Counts Ridge									
(661) Dog Branch Gap	3.14	400	G	92%	0%	0%	2%	5%	0%	C	0.12	F	0.531	420	G	2011
						From:	SR 63 Dante Mountain Rd									
						To:	25-652 W, Dyers Chapel Rd									
(661)	1.70	430	R			From:	25-652 E, Nealy Ridge; Dog Branch Gap Rd			NA			NA	08/04/2003		
						To:	25-798 Old County Rd									
(661)	1.00	410	R			From:	25-670 NORTH			NA			NA	08/04/2003		
						To:	25-670 SOUTH									
(661)	2.00	70	R			From:	Dead End			NA			NA	08/04/2003		
						To:	25-670 SOUTH									
(662) Sutherland Ridge	1.65	80	R			From:	Dead End			NA			NA	12/12/2006		
						To:	25-652 Dyers Chapel Rd									
(663)	3.48	90	R			From:	SR 63 Dante Mountain Rd			NA			NA	08/29/2003		
						To:	25-652 Nealy Ridge									
(664) Turkey Branch Rd	1.10	140	G	94%	1%	2%	3%	0%	0%	F	0.111	F	0.576	140	G	2011
						From:	25-670 Lick Creek									
						To:	25-652 E, Edwards Ridge Rd									

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(664) Mill St	1.15	310	G	94%	1%	2%	3%	0%	0%	F	0.117	F	0.584	320	G	2011
Town of Clinchco																
(664)	0.31	310	N	94%	1%	2%	3%	0%	0%	N	0.117	N	0.584	320	N	2011
(664) Mill St	1.67	560	G	94%	1%	2%	3%	0%	0%	F	0.106	F	0.769	570	G	2011
(664) Clinchco Main St	0.22	930	G	94%	1%	2%	3%	0%	0%	C	0.101	F	0.606	960	G	2011
(664)	0.06	NA								NA				NA		
(664)	0.14	110	R							NA			NA		NA	08/29/2003
			To:													
Dickenson County																
(665)	0.70	190	R							NA			NA		NA	08/12/2003
(665)	0.80	860	R							NA			NA		NA	08/12/2003
			To:													
Town of Clinchco																
(666)	0.24	40	R							NA			NA		NA	08/29/2003
			To:													
Dickenson County																
(667)	0.60	420	R							NA			NA		NA	08/21/2003
(667) Derby Lane	0.20	30	R							NA			NA		NA	01/17/2006
			To:													
(668)	2.17	230	R							NA			NA		NA	08/21/2003
(668)	0.90	200	R							NA			NA		NA	08/21/2003
			To:													
(669)	2.60	310	R							NA			NA		NA	08/21/2003
			To:													
(670)	3.60	270	R							NA			NA		NA	08/04/2003
			To:													
(670) Lick Creek	4.62	500	G	93%	0%	0%	5%	1%	0%	C	0.099	F	0.518	520	G	2011
			To:													
(671)	0.40	140	R							NA			NA		NA	08/04/2003
			To:													
(671)	2.30	80	R							NA			NA		NA	08/04/2003
			To:													
(671)	0.80	270	R							NA			NA		NA	08/04/2003
			To:													

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Clintwood															
(672) Fox Town Rd	0.13	2900	R			From:	25-607, E Main St					NA		NA	08/14/2003
(672) Fox Town Rd	0.33	1800	R			From:	25-1005 Pleasant St					NA		NA	08/14/2003
(672)	0.32	640	R			From:	25-707 Happy Valley Dr					NA		NA	08/14/2003
						To:	ECL Clintwood								
Dickenson County															
(672)	0.70	510	R			From:	ECL Clintwood					NA		NA	08/14/2003
(672)	0.55	180	R			From:	25-727 Happy Valley Dr					NA		NA	08/14/2003
						To:	Dead End								
(673)	0.10	60	R			From:	Dead End					NA		NA	08/06/2003
						To:	0.10 MN Dead End								
(673)	0.60	190	R			From:	25-627					NA		NA	08/06/2003
						To:									
(674)	0.15	10	R			From:	Dead End					NA		NA	08/06/2003
						To:	25-652 Dr Ralph Stanley Hwy								
Town of Clinchco															
(675)	0.76	250	R			From:	Dead End					NA		NA	08/29/2003
(675)	0.20	70	R			From:	25-664 Clinchco Main St; Mill St					NA		NA	08/29/2003
						To:	25-782 Lytton Circle								
Dickenson County															
(676)	1.80	160	R			From:	Dead End					NA		NA	08/04/2003
						To:	25-652; 25-661								
(677)	0.40	120	R			From:	25-607					NA		NA	08/14/2003
						To:	Dead End								
(678)	1.02	170	R			From:	Dead End					NA		NA	08/26/2003
						To:	1.02 MN Dead End								
(678)	0.06	170	R			From:	25-607					NA		NA	08/26/2003
						To:									
(679)	3.55	120	R			From:	25-671					NA		NA	08/04/2003
						To:	Dead End								
(680)	1.10	240	R			From:	SR 83					NA		NA	08/19/2003
						To:	Dead End								
(681)	1.21	130	R			From:	SR 63 Dante Mountain Rd					NA		NA	08/06/2003
						To:	25-788 Recipe Rd								
(681)	0.41	40	R			From:	25-788 Recipe Rd					NA		NA	08/06/2003
						To:	Dead End								
(682)	0.25	30	R			From:	Dead End					NA		NA	08/04/2003
						To:	SR 80 Helen Henderson Hwy								
(682)	1.70	130	R			From:	SR 80 Helen Henderson Hwy					NA		NA	08/04/2003
						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(683)	1.00	90	R			From: Dead End				NA		NA		NA	08/19/2003
			To: 25-611												
(684)	0.05	40	R			From: Dead End				NA		NA		NA	08/06/2003
			To: SR 63 Dante Mountain Rd												
Town of Haysi															
(685)	0.02	310	R			From: 25-693				NA		NA		NA	08/19/2003
			To: SR 63												
Dickenson County															
(686) Branaham Farm Lane	0.60	8	R			From: 25-611 Blowing Rock Rd				NA		NA		NA	02/05/2006
			To: Dead End												
(687)	0.05	10	R			From: 25-600				NA		NA		NA	08/04/2003
			To: 0.05 ME 25-600												
(687)	0.05	8	R			From: Dead End				NA		NA		NA	08/04/2003
			To: Dead End												
(688) Sullivan	1.25	270	R			From: Dead End				NA		NA		NA	01/17/2006
			To: Buchanan County Line												
(689)	3.15	270	R			From: 25-607 WEST				NA		NA		NA	08/14/2003
			To: 25-607 E; 25-704												
(690)	1.00	140	R			From: 25-631 Brush Creek Rd				NA		NA		NA	08/14/2003
			To: Dead End												
(691) Wilderness Lane	0.90	110	R			From: 25-607				NA		NA		NA	01/17/2007
			To: Dead End												
(692)	0.60	80	R			From: Dead End				NA		NA		NA	08/12/2003
			To: 25-637 DC Caney Ridge Rd												
Town of Haysi															
(693)	0.07	90	R			From: Dead End				NA		NA		NA	08/19/2003
			To: 25-717 North McClure Btm; J and M Belcher Dr												
(693)	0.28	270	R			From: Dead End				NA		NA		NA	08/19/2003
(693)	0.27	350	R			From: 25-685				NA		NA		NA	08/19/2003
			To: SR 83												
Dickenson County															
(694)	1.10	120	R			From: 25-626 Phillips Hollow				NA		NA		NA	08/06/2003
			To: Russell County Line												
(695)	0.04	46	R			From: Dead End				NA		NA		NA	08/14/2003
(695)	0.41	160	R			From: 25-701 The Flats Dr				NA		NA		NA	08/14/2003
(695)	0.15	280	R			From: 25-647 Lewis Stone Rd				NA		NA		NA	08/14/2003
			To: 25-619 Skeetrock Rd												
Town of Clintwood															
(696)	0.50	210	R			From: SR 83				NA		NA		NA	08/14/2003
			To: Dead End												

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(697) 0.80	70	R				From: Dead End								NA	08/06/2003
						To: 25-651									
(698) Rainwater Trail Rd 1.00	90	R				From: 25-643 Carter Stanley Hwy								NA	12/07/2006
						To: Dead End									
(699) Counts Ridge Rd 3.10	80	G	79%	1%	2%	16%	3%	0%	C	NA			80	G	2011
						From: 25-657, E Hazel Mountain Rd									
(699) Counts Ridge Rd 1.00	20	G	79%	1%	2%	16%	3%	0%	F	NA			20	G	2011
						To: Dead End									
(700) Big Smith Ridge Rd 0.80	310	R				From: 25-607; 25-619							NA	02/09/2007	
						To: 0.80 MN 25-607									
(700) Big Smith Ridge Rd 0.10	170	R				From: 0.90 MN 25-607							NA	02/09/2007	
						To: 0.97 MN 25-607									
(701) The Flats Dr 0.25	30	R				From: 25-695							NA	02/09/2007	
						To: Dead End									
(702) Park Rd 0.40	390	G	98%	1%	0%	0%	0%	0%	C	0.125	F	0.58	430	G	2011
						From: SR 80 Breaks Park Rd									
(702) Commission Circle 1.20	70	G	98%	1%	0%	0%	0%	0%	F	NA			80	G	2011
						To: 25-734 Commission Circle									
(702) Commission Circle 0.18	40	G	98%	1%	0%	0%	0%	0%	F	NA			48	G	2011
						To: Dead End									
(703) Lickfork Rd 1.00	1900	R				From: Dead End							NA	01/11/2007	
						To: 25-665									
(704) Wolf Pen Rd 0.55	90	R				From: Dead End							NA	02/09/2007	
						To: 25-785 Draw Bar Hollow									
(704) Wolf Pen Rd 0.95	320	R				From: NA							NA	02/09/2007	
						To: 25-607; 25-689									
(705) Cooks Fork 0.52	120	R				From: Dead End							NA	01/11/2007	
						To: SR 83 Dickenson Hwy									
(706) Pine Creek 0.85	100	R				From: Dead End							NA	01/11/2007	
						To: 25-631 Brush Creek Rd									
Town of Clintwood															
(707) Happy Valley Dr 0.55	830	R				From: 25-672 Fox Town Rd							NA	02/13/2007	
						To: ECL Clintwood									
Dickenson County															
(707) 0.61	870	R				From: ECL Clintwood							NA	08/29/2000	
						To: 25-727 Happy Valley Dr									
(707) Dumps Hollow 0.25	90	R				From: NA							NA	02/13/2007	
						To: Dead End									
(708) Little Brushy Rd 0.90	200	R				From: 25-649 DC Caney Ridge Rd							NA	01/04/2007	
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(709) Tan Through Br	0.70	60	R			Dead End				NA		NA		NA	01/31/2007
			To:			SR 63 Big Ridge Rd									
(710) Wagon Trail	0.78	310	R			SR 63 Big Ridge Rd				NA		NA		NA	01/31/2007
			To:			Dead End									
(711) Harm Ridge	1.22	100	R			Dead End				NA		NA		NA	01/04/2007
			To:			25-648									
(712) Rocky Gap Hollow	1.10	50	R			Dead End				NA		NA		NA	12/12/2006
			To:			25-671									
			From:			25-624; 25-631									
(713) Oley Fleming Rd	0.39	60	R			NA				NA		NA		NA	01/11/2007
			To:			Dead End									
(714) Ritter Circle	0.07	80	R			SR 63 Dante Mountain Rd				NA		NA		NA	12/12/2006
			To:			SR 63 Dante Mountain Rd									
(715) Wakenva Hollow	0.02	7	R			Dead End				NA		NA		NA	12/05/2006
			To:			25-757									
(715) Wakenva Hollow	0.36	100	R			NA				NA		NA		NA	12/05/2006
			To:			0.36 MN 25-757									
(715)	0.42	100	R			NA				NA		NA		NA	12/05/2006
			To:			SR 63 Dante Mountain Rd									
(716) Church St	0.21	190	R			SR 63 Dante Mountain Rd				NA		NA		NA	12/12/2006
			To:			Dead End									
Town of Haysi															
(717) J and M Belcher Dr	0.12	90	R			Dead End				NA		NA		NA	01/31/2007
			To:			25-693									
(717) North McClure Btm	0.16	50	R			NA				NA		NA		NA	01/31/2007
			To:			SR 63									
Dickenson County															
(718) Morgan Anderson Lane	0.49	50	R			25-669				NA		NA		NA	01/17/2007
			To:			Dead End									
(719) Flat Top Rd	0.57	30	R			25-644				NA		NA		NA	12/07/2006
			To:			Dead End									
(720) McCowan Dr	0.31	60	R			25-614 Cowpath Rd; The Lake Rd				NA		NA		NA	01/31/2007
			To:			Dead End									
(721) Jakes Br	0.47	20	R			NA				NA		NA		NA	01/09/2007
			To:			SR 83 Dickenson Hwy									
(722) Lazarus Br	1.33	120	R			SR 80 Helen Henderson Hwy				NA		NA		NA	01/19/2007
			To:			25-652									
(723) Mull Rd	0.30	40	R			25-710 Wagon Trail				NA		NA		NA	01/31/2007
			To:			Dead End									
(724) Little John Kennedy Rd	0.34	30	R			25-649 DC Caney Ridge Rd				NA		NA		NA	01/04/2007
			To:			Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(725) Pilgrim Way	0.32	140	R			From:	Wise CL; 97-650			NA		NA		NA	12/07/2006	
						To:	Dead End									
Town of Clintwood																
(726) Holly Dr	0.21	120	R			From:	Dead End			NA		NA		NA	02/13/2007	
						To:	25-707 Happy Valley Dr									
Dickenson County																
(727) Happy Valley Dr	0.27	220	R			From:	25-707 Dumps Hollow			NA		NA		NA	02/13/2007	
						To:	25-672									
(728) State Route Rd	0.62	140	R			From:	25-638			NA		NA		NA	01/17/2007	
						To:	Dead End									
(729) Fairview Rd	1.10	90	R			From:	Dead End			NA		NA		NA	01/04/2007	
						To:	25-631 Brush Creek Rd									
(730) Pleasure Dr	0.54	70	R			From:	25-652			NA		NA		NA	01/17/2007	
						To:	Dead End									
(731) Bise Ridge	1.08	220	R			From:	Dead End			NA		NA		NA	01/04/2007	
						To:	25-637 DC Caney Ridge Rd									
(732) Fearls Br	0.38	130	R			From:	SR 83 Dickenson Hwy			NA		NA		NA	01/19/2007	
						To:	Dead End									
Town of Clintwood																
(733) Hospital Rd	0.32	730	R			From:	25-607, E Main St; The Lake Rd; E Main St			NA		NA		NA	02/13/2007	
						To:	NCL Clintwood									
Dickenson County																
(733)	0.33	880	R			From:	NCL Clintwood			NA		NA		NA	08/29/2000	
						To:	Dead End									
(734) Commission Circle	0.80	330	G	98%	1%	0%	0%	0%	0%	C	0.124	F	0.565	360	G	2011
						To:	25-702 Park Rd									
(734)	0.45	120	R			From:	25-787			NA		NA		NA	09/25/2000	
						To:	25-791									
(735) DeLaney Lane	0.40	60	R			From:	Dead End			NA		NA		NA	01/17/2007	
						To:	25-616									
(736) Flemington Rd	0.40	200	R			From:	25-607			NA		NA		NA	02/09/2007	
						To:	Dead End									
(737) Stanley Hollow	0.31	70	R			From:	25-633 Strouth Rd			NA		NA		NA	01/09/2007	
						To:	Dead End									
(738) Steinman Circle	0.20	30	R			From:	Dead End			NA		NA		NA	01/19/2007	
						To:	SR 83 Dickenson Hwy									
(739) Flagannan Dam Rd	2.04	360	G	97%	1%	1%	0%	0%	0%	C	0.119	F	0.537	370	G	2011
						From:	25-614 Cowpath Rd									
(739)						To:	Jefferson Forest Bndy									
John Flannagan Dam Rd	1.21	370	G	97%	1%	1%	0%	0%	0%	F	0.1	F	0.511	400	G	2011
						To:	25-611 Bartlick Rd									

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Dickenson County															
(740) Rob Ridge	0.50	20	R			From:	Dead End				NA		NA	01/04/2007	
			To:				25-648								
(741) Poker Flats	0.65	170	R			From:	Dead End				NA		NA	12/07/2006	
			To:				25-651								
(742) The New Rd	0.95	80	R			From:		25-611			NA		NA	01/11/2007	
			To:				25-754 Ramey Flats Rd								
(743)	0.25	60	R			From:	Dead End				NA		NA	09/25/2000	
			To:				25-734 Commission Circle								
(744) Meadow Br	0.30	20	R			From:	Dead End				NA		NA	02/09/2007	
			To:				25-619 Skeetrock Rd								
(744) Old Stone Dr	0.69	70	R			From:		NA			NA		NA	02/19/2007	
			To:				Dead End								
(745) Hurricane Br	0.99	60	R			From:		25-670 Lick Creek			NA		NA	01/17/2007	
			To:				Dead End								
(746) Fruit Tree Rd	0.38	45	R			From:		25-650			NA		NA	12/07/2006	
			To:				Dead End								
(747) Tara Rd	0.32	40	R			From:	Dead End				NA		NA	01/31/2007	
			To:				SR 63 Big Ridge Rd								
(748) Frank Large Rd	0.20	40	R			From:	Dead End				NA		NA	01/17/2007	
			To:				25-637								
(749) Crow Hollow	0.05	60	R			From:		SR 63 Dante Mountain Rd			NA		NA	01/12/2007	
			To:				Dead End								
(750) Old Three C Rd	0.83	90	R			From:		25-611			NA		NA	02/05/2007	
			To:				Dead End								
(751) Old Vanover Farm Rd	0.49	80	R			From:	Dead End				NA		NA	02/13/2007	
			To:				25-632								
(752) Centennial Heights Rd	0.54	340	R			From:	Dead End				NA		NA	01/31/2007	
			To:				25-818 Patsy Lane								
(752) Centennial Heights Rd	0.37	450	R			From:		SR 63 Big Ridge Rd			NA		NA	01/31/2007	
			To:				Dead End								
(753) School House Hollow	0.26	280	R			From:		Dead End			NA		NA	01/09/2007	
			To:				25-621								
(754) Ramey Flats Rd	1.50	70	R			From:		25-631 Brush Creek Rd			NA		NA	01/11/2007	
			To:				25-742 The New Rd								
(754) Ramey Flats Rd	1.91	120	R			From:		Dead End			NA		NA	01/11/2007	
			To:				25-614 The Lake Rd								
(755) Marina Cove	0.47	20	R			From:		Dead End			NA		NA	01/31/2007	
			To:				Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(756) Travis Stanley Rd	0.41	110	R			From:	SR 63 Big Ridge Rd			NA			NA	01/31/2007		
			To:			Dead End										
(757)	0.25	20	R			From:	Dead End			NA			NA	12/05/2006		
			To:			25-715 Wakenva Hollow										
(758) Nighthawk Hollow	0.21	45	R			From:	25-635			NA			NA	01/09/2007		
			To:			Dead End										
(759) R L Edwards Lane	0.18	40	R			From:	25-615			NA			NA	02/05/2007		
			To:			Dead End										
(760) Winnie Lane	0.10	20	R			From:	Dead End			NA			NA	01/04/2007		
			To:			25-649 DC Caney Ridge Rd										
(761) Naugatuck Rd	0.05	10	R			From:	SR 80 Helen Henderson Hwy			NA			NA	01/17/2007		
			To:			Dead End										
(762) Hillside Farms Rd	0.20	80	R			From:	Dead End			NA			NA	01/04/2007		
			To:			25-637 DC Caney Ridge Rd										
(763) Pat Field Rd	0.50	60	R			From:	SR 63 Big Ridge Rd			NA			NA	01/25/2007		
			To:			Dead End										
(764) Hackney Ridge	0.80	60	R			From:	Dead End			NA			NA	01/25/2007		
			To:			25-797 Viers Ridge										
(764) Hackney Ridge	0.80	100	R			From:	25-607			NA			NA	01/25/2007		
			To:													
Town of Clintwood																
(765) Old Clintwood Hwy	0.03	220	R			From:	SR 83			NA			NA	02/23/2007		
			To:			WCL Clintwood										
Dickenson County																
(765)	0.84	170	R			From:	WCL Clintwood			NA			NA	08/29/2000		
			To:			SR 72 Cranes Nest Rd										
(765) Killen Lane	0.13	20	R			From:	Dead End			NA			NA	01/09/2007		
			To:													
(766) Old Georges Fork Rd	0.28	40	R			From:	SR 83 W, Dickenson Hwy			NA			NA	01/11/2007		
			To:			SR 83 E, Dickenson Hwy										
Town of Haysi																
(767) OQuinn St	0.05	30	R			From:	SR 83 Dickenson Hwy			NA			NA	01/19/2007		
			To:			Dead End										
Dickenson County																
(768) King Solomon Colley Rd	0.33	350	R			From:	SR 80 N, Breaks Park Rd			NA			NA	02/05/2007		
			To:			25-609 King Solomon Colley Rd										
(768) Breaks Park Rd	0.25	300	G	97%	1%	0%	1%	1%	0%	C	0.130	F	0.512	330	G	2011
			To:			SR 80 S, Breaks Park Rd										
(769) Marion Edwards Dr	0.37	40	R			From:	Dead End			NA			NA	01/19/2007		
			To:			0.37 MN Dead End										
(769) Marion Edwards Dr	0.15	48	R			From:	25-607			NA			NA	01/19/2007		
			To:													

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail				
Town of Clinchco													
(786) Perry St	0.05	30	R			25-664 Mill St				NA	NA	NA	01/19/2007
Dickenson County													
(786)	0.15	30	N			NCL Clinchco				NA	NA	NA	01/19/2007
			To:			Dead End							
(787)	0.70	20	R			25-702 Park Rd				NA	NA	NA	09/25/2000
			To:			25-734 Commission Circle							
(788) Recipe Rd	0.15	10	R			25-681				NA	NA	NA	12/12/2006
			To:			Dead End							
(789) Snowball Hollow	0.40	90	R			SR 72 Cranes Nest Rd				NA	NA	NA	01/09/2007
			To:			Dead End							
(790)	0.20	60	R			25-734 Commission Circle				NA	NA	NA	09/25/2000
			To:			Dead End							
(791)	0.40	50	R			25-734				NA	NA	NA	09/25/2000
			To:			Dead End							
(792) Henry Harrison Dr	0.57	90	R			25-607				NA	NA	NA	01/25/2007
			To:			Dead End							
(793) Stony Br	0.13	20	R			Dead End				NA	NA	NA	02/09/2007
			To:			25-619 Skeetrock Rd							
(794) Jasper Lane	0.30	40	R			Dead End				NA	NA	NA	12/05/2006
			To:			25-604							
(795) Ira Owens Lane	0.38	70	R			Dead End				NA	NA	NA	01/31/2007
			To:			SR 63 Big Ridge Rd							
(796) Ratliff Rd	0.20	9	R			25-611 Blowing Rock Rd				NA	NA	NA	02/05/2007
			To:			Dead End							
(797) Viers Ridge	1.23	120	R			25-764 Hackney Ridge				NA	NA	NA	01/25/2007
			To:			25-606							
(798) Old County Rd	0.10	30	R			25-661				NA	NA	NA	12/12/2006
			To:			Dead End							
(799) Dead End Rd	0.20	70	R			SR 63 Big Ridge Rd				NA	NA	NA	01/17/2007
			To:			Dead End							
(800) J R Bryant Rd	1.40	70	R			Dead End				NA	NA	NA	12/05/2006
			To:			25-658							
Town of Clinchco													
(802)	0.21	NA				25-664 Mill St				NA	NA	NA	
			To:			25-782 Lytton Circle							
Dickenson County													
(803) Burrhead Dr	0.06	50	R			Dead End				NA	NA	NA	01/31/2007
			To:			SCL Haysi							

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail				
Dickenson County													
(840) Vinegar Knob Rd	0.20	50	R			From: 25-754 Ramey Flats Rd				NA	NA	NA	01/11/2007
			To: Dead End										
(843) Bass Rd	0.04	40	R			From: Dead End				NA	NA	NA	02/09/2007
			To: 25-619 Skeetrock Rd										
(846) Johnson Hollow	0.18	47	R			From: 25-673				NA	NA	NA	12/05/2006
			To: Dead End										
(848)	0.96	NA				From: SR 63 S, Dante Mountain Rd				NA	NA	NA	
			To: SR 63 N, Dante Mountain Rd										
(849)	0.11	NA				From: SR 63 SOUTHEAST				NA	NA	NA	
			To: SR 63 NORTHWEST										
(850) Commanders Lane	0.40	50	R			From: Dead End				NA	NA	NA	02/09/2007
			To: 25-695										
(853) Pond Ridge	0.52	60	R			From: 25-652 Dr Ralph Stanley Hwy				NA	NA	NA	12/07/2006
			To: Dead End										
(855) Highland Rd	0.38	40	R			From: Dead End				NA	NA	NA	12/07/2006
			To: 25-651										
(860) Alpine Dr	0.04	20	R			From: Dead End				NA	NA	NA	12/05/2006
			To: 25-627										
(870) Chapel Lane	0.05	20	R			From: 25-615				NA	NA	NA	02/05/2007
			To: Dead End										
(880) Arrington Dr	0.38	60	R			From: 25-606				NA	NA	NA	01/17/2007
			To: Dead End										
(885) Technology Dr	0.60	630	R			From: SR 83 Dickenson Hwy				NA	NA	NA	02/13/2007
			To: 25-707										
(890) Liza Flats	0.30	110	R			From: Dead End				NA	NA	NA	01/31/2007
			To: 25-710 Wagon Trail										
(892) Hadley Rd	0.38	100	R			From: SR 80 Helen Henderson Hwy				NA	NA	NA	01/19/2007
			To: Dead End										
(893) Basin Br	0.44	30	R			From: 25-892 Hadley Rd				NA	NA	NA	01/19/2007
			To: Dead End										
Town of Clintwood													
(1001) Ida Lane	0.10	90	R			From: Dead End				NA	NA	NA	02/21/2007
			To: 25-1007 Short St										
(1001) Ida Lane	0.07	90	R			From: SR 83				NA	NA	NA	02/21/2007
			To: 25-607, E Main St										
(1001) McClure Ave	0.25	1600	R			From: SCL Clintwood				NA	NA	NA	02/13/2007
			To: SCL Clintwood										
Dickenson County													
(1002) Powerhouse Hollow	0.38	70	R			From: SCL Clintwood				NA	NA	NA	02/21/2007
			To: SCL Clintwood										

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Clintwood															
(1002)	0.11	90	R			From:	SCL Clintwood			NA		NA	NA	10/03/2000	
						To:	SR 83								
(1003) Volunteer Ave	0.10	740	R			From:	25-607, E Main St			NA		NA	NA	02/23/2007	
						To:	0.10 MN 25-607 E Main St								
(1003) High St	0.05	120	R			From:	Dead End			NA		NA	NA	02/23/2007	
						To:	Dead End								
(1004) Fairground Hollow	0.30	400	R			From:	Dead End			NA		NA	NA	02/23/2007	
						To:	SR 83								
(1005) Pleasant St	0.12	120	R			From:	Dead End			NA		NA	NA	02/13/2007	
						To:	25-672 Fox Town Rd								
(1006) Pioneer St	0.13	280	R			From:	25-1007 Short St			NA		NA	NA	02/21/2007	
						To:	SR 83; 25-1008								
(1007) Short St	0.02	80	R			From:	25-1006 Pioneer St			NA		NA	NA	02/21/2007	
						To:	25-1008 Jessee St								
(1007) Short St	0.03	70	R			From:	25-1001 Ida Lane			NA		NA	NA	02/21/2007	
						To:	Dead End								
(1008) Jessee St	0.27	300	R			From:	Dead End			NA		NA	NA	02/21/2007	
						To:	25-1016 Crimson St								
(1008) Jessee St	0.03	370	R			From:	SR 83			NA		NA	NA	02/21/2007	
						To:	25-1008 Jessee St								
(1009) Chase St	0.03	3800	R			From:	SR 83			NA		NA	NA	02/23/2007	
						To:	25-1015 Settler St; Jonah Mullins Dr								
(1009) Chase St	0.13	3300	R			From:	25-1001 McClure Ave			NA		NA	NA	02/23/2007	
						To:	Dead End								
(1009) Chase St	0.09	3500	R			From:	25-1001 McClure Ave			NA		NA	NA	02/13/2007	
						To:	Dead End								
(1010) Walnut St	0.13	280	R			From:	25-607 W, Walnut St; E Main St			NA		NA	NA	02/13/2007	
						To:	25-607 E, Walnut St								
(1011)	0.02	160	R			From:	0.02 MW 25-1001 McClure Ave			NA		NA	NA	1994	
						To:	25-1001 McClure Ave								
(1011) French St	0.04	100	R			From:	Dead End			NA		NA	NA	02/13/2007	
						To:	25-1001 McClure Ave								
(1012) Factory Dr	0.13	140	R			From:	SR 83			NA		NA	NA	02/21/2007	
						To:	Dead End								
(1013) Hampton St	0.13	130	R			From:	ECL Clintwood			NA		NA	NA	02/13/2007	
						To:	25-672 Fox Town Rd								
(1014) Wave Dr	0.17	90	R			From:	SR 83			NA		NA	NA	02/23/2007	
						To:	25-631 Brush Creek Rd								
(1015) Jonah Mullins Dr	0.08	980	R			From:	SR 83; 25-607			NA		NA	NA	02/23/2007	
						To:	25-1009 Chase St								

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Clintwood															
(1015) Settler St	0.04	360	R			From:	25-1009 Chase St			NA			NA	02/23/2007	
			To:	Dead End											
(1016) Crimson St	0.03	60	R			From:	25-1006 Pioneer St			NA			NA	02/21/2007	
			To:	25-1008 Jesse St											
(1016) Crimson St	0.05	60	R			From:	25-1001 Ida Lane			NA			NA	02/21/2007	
			To:												
Dickenson County															
(1017) Vanover Hollow	0.37	90	R			From:	Dead End			NA			NA	02/21/2007	
			To:	SR 83											
Town of Clintwood															
(1018) College View Addition Lane	0.42	160	R			From:	25-672			NA			NA	02/13/2007	
			To:	ECL Clintwood											
Dickenson County															
(1018) College View Addition Lane	0.09	130	R			From:	ECL Clintwood			NA			NA	02/13/2007	
			To:	Dead End											
Town of Clintwood															
(1019) Phipps Circle	0.29	70	R			From:	25-607 W, Walnut St			NA			NA	02/13/2007	
			To:	25-607 E, Walnut St											
(1020) Jacob Yates Rd	0.24	60	R			From:	Dead End			NA			NA	02/23/2007	
			To:	SR 83											
(1021) Hughes Hollow	0.19	60	R			From:	Dead End			NA			NA	02/23/2007	
			To:	25-1020 Jacob Yates Rd											
(1022) Old Orchard Rd	0.19	70	R			From:	25-1020 Jacob Yates Rd			NA			NA	02/23/2007	
			To:	Dead End											
(1023) Spruce Lane	0.07	6	R			From:	Dead End			NA			NA	02/23/2007	
			To:	25-1004 Fairground Hollow											
(1024) Orchard Dr	0.15	90	R			From:	25-696			NA			NA	02/23/2007	
			To:	Dead End											
Dickenson County															
(1025) Newton Mullins Rd	0.50	80	R			From:	Dead End			NA			NA	01/09/2007	
			To:	SR 83 Dickenson Hwy											
(1026) Tomken Rd	0.08	40	R			From:	SR 83 Dickenson Hwy			NA			NA	01/09/2007	
			To:	Dead End											
Town of Clintwood															
(1027)	0.32	NA				From:	SR 83			NA			NA		
			To:	Dead End											
Dickenson County															
(1030) Whispering Pine Rd	0.25	40	R			From:	Dead End			NA			NA	01/09/2007	
			To:	SR 72 Cranes Nest Rd											
(1031) Mary Lou Dr	0.08	45	R			From:	Dead End			NA			NA	01/09/2007	
			To:	SR 72 Cranes Nest Rd											

Virginia Department of Transportation
Traffic Engineering Division

2011

Annual Average Daily Traffic Volume Estimates By Section of Route
Dickenson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Dickenson County																
(9650) Anderson Lane	0.21	690	R								NA		NA		01/19/2007	
Town of Clinchco																
(9693) Vocational Dr	0.18	560	R								NA		NA		01/19/2007	
Dickenson County																
(9696) Rebel Dr	0.22	820	R								NA		NA		12/07/2006	
Town of Haysi																
(9697) Tiger Circle	0.27	450	R								NA		NA		01/31/2007	
Dickenson County																
(9698) Ervinton Circle	0.16	160	R								NA		NA		12/07/2006	
Town of Clintwood																
(9699) Greenwave Circle	0.10	510	R								NA		NA		02/23/2007	
(9702) Elementary Circle																
(9702) Elementary Circle	0.18	770	R								NA		NA		02/09/2007	
(9703)																
(9703)	0.01	130	R								NA		NA		02/09/2007	
Dickenson County																
(9704)	0.13	280	R								NA		NA		01/09/2007	
(634₉₇)																
(634 ₉₇)	0.30	380	N	98%	0%	1%	0%	0%	0%	N	0.117	N	0.641	400	N	2011