

2012

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

88

Spotsylvania County
City of Fredericksburg

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Caroline County Line															
1 Jefferson Davis Hwy	Spotsylvania County	2.61	9600	G	96%	0%	1%	1%	1%	0%	F	0.086	F	0.657	9800	G
	To: 88-606 Thornburg															
1 Jefferson Davis Hwy	Spotsylvania County	4.25	14000	G	96%	0%	1%	1%	1%	0%	F	0.087	F	0.571	15000	G
	To: 88-608 Massaponax Church Rd															
1 Jefferson Davis Hwy	Spotsylvania County	2.27	18000	G	96%	0%	1%	1%	2%	0%	C	0.084	F	0.638	18000	G
	To: US 17 Poor House Rd															
1 17 Jefferson Davis Hwy	Spotsylvania County	1.18	51000	G	98%	0%	1%	0%	0%	0%	F	0.078	F	0.592	54000	G
	To: I-95															
1 Jefferson Davis Hwy	Spotsylvania County	0.96	24000	G	98%	0%	1%	0%	0%	0%	F	0.079	F	0.503	26000	G
	To: Bus US 1; SR 208 Four Mile Fork															
	From: US 1 Bus; SR 208 Four Mile Fork															
1 Jefferson Davis Hwy	Spotsylvania County	1.30	24000	G	98%	0%	1%	0%	0%	0%	F	NA		26000	G	
	To: SCL Fredericksburg															
1 Jefferson Davis Blvd	City of Fredericksburg	1.48	31000	A	98%	0%	1%	0%	0%	0%	C	0.097	A	0.558	33000	A
	To: SR 3															
1 Jefferson Davis Blvd	City of Fredericksburg	0.90	28000	G	98%	0%	1%	0%	0%	0%	F	NA		31000	G	
	To: College Ave															
1 Jefferson Davis Blvd	City of Fredericksburg	0.59	28000	G	98%	0%	1%	0%	0%	0%	F	0.082	F	0.567	30000	G
	To: Fall Hill Ave															
1 Jefferson Davis Blvd	City of Fredericksburg	0.29	23000	G	98%	0%	1%	0%	0%	0%	F	0.084	F	0.639	25000	G
	To: Bus US 1 Princess Anne Ave															
Bus 1 17 Jefferson Davis Blvd	City of Fredericksburg	0.11	31000	N	98%	0%	1%	0%	0%	0%	N	0.086	N	0.564	33000	N
	To: NCL Fredericksburg															
	From: US 1 TO AND FROM RT															
1 Ramp	Spotsylvania County	0.12	5700	G								0.08	F		5700	G
	To: I-95-S FROM RT 1															
	From: US 1															
1 17 Ramp US 1, US 17 to I-95 N at Exit 126	Spotsylvania County	0.12	17000	G								0.09	F		18000	G
	To: I-95 N															
	From: US 1, SR 208															
Bus 1 LaFayette Blvd	Spotsylvania County	1.52	21000	G	97%	0%	1%	1%	1%	0%	C	0.085	F	0.527	22000	G
	To: SCL Fredericksburg															
Bus 1 LaFayette Blvd	City of Fredericksburg	1.42	21000	G	97%	0%	1%	1%	1%	0%	F	0.083	F	0.542	22000	G
	To: SR 3; Blue and Grey Parkway															
Bus 1 LaFayette Blvd	City of Fredericksburg	0.38	10000	G	97%	0%	1%	1%	1%	0%	F	0.092	F	0.625	11000	G
	To: 111-3957 Sunken Rd															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 1 LaFayette Blvd	From: 111-3957 Sunken Rd City of Fredericksburg	0.56	10000	G	97%	0%	1%	1%	1%	0%	F	0.092	F	0.594	11000	G
Bus 1 LaFayette Blvd	To: 111-3961 Kenmore Ave City of Fredericksburg	0.10	5400	N	99%	0%	1%	0%	0%	0%	N	0.100	N	0.516	5700	N
Bus 1 LaFayette Blvd	From: Bus US 1 Par, Bus 17 Par Princess Anne St City of Fredericksburg	0.06	5400	G	99%	0%	1%	0%	0%	0%	F	0.100	F	0.516	5700	G
Bus 1 LaFayette Blvd	To: Bus US 17 Caroline St															
Bus 1 Bus 17 2 Caroline St	From: Bus US 17, Lafayette Blvd City of Fredericksburg	0.38	5000	G	99%	0%	1%	0%	0%	0%	F	NA		5400	G	
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	F	NA		12000	G	
Bus 1 Bus 17 Caroline St	From: Bus SR 3 William St City of Fredericksburg	0.51	6800	G	99%	0%	1%	0%	0%	0%	C	0.092	F		7200	G
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:			15000	G	98%	1%	1%	C	0.091	F	0.528	15000	G
Bus 1 Bus 17 Herndon St	From: Herndon St City of Fredericksburg	0.06	4400	G	99%	0%	1%	0%	0%	0%	F	NA		4800	G	
Bus 1 Bus 17 Princess Anne St	From: Bus US 1 Par Princess Anne St City of Fredericksburg	0.70	10000	G	98%	0%	1%	0%	0%	0%	C	0.086	F	0.674	11000	G
Bus 1 Bus 17 Princess Anne St	To: Bus US 1 Par Herndon St															
Bus 1 Bus 17 2 Princess Anne St	From: US 1 Jefferson Davis Highway City of Fredericksburg	0.37	6600	G	97%	1%	1%	0%	0%	0%	F	0.089	F		7000	G
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	F	NA		12000	G	
Bus 1 Bus 17 Princess Anne St	From: Bus SR 3 William St City of Fredericksburg	0.52	7800	G	97%	1%	1%	0%	0%	0%	C	0.092	F		8200	G
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:			15000	G	98%	1%	1%	C	0.091	F	0.528	15000	G
2 Sandy Lane Dr	From: Caroline County Line Spotsylvania County	1.36	5100	G	96%	0%	1%	1%	2%	0%	F	0.088	F	0.64	5200	G
Bus 2 17 Tidewater Trail	To: US 17 Mills Dr From: Bus US 17 Spotsylvania County	3.56	6700	G	92%	0%	1%	3%	3%	0%	C	0.085	F	0.628	6900	G
Bus 2 17 Tidewater Trail	To: 88-1301 From: Spotsylvania County	0.97	21000	G	92%	0%	1%	3%	3%	0%	F	0.081	F	0.527	22000	G
Bus 2 17 Dixon St	To: ECL Fredericksburg From: City of Fredericksburg	0.55	23000	G	94%	1%	1%	1%	3%	0%	C	0.086	F	0.604	25000	G
Bus 2 17 Dixon St	To: Ramp from SR 3 Connector From: City of Fredericksburg	0.26	10000	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.650	11000	G
			To: Charles St													
























Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
2 ^{Bus} 17 Dixon St	From: Charles St															
	City of Fredericksburg	0.06	5200	G	99%	0%	0%	0%	0%	F	0.099	F	0.612	5500	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8100	G							NA			8600	G	
2 ^{Bus} 17 Princess Anne St	From: Princess Anne St															
	City of Fredericksburg	0.26	2800	G							NA			3100	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6100	G							NA			6600	G	
2 ^{Bus} 1 Princess Anne St	From: Bus US 1															
	City of Fredericksburg	0.37	6600	G	97%	1%	1%	0%	0%	F	0.089	F		7000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	0%	0%	F	NA			12000	G	
3 Plank Rd	From: Bus SR 3 William St															
	Spotsylvania County	5.27	22000	G	96%	1%	0%	0%	2%	F	0.079	F	0.583	23000	G	
3 Plank Rd	From: Orange County Line															
	Spotsylvania County	2.99	29000	G	96%	1%	0%	0%	2%	C	0.075	F	0.580	30000	G	
3 Plank Rd	From: 88-610 Elys Ford Rd															
	Spotsylvania County	1.33	37000	G	96%	1%	0%	0%	2%	F	0.075	N	0.580	37000	G	
3 Plank Rd	From: 88-626 Andora Dr															
	Spotsylvania County	1.53	54000	G	96%	1%	0%	0%	2%	F	0.07	N	0.557	54000	G	
3 Plank Rd	From: 88-627 Gordon Rd															
	Spotsylvania County	1.09	72000	G	96%	1%	0%	0%	2%	F	0.07	F	0.557	77000	G	
3 Plank Rd	From: 88-639 Salem Church Rd															
	City of Fredericksburg	0.34	80000	G	96%	1%	0%	0%	2%	F	NA			85000	G	
3 Plank Rd	From: WCL Fredericksburg															
	City of Fredericksburg	0.61	54000	G	95%	1%	1%	1%	3%	F	NA			54000	G	
3 Plank Rd	From: I-95															
	City of Fredericksburg	0.63	43000	G	95%	1%	1%	1%	3%	F	0.073	F	0.523	46000	G	
3 William St	From: Oakwood St															
	City of Fredericksburg	0.24	38000	G	95%	1%	1%	1%	3%	F	NA			42000	G	
3 Blue and Grey Parkway	From: US 1 Jefferson Davis Hwy															
	City of Fredericksburg	0.53	32000	G	95%	1%	1%	1%	3%	C	0.074	F	0.519	34000	G	
3 Blue and Grey Parkway	From: Bus SR 3; Blue and Gray Pkwy															
	City of Fredericksburg	1.00	37000	G	95%	1%	1%	1%	3%	F	0.075	F	0.509	39000	G	
3 Blue and Grey Parkway	From: Bus US 1 LaFayette Blvd															
	City of Fredericksburg	0.36	34000	G	95%	1%	1%	1%	3%	F	0.082	F	0.520	36000	G	
3 Ramp	From: Bus US 17 SR 2 Dixon St															
	Spotsylvania County	0.28	7000	G	96%	1%	0%	0%	2%	F	NA			7500	G	
	From: ECL Fredericksburg															
	From: SR 3 Plank Rd															
	From: I-95 South															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 3 Ramp	From: SR 3 I-95-N I30B TO AND FROM RT Spotsylvania County To: I-95-N FROM RT 3 EB	0.28	19000	G								0.100	F	19000	G	
West 3 Ramp	From: SR 3 TO AND FROM RT Spotsylvania County To: I-95-S FROM RT 3	0.27	3900	G								0.094	F	3900	G	
West 3 Ramp	From: SR 3 Plank Rd Spotsylvania County To: I-95 North	0.26	8800	G								0.098	F	8800	G	
Bus 3 William St	From: SR 3 Blue and Grey Parkway City of Fredericksburg To: 111-3958 Hanover St	0.14	13000	G								NA		14000	G	
Bus 3 William St	From: 111-3958 Hanover St City of Fredericksburg To: 111-3955 College Ave	0.30	9900	G								NA		11000	G	
Bus 3 William St	From: 111-3955 College Ave City of Fredericksburg To: SR 3 Par, Washington Ave	0.48	11000	G								NA		12000	G	
Bus 3 William St	From: SR 3 Par, Washington Ave City of Fredericksburg To: Bus US 1 Caroline St	0.37	5500	G								NA		5900	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		10000	G								NA		11000	G	
Bus 3 William St	From: Bus US 1 Caroline St City of Fredericksburg To: Bus SR 3 Par, Sophia St	0.07	6500	G								NA		7100	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		12000	G								NA		13000	G	
Bus 3 William St	From: Bus SR 3 Par, Sophia St City of Fredericksburg To: WCL Stafford	0.03	18000	G								NA		20000	G	
Bus 3 Washington Ave	From: Bus SR 3 William St City of Fredericksburg To: 111-3963 Amelia St	0.07	4800	G	97%	1%	1%	0%	1%	0%	F	NA		5200	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		10000	G								NA		11000	G	
Bus 3 Amelia St	From: 111-3963 Amelia St City of Fredericksburg To: 111-3963, Washington Ave	0.43	4200	G	97%	1%	1%	0%	1%	0%	C	0.099	F	4500	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		9700	G								NA		10000	G	
Bus 3 Sophia St	From: 111-3973 Sophia St City of Fredericksburg To: 111-3973, Amelia St	0.07	5500	G	97%	1%	1%	0%	1%	0%	F	NA		6000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		12000	G								NA		13000	G	
17 Mills Dr	From: Caroline County Line Spotsylvania County To: SR 2; Bus US 17	1.89	5400	G	95%	0%	1%	1%	4%	0%	F	0.080	F	0.562	4700	G

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: SR 2; Bus US 17																
 Mills Dr	Spotsylvania County	1.23	5900	G	95%	0%	1%	1%	4%	0%	F	0.083	F	0.553	5200	G
To: 88-609 Jim Morris Rd; Thornton Rolling Rd																
 Mills Dr	Spotsylvania County	3.17	12000	G	96%	0%	1%	1%	2%	0%	C	0.097	F	0.547	11000	G
To: 88-771 Cosner Dr; 88-1035																
 Mills Dr	Spotsylvania County	1.05	22000	G	95%	0%	1%	1%	4%	0%	F	0.077	F	0.525	19000	G
To: Bus US 17																
From: Bus US 17 Mill Rd																
 Mills Dr	Spotsylvania County	0.27	15000	G	95%	0%	1%	1%	4%	0%	F	0.088	F	0.794	13000	G
To: US 1 Jefferson Davis Hwy																
From: US 17 Poor House Rd																
  Jefferson Davis Hwy	Spotsylvania County	1.18	51000	G	98%	0%	1%	0%	0%	0%	F	0.078	F	0.592	54000	G
To: I-95 N																
From: US 1																
  Ramp US 1, US 17 to I-95 N at Exit 126	Spotsylvania County	0.12	17000	G								0.09	F		18000	G
To: I-95 N																
From: US 1 Jefferson Davis Hwy																
 	Spotsylvania County	2.81														
See I-95 for directional traffic volume estimates for this segment.																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			115000	A	87%	1%	1%	1%	11%	0%	F	0.085	A	0.523	107000	A
To: SCL Fredericksburg																
 	City of Fredericksburg (Maint: 88)	0.89														
See I-95 for directional traffic volume estimates for this segment.																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			115000	A	87%	1%	1%	1%	11%	0%	F	NA			107000	A
To: SR 3																
 	City of Fredericksburg (Maint: 88)	2.29														
See I-95 for directional traffic volume estimates for this segment.																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			144000	A	87%	1%	1%	1%	11%	0%	F	0.078	A	0.505	138000	A
To: Stafford County Line																
From: US 17 Mills Dr																
ALT  Latitude St	Spotsylvania County	0.09	1700	G	92%	0%	1%	3%	3%	0%	F	0.096	F	0.599	1800	G
To: Bus US 17 Mill Rd																
From: US 17 Mills Dr; SR 2 Sandy Lane Dr																
Bus   Tidewater Trail	Spotsylvania County	3.56	6700	G	92%	0%	1%	3%	3%	0%	C	0.085	F	0.628	6900	G
To: 88-1310 Church St																
From: 88-1310 Church St																
Bus   Tidewater Trail	Spotsylvania County	0.97	21000	G	92%	0%	1%	3%	3%	0%	F	0.081	F	0.527	22000	G
To: ECL Fredericksburg																
From: ECL Fredericksburg																
Bus   Dixon St	City of Fredericksburg	0.55	23000	G	94%	1%	1%	1%	3%	0%	C	0.086	F	0.604	25000	G
To: Ramp from Rte. 3 Connector																
From: Ramp from Rte. 3 Connector																
Bus   Dixon St	City of Fredericksburg	0.26	10000	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.650	11000	G
To: Charles St																

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 17 2 Dixon St	From: Charles St City of Fredericksburg	0.06	5200	G	99%	0%	0%	0%	0%	F	0.099	F	0.612	5500	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8100	G							NA			8600	G	
Bus 17 2 Dixon St	To: Princess Anne St From: City of Fredericksburg	0.06	2800	G	99%	0%	0%	0%	0%	F	0.081	F		2900	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			5600	G							NA			6000	G	
Bus 17 2 Caroline St	To: Caroline St From: Dixon Street City of Fredericksburg	0.24	3300	G	97%	1%	2%	0%	0%	C	0.086	F		3500	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6100	G							NA			6600	G	
Bus 17 Bus 1 2 Caroline St	To: Lafayette Blvd From: City of Fredericksburg	0.38	5000	G	99%	0%	1%	0%	0%	F	NA			5400	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	0%	0%	F	NA			12000	G	
Bus 17 Bus 1 Caroline St	To: Bus SR 3 William St From: City of Fredericksburg	0.51	6800	G	99%	0%	1%	0%	0%	C	0.092	F		7200	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			15000	G	98%	1%	1%	0%	0%	C	0.091	F	0.528	15000	G	
Bus 17 Bus 1 Herndon St	To: Herndon St From: Caroline St City of Fredericksburg	0.06	4400	G	99%	0%	1%	0%	0%	F	NA			4800	G	
Bus 17 Bus 1 Princess Anne St	To: BUS US 1 Par Princess Anne St From: BUS US 1 Par Herndon St City of Fredericksburg	0.70	10000	G	98%	0%	1%	0%	0%	C	0.086	F	0.674	11000	G	
Bus 17 1 Jefferson Davis Blvd	To: US 1 Jefferson Davis Highway From: BUS US 1 Princess Anne Ave City of Fredericksburg	0.11	31000	N	98%	0%	1%	0%	0%	N	0.086	N	0.564	33000	N	
Bus 17 2 Princess Anne St	To: NCL Fredericksburg From: Dixon Street City of Fredericksburg	0.26	2800	G							NA			3100	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6100	G							NA			6600	G	
Bus 17 Bus 1 2 Princess Anne St	To: Bus US 1, Bus US 17 Lafayette Blvd From: City of Fredericksburg	0.37	6600	G	97%	1%	1%	0%	0%	F	0.089	F		7000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	98%	1%	1%	0%	0%	F	NA			12000	G	
Bus 17 Bus 1 Princess Anne St	To: Bus SR 3 William St From: City of Fredericksburg	0.52	7800	G	97%	1%	1%	0%	0%	C	0.092	F		8200	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			15000	G	98%	1%	1%	0%	0%	C	0.091	F	0.528	15000	G	
Bus 17 Mill Rd	To: Bus US 1 Herndon St From: US 17 Mills Dr Spotsylvania County	0.30	11000	G							0.085	F	0.905	12000	G	

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 95	From: Caroline County Line															
	Spotsylvania County	1.61	46000	A	87%	1%	1%	0%	10%	0%	F	0.103	A	40000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		92000	A	87%	1%	1%	1%	11%	0%	F	NA		80000	A	
North 95	From: 88-606 Mudd Tavern Rd															
	Spotsylvania County	7.58	48000	A	87%	1%	1%	0%	10%	0%	C	0.101	A	42000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		95000	A	87%	1%	1%	1%	11%	0%	C	0.096	A	0.501	84000	A
North 95 17	From: US 1, US 17, Ramp I-95 N126A															
	Spotsylvania County	2.81	57000	A	87%	1%	1%	0%	10%	0%	F	0.09	A	53000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		115000	A	87%	1%	1%	1%	11%	0%	F	0.085	A	0.523	107000	A
North 95 17	From: SCL Fredericksburg															
	City of Fredericksburg (Maint: 88)	0.89	57000	A	87%	1%	1%	0%	10%	0%	F	0.09	A	53000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		115000	A	87%	1%	1%	1%	11%	0%	F	NA		107000	A	
North 95 17	From: SR 3 Plank Rd															
	City of Fredericksburg (Maint: 88)	2.29	73000	A	87%	1%	1%	0%	10%	0%	F	0.080	A	71000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		144000	A	87%	1%	1%	1%	11%	0%	F	0.078	A	0.505	138000	A
North 95 Ramp	From: I-95-N TO RT 66															
	Spotsylvania County	0.22	2400	G								NA		2400	G	
	To: 88-606 FR RT 95 TO RT															
North 95 Ramp	From: I-95-N TO RT 1NB															
	Spotsylvania County	0.29	4300	G								NA		4300	G	
	To: US 1 US 01- 142B FROM RT 95															
North 95 Ramp	From: I-95-N TO RT 1															
	Spotsylvania County	0.08	1700	G								NA		1700	G	
	To: US 1 Gap FROM RT 95															
North 95 Ramp	From: I-95 North															
	Spotsylvania County	0.37	3500	G								NA		3500	G	
	To: SR 3 Plank Rd															
North 95 Ramp	From: I-95-N TO RT 3 WB															
	Spotsylvania County	0.18	6000	G								NA		6000	G	
	To: SR 3 SR 03-E032B TO AND FROM RT															
South 95	From: Caroline County Line															
	Spotsylvania County	2.07	46000	A	86%	1%	1%	1%	11%	0%	F	0.099	A	40000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		92000	A	87%	1%	1%	1%	11%	0%	F	NA		80000	A	
South 95	From: 88-606 Mudd Tavern Rd															
	Spotsylvania County	7.07	48000	A	86%	1%	1%	1%	11%	0%	C	0.098	A	41000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		95000	A	87%	1%	1%	1%	11%	0%	C	0.096	A	0.501	84000	A
	To: US 1, US 17 Jefferson Davis Hwy															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 95 17	From: [] Spotsylvania County	US 1, US 17 Jefferson Davis Hwy 3.10	59000	A	86%	1%	1%	1%	11%	0%	F	0.085	A	54000	A	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	115000	A	87%	1%	1%	1%	11%	0%	F	0.085	A	107000	A	
South 95 17	To: [] From: []	SCL Fredericksburg City of Fredericksburg (Maint: 88)	1.61	59000	A	86%	1%	1%	1%	11%	F	0.085	A	54000	A	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	115000	A	87%	1%	1%	1%	11%	0%	F	NA		107000	A	
South 95 17	To: [] From: []	SR 3 Plank Rd City of Fredericksburg (Maint: 88)	1.76	71000	A	86%	1%	1%	1%	11%	F	0.083	A	67000	A	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	144000	A	87%	1%	1%	1%	11%	0%	F	0.078	A	138000	A	
South 95 Ramp	To: [] From: []	Stafford County Line Spotsylvania County	0.24	4100	G							NA		4100	G	
South 95 Ramp	To: [] From: []	I-95-S TO RT 606 Spotsylvania County	0.32	17000	G							NA		17000	G	
South 95 Ramp	To: [] From: []	88-606 FR RT 95 TO RT Spotsylvania County	0.20	6900	G							NA		6900	G	
South 95 Ramp	To: [] From: []	I-95-S TO RT 1 Spotsylvania County	0.36	19000	G							NA		19000	G	
South 95 Ramp	To: [] From: []	US 1 TO AND FROM RT Spotsylvania County	0.20	6900	G							NA		6900	G	
South 95 Ramp	To: [] From: []	I-95-S TO RT 3 EB Spotsylvania County	0.36	19000	G							NA		19000	G	
South 95 Ramp	To: [] From: []	SR 3 TO AND FROM RT Spotsylvania County	0.36	19000	G							NA		19000	G	
South 95	To: [] From: []	I-95-S TO RT 3 WEST Spotsylvania County	0.36	19000	G							NA		19000	G	
South 95	To: [] From: []	SR 3 FROM RT 95 SOUTH Spotsylvania County	0.36	19000	G							NA		19000	G	
South 95	To: [] From: []	I-95 South to Welcome Center Spotsylvania County	0.06	NA								NA		NA		
South 95	To: [] From: []	Enter Welcome Center Parking Lot Exit Welcome Center Parking Lot Spotsylvania County	0.06	2000	A	86%	1%	1%	1%	11%	F	0.128	A	1700	A	
South 95	To: [] From: []	I-95 South from Welcome Center Spotsylvania County	0.06	2000	A	86%	1%	1%	1%	11%	F	0.128	A	1700	A	
208	To: [] From: []	Louisa County Line Spotsylvania County	3.64	4600	G	96%	0%	1%	2%	1%	F	0.095	F	0.558	4700	G
208	To: [] From: []	88-601 Lewiston Rd Spotsylvania County	8.85	6000	G	96%	0%	1%	2%	1%	F	0.087	F	0.599	6200	G
208	To: [] From: []	88-648 Block House Rd Bus SR 208 Courthouse Rd Spotsylvania County	3.03	7800	G	96%	0%	1%	2%	1%	C	0.087	F	0.621	8000	G
208	To: [] From: []	88-608 S, Robert E Lee Dr Spotsylvania County	0.98	9800	G	96%	0%	1%	2%	1%	F	0.085	F	0.646	10000	G
208	To: [] From: []	88-613 Brock Rd Spotsylvania County	0.87	12000	G	97%	0%	0%	2%	0%	C	0.087	F	0.630	13000	G
208	To: [] From: []	Bus SR 208 Courthouse Rd Spotsylvania County	0.87	12000	G	97%	0%	0%	2%	0%	C	0.087	F	0.630	13000	G

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: [] 208 Courthouse Rd	Spotsylvania County	2.25	2000	G	97%	0%	0%	2%	0%	0%	F	0.081	F	0.618	21000	G
To: []																
From: [] 208 Courthouse Rd	Spotsylvania County	3.74	3600	G	97%	0%	0%	2%	0%	0%	F	0.084	F	0.627	38000	G
To: []																
From: [] Bus 208 Courthouse Rd	Spotsylvania County	2.43	3400	G	95%	0%	1%	1%	2%	0%	C	0.093	F	0.64	3500	G
To: []																
From: [] Bus 208 Courthouse Rd	Spotsylvania County	3.41	3000	G	95%	0%	1%	1%	2%	0%	F	0.086	F	0.601	3100	G
To: []																
From: [] Bus 208 Courthouse Rd	Spotsylvania County	0.54	7700	G	95%	0%	1%	1%	2%	0%	F	0.077	F	0.503	7800	G
To: []																
From: [] Bus 208 Courthouse Rd	Spotsylvania County	0.71	NA									NA		NA		
To: []																
From: [] 522 Zachary Taylor Hwy	Spotsylvania County	1.01	2700	G	92%	1%	1%	2%	5%	0%	C	0.102	F	0.554	2700	G
To: []																
From: [] 522 Zachary Taylor Hwy	Spotsylvania County	0.94	2600	G	92%	1%	1%	2%	5%	0%	F	0.099	F	0.539	2600	G
To: []																

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(F163) Mallard Rd	0.60	NA					From: Dead End					NA		NA		
(F163) Mallard Rd	0.62	490	R				From: 88-759 Orrock Lane					NA		NA		04/21/2009
							To: 88-606 Mudd Tavern Rd									
(F164)	0.05	NA					From: 88-606 Mudd Tavern Rd					NA		NA		
							To: Dead End									
(F167) Glenwood Dr	0.12	610	R				From: US 17 Mills Dr					NA		NA		10/05/2009
							To: Dead End									
(F168) Clark Ct	0.16	40	R				From: Dead End					NA		NA		10/05/2009
							To: SR 208 Courthouse Rd									
(F690) Jefferson Davis Hwy Frontage Rd	0.68	270	R				From: US 1 North of 88-636					NA		NA		11/05/2009
							To: US 1 South of 88-1246 Industrial Dr									
(F690) Loren Dr	1.00	1900	R				From: 88-1246 Industrial Dr					NA		NA		10/05/2009
							To: 88-661 W, Hudgins Rd									
(F690) Jefferson Davis Hwy Frontage Rd	0.64	390	R				From: 88-661 E, Hudgins Rd					NA		NA		11/05/2009
							To: US 1 Jefferson Davis Hwy									
(F691) Kershaw St	0.32	760	R				From: US 1 North of 88-636 Mine Rd					NA		NA		10/05/2009
							To: Bus US 1 Lafayette Blvd									
(F691) Kershaw St	0.58	450	R				From: 88-620 Harrison Rd					NA		NA		04/22/2009
							To: 88-661 Hudgins Rd									
(F692) Jefferson Davis Hwy Frontage Rd	0.20	280	R				From: Dead End					NA		NA		10/05/2009
							To: US 1 Jefferson Davis Hwy									
(F693) Gateway Blvd	0.31	5800	R				From: Dead End					NA		NA		10/05/2009
							To: SR 3 Plank Rd									
(F694) Plank Rd Frontage	0.08	710	R				From: SR 3 Plank Rd					NA		NA		11/09/2009
							To: Dead End									
(F696) Overview Dr	1.81	130	R				From: US 17 Mills Dr					NA		NA		10/05/2009
							To: Dead End									
(F697) Lavue Lane	0.36	NA					From: Dead End					NA		NA		
							To: 88-608 Massaponax Church Rd									
(704/68) Lawyers Rd	0.05	270	R				From: Orange County Line					NA		NA		07/18/2011
							To: 88-601 Lawyers Rd									
(600) Herndon Rd	0.64	640	R				From: 88-613 Brock Rd					NA		NA		09/10/2002
							To: 0.64 MN 88-613 Brock Rd									
(600) Herndon Rd	0.66	560	R				From: 88-690 Peppertree Rd					NA		NA		08/08/2005
							To: 88-621 Orange Plank Rd									
(600) Herndon Rd	0.50	810	R				From: 88-621 Orange Plank Rd					NA		NA		09/10/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(601) Arritt Rd	1.84	900	G	96%	1%	1%	0%	1%	0%	F	0.082	F	0.669	920	G	2012
						-----From: Louisa County Line-----										
(601) Lewiston Rd	3.21	1100	G	96%	1%	1%	0%	1%	0%	C	0.09	F	0.524	1100	G	2012
						-----To: 88-622 N, Fairview Rd-----										
(601) Lewiston Rd	3.73	1700	G	96%	1%	1%	0%	1%	0%	F	0.081	F	0.512	1700	G	2012
						-----From: 88-614 N, Breaknock Rd-----										
(601) Lawyers Rd	1.59	2100	G	98%	1%	1%	1%	0%	0%	C	0.102	F	0.67	2200	G	2012
						-----From: SR 208 S, Courthouse Rd-----										
(601) Lawyers Rd	2.96	1400	G	98%	1%	1%	1%	0%	0%	F	0.100	F	0.713	1400	G	2012
						-----From: SR 208 N, Courthouse Rd-----										
(601) Lawyers Rd	0.97	770	R									NA		NA		10/03/2002
						-----To: 88-721 Grand Brooks Rd-----										
(601) Lawyers Rd	1.92	690	R									NA		NA		10/07/2002
						-----From: 88-612 Stubbs Bridge Rd-----										
(601) Lawyers Rd	2.15	890	G	98%	1%	1%	1%	0%	0%	F	0.102	F	0.648	910	G	2012
						-----From: 88-653 Powell Rd-----										
(601) Lawyers Rd	0.94	1700	G	98%	1%	1%	1%	0%	0%	F	0.093	F	0.607	1700	G	2012
						-----To: 88-652 Belmont Rd-----										
						-----From: 88-651 Tatum Rd-----										
(602) Massey Rd	1.71	580	R									NA		NA		10/07/2002
						-----To: 88-608 Catharpin Rd-----										
						-----From: Dead End-----										
(603) Arcadia Rd	0.70	900	R									NA		NA		10/10/2002
						-----To: SR 208 Courthouse Rd-----										
						-----From: Caroline County Line-----										
(603) Arcadia Rd	0.89	3400	G	98%	0%	0%	0%	1%	0%	C	0.086	F	0.774	3500	G	2012
						-----To: US 1 Jefferson Davis Hwy-----										
(604) Blanton Rd	1.93	310	R									NA		NA		10/10/2002
						-----From: 88-605 Marye Rd-----										
						-----To: Caroline County Line-----										
(605) Swift Rd	1.00	110	R									NA		NA		10/24/2005
						-----From: Dead End-----										
(605) Wallers Rd	2.42	650	R									NA		NA		10/08/2002
						-----To: 88-622 E, Fairview Rd-----										
						-----From: 88-622 W, Fairview Rd-----										
(605) Marye Rd	1.95	720	R									NA		NA		10/10/2002
						-----To: 88-738 N, Partlow Rd-----										
						-----From: 88-738 S, Partlow Rd-----										
(605) Marye Rd	3.38	1300	G	96%	0%	1%	0%	2%	0%	F	0.090	F	0.778	1300	G	2012
						-----To: 88-658 Shirleys Hill Rd-----										
(605) Marye Rd	3.16	2400	G	96%	0%	1%	0%	2%	0%	C	0.087	F	0.715	2400	G	2012
						-----From: 88-647 Blaydes Corner Rd-----										
(605) Marye Rd	0.26	590	R									NA		NA		10/10/2002
						-----To: 88-603 Arcadia Rd-----										
						-----From: Caroline County Line-----										
(606) Post Oak Rd	2.67	830	G	96%	0%	1%	1%	2%	0%	F	0.102	F	0.54	870	G	2012
						-----To: 88-608 Catharpin Rd-----										
(606) Post Oak Rd	0.93	1500	G	96%	0%	1%	1%	2%	0%	F	0.088	F	0.623	1500	G	2012
						-----From: 88-612 W, Pamunkey Rd-----										
(606) Post Oak Rd	3.80	890	G	96%	0%	1%	1%	2%	0%	F	0.088	F	0.523	910	G	2012
						-----To: 88-612 E, Stubbs Bridge Rd-----										
(606) Post Oak Rd	4.14	1400	G	96%	0%	1%	1%	2%	0%	C	0.087	F	0.659	1400	G	2012
						-----From: 88-650 Margo Rd-----										
						-----To: SR-208 W, Courthouse Rd-----										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(606) Morris Rd	3.15	6700	G	96%	0%	1%	1%	2%	0%	C	0.08	F	0.688	6800	G	2012
From: SR 208 Courthouse Rd; 88-738 Parlow Rd																
To: 88-617 Hams Ford Rd																
(606) Morris Rd	1.41	8700	G	96%	0%	1%	1%	2%	0%	F	0.077	F	0.688	8900	G	2012
From: US 1 Jefferson Davis Hwy																
To: I-95																
(606) Mudd Tavern Rd	0.51	12000	G	94%	0%	1%	1%	3%	0%	C	0.077	F	0.659	12000	G	2012
From: I-95																
To: Caroline County Line																
(606) Ramp	0.15	2900	G								0.091	F		2900	G	2012
From: 88-606 Mudd Tavern Rd																
To: I-95 South																
(606) Ramp	0.19	4600	G								0.115	F		4600	G	2012
From: 88-606 Mudd Tavern Rd																
To: I-95 North																
(607) Guinea Station Rd	1.20	1300	R								NA			NA		10/21/2002
From: US 1 Jefferson Davis Hwy																
To: 88-633 Church Pond Rd																
(607) Guinea Station Rd	2.30	530	R								NA			NA		10/21/2002
From: Caroline County Line																
To: Orange County Line																
(608) West Catharpin Rd	1.04	1600	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.561	1700	G	2012
From: 88-606 Post Oak Rd																
(608) West Catharpin Rd	6.02	1400	G	99%	0%	0%	0%	0%	0%	F	0.098	F	0.741	1400	G	2012
From: 88-612 W. Pamunkey Rd																
(608) West Catharpin Rd	0.28	2400	G	99%	0%	0%	0%	0%	0%	C	0.093	F	0.704	2500	G	2012
From: 88-612 E. Catharpin Rd																
(608) Robert E Lee Dr	1.85	1300	R								NA			NA		10/22/2002
From: 88-649 W. Seays Rd																
(608) Robert E Lee Dr	2.01	1900	R								NA			NA		10/22/2002
From: 88-693 Gladly Fork Rd																
(608) Robert E Lee Dr	1.65	2100	R								NA			NA		10/22/2002
From: 88-747 Old Mill Lane																
(608) Robert E Lee Dr	0.36	2800	R								NA			NA		10/22/2002
From: 88-648 Block House Rd																
(608) Robert E Lee Dr	0.22	3500	G	98%	0%	0%	1%	0%	0%	C	0.097	F	0.671	3600	G	2012
From: SR 208 S, Lake Anna Pkwy																
To: SR 208 N, Lake Anna Pkwy																
(608) Robert E Lee Dr	0.46	790	G								NA			850	G	2012
From: 88-613 Brock Rd																
To: Bus SR 208 Courthouse Rd																
(608) Massaponax Church Rd	3.90	2300	G	95%	1%	1%	3%	1%	0%	F	0.106	F	0.729	2300	G	2012
From: 88-639 Leavells Rd																
(608) Massaponax Church Rd	0.95	6100	G	95%	1%	1%	3%	1%	0%	C	0.095	F	0.656	6200	G	2012
From: US 1 Jefferson Davis Hwy																
(608) Massaponax Church Rd	2.56	4800	G	97%	0%	1%	1%	1%	0%	C	0.101	F	0.549	4900	G	2012
From: 88-668 Summit Crossing Rd																
(608) Massaponax Church Rd	1.97	2500	G	97%	0%	1%	1%	1%	0%	F	0.112	F	0.612	2600	G	2012
From: US-17 W, Mills Dr																
To: US-17 E, Mills Dr																
(608) Benchmark Rd	2.65	4500	G	97%	0%	1%	1%	1%	0%	F	0.107	F	0.610	4600	G	2012
From: US 17 Bus; SR 2 Tidewater Trail																
To: Caroline County Line																
(609) Thornton Rolling Rd	1.86	1900	R								NA			NA		10/21/2002
From: US 17 Mills Dr																

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(609) Jim Morris Rd	1.51	1600	R								NA		NA			10/21/2002
From: US 17 Mills Dr						To: Bus US 17, SR 2 Tidewater Trail										
(610) Elys Ford Rd	3.90	2100	G	99%	0%	0%	1%	0%	0%	C	0.089	F	0.619	2100	G	2012
From: Culpeper County Line						To: 88-616 US Ford Rd										
(610) Elys Ford Rd	0.98	4400	G	99%	0%	0%	1%	0%	0%	F	0.086	F	0.658	4500	G	2012
From: SR-3 W, Plank Rd						To: 88-612 Catharpin Rd										
(610) Old Plank Rd	1.85	2700	G	99%	0%	0%	0%	0%	0%	F	0.104	F	0.532	2800	G	2012
From: 88-612 Catharpin Rd						To: 88-620 E, Harrison Rd										
(610) Old Plank Rd	2.85	10000	G	99%	0%	0%	0%	0%	0%	C	0.085	F	0.706	11000	G	2012
From: 88-620 E, Harrison Rd						To: 88-627 Gordon Rd										
(610) Old Plank Rd	0.51	5000	G	99%	0%	0%	0%	0%	0%	F	0.076	F	0.566	5300	G	2012
From: 88-627 Gordon Rd						To: SR-3 E, Plank Rd										
(611) Windy Acres Lane	0.35	170	R								NA		NA			09/10/2002
From: Dead End						To: 88-682 Parker Lane										
(611) Windy Acres Lane	0.20	200	R								NA		NA			08/08/2005
From: 88-682 Parker Lane						To: 88-621 Orange Plank Rd										
(611) Windy Acres Lane	1.10	310	R								NA		NA			08/08/2005
From: 88-621 Orange Plank Rd						To: Orange County Line										
(612) Monrovia Rd	1.46	620	R								NA		NA			10/03/2002
From: Orange County Line						To: US 522 Zachary Taylor Hwy										
(612) Monrovia Rd	2.53	460	G	98%	0%	1%	0%	0%	0%	F	0.101	F	0.553	470	G	2012
From: US 522 Zachary Taylor Hwy						To: 88-719 W, Days Bridge Rd										
(612) Stubbs Bridge Rd	0.38	1100	G	98%	0%	1%	0%	0%	0%	C	0.08	F	0.527	1100	G	2012
From: 88-719 E, Days Bridge Rd						To: 88-663 Comfort Lane										
(612) Stubbs Bridge Rd	3.87	910	G	98%	0%	1%	0%	0%	0%	F	0.094	F	0.671	930	G	2012
From: 88-663 Comfort Lane						To: 88-601 Lawyers Rd										
(612) Stubbs Bridge Rd	3.18	790	G	98%	0%	1%	0%	0%	0%	F	0.099	F	0.518	800	G	2012
From: 88-601 Lawyers Rd						To: 88-606 W, Post Oak Rd										
(612) Pamunkey Rd	4.14	810	G	97%	2%	0%	1%	0%	0%	F	0.101	F	0.735	850	G	2012
From: 88-606 E, Post Oak Rd						To: 88-608 W, Catharpin Rd										
(612) Catharpin Rd	3.24	1900	G	97%	2%	0%	1%	0%	0%	F	0.087	F	0.698	1900	G	2012
From: 88-608 E, Robert E Lee Dr						To: 88-613 Brock Rd										
(612) Catharpin Rd	4.30	3400	G	97%	2%	0%	1%	0%	0%	C	0.087	F	0.583	3500	G	2012
From: 88-613 Brock Rd						To: 88-610 Old Plank Rd										
(613) Brock Rd	1.63	4200	G	98%	0%	1%	1%	1%	0%	C	0.099	F	0.664	4300	G	2012
From: 88-610 Old Plank Rd						To: SR 208 Courthouse Rd										
(613) Brock Rd	3.97	3600	G	98%	0%	1%	1%	1%	0%	F	0.099	F	0.635	3700	G	2012
From: SR 208 Courthouse Rd						To: 88-648 Block House Rd										
(613) Brock Rd	4.78	2700	G	98%	0%	1%	1%	1%	0%	F	0.093	F	0.560	2800	G	2012
From: 88-648 Block House Rd						To: 88-612 S, Catharpin Rd										
(613) Brock Rd	1.52	3700	G	98%	0%	1%	1%	1%	0%	F	0.098	F	0.565	3800	G	2012
From: 88-612 S, Catharpin Rd						To: 88-621 Orange Plank Rd										
(613) Brock Rd	1.52	3700	G	98%	0%	1%	1%	1%	0%	F	0.098	F	0.565	3800	G	2012
From: 88-621 Orange Plank Rd						To: SR 3 Plank Rd										
(614) Breaknock Rd	0.20	8	R								NA		NA			10/08/2002
From: Dead End						To: 88-1520 Billman Dr										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(614) Breaknock Rd	1.30	230	R								NA			NA		10/08/2002
(614) Dickerson Rd	1.60	450	R								NA			NA		10/08/2002
(614) Dickerson Rd	1.57	470	R								NA			NA		10/31/2005
(614) Dickerson Rd	0.20	680	R								NA			NA		10/31/2005
(614) Dickerson Rd	0.43	830	R								NA			NA		10/31/2005
(614) Duerson Lane	1.95	790	R								NA			NA		10/08/2002
(615) Rapidan Dr	0.45	740	R								NA			NA		09/04/2002
(615) Rapidan Dr	0.47	550	R								NA			NA		09/04/2002
(615) Rapidan Dr	1.10	310	R								NA			NA		09/04/2002
(616) US Ford Rd	2.29	1800	R								NA			NA		09/04/2002
(617) Hams Ford Rd	1.80	130	R								NA			NA		11/02/2005
(617) Hams Ford Rd	1.20	1000	R								NA			NA		10/10/2002
(618) River Rd	0.76	1100	R								NA			NA		10/17/2002
(618) River Rd	0.14	1400	R								NA			NA		10/17/2002
(618) River Rd	0.04	2600	R								NA			NA		10/30/2005
(618) River Rd	0.39	2500	R								NA			NA		10/03/2005
(618) River Rd	0.82	2400	R								NA			NA		10/03/2005
(618) River Rd	1.47	1600	R								NA			NA		10/17/2002
(618) River Rd	0.67	2000	R								NA			NA		10/17/2002
(618) River Rd	1.14	2100	R								NA			NA		10/17/2002
(618) River Rd	1.33	2200	R								NA			NA		10/17/2002
(618) River Rd	0.91	2500	R								NA			NA		10/17/2002
(619) Mill Rd	1.31	710	R								NA			NA		10/22/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(619) Mill Rd	0.24	130	R									NA		NA		10/22/2002
(620) Spotswood Furnace Rd	1.24	810	R									NA		NA		09/04/2002
(620) Spotswood Furnace Rd	0.74	180	R									NA		NA		09/04/2002
(620) Spotswood Furnace Rd	1.80	260	R									NA		NA		10/03/2005
(620) Spotswood Furnace Rd	1.92	240	R									NA		NA		10/03/2005
(620) Spotswood Furnace Rd	2.65	970	R									NA		NA		10/17/2002
(620) Harrison Rd	0.31	12000	G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.537	12000	G	2012
(620) Harrison Rd	0.18	12000	N	99%	0%	0%	0%	0%	0%	N	0.093	N	0.537	12000	N	2012
(620) Harrison Rd	0.60	18000	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.505	19000	G	2012
(620) Harrison Rd	1.28	18000	G	99%	0%	0%	0%	0%	0%	F	0.096	F	0.629	19000	G	2012
(620) Harrison Rd	1.53	13000	G	99%	0%	0%	0%	0%	0%	C	0.104	F	0.679	14000	G	2012
(620) Harrison Rd	0.92	14000	G	99%	0%	0%	0%	0%	0%	F	0.102	F	0.717	15000	G	2012
(620) Harrison Rd	0.18	6300	G	98%	0%	1%	0%	0%	0%	C	0.081	F	0.504	6700	G	2012
(621) Orange Plank Rd	1.60	1700	R									NA		NA		09/10/2002
(621) Orange Plank Rd	3.30	3500	G	97%	0%	1%	1%	0%	0%	C	0.093	F	0.66	3600	G	2012
(621) Orange Plank Rd	2.10	6100	R									NA		NA		09/10/2002
(622) Lucks Rd	0.95	160	R									NA		NA		10/08/2002
(622) Fairview Rd	1.20	1300	R									NA		NA		10/08/2002
(622) Fairview Rd	1.60	840	R									NA		NA		10/10/2002
(623) Stewart Rd	0.90	120	R									NA		NA		10/17/2005
(624) Piney Branch Rd	2.10	900	R									NA		NA		10/22/2002
(625) Ashby Dr	0.50	1000	R									NA		NA		09/12/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(625) Ashby Dr	1.00	2000	R								NA			NA		09/12/2002
(626) Andora Dr	0.41	8200	R								NA			NA		09/12/2002
(627) Gordon Rd	1.45	2800	G	98%	1%	0%	0%	0%	0%	F	0.092	F	0.594	2900	G	2012
(627) Gordon Rd	2.07	4100	G	98%	1%	0%	0%	0%	0%	F	0.096	F	0.645	4200	G	2012
(627) Gordon Rd	0.91	9900	G	98%	1%	0%	0%	0%	0%	F	0.094	F	0.556	11000	G	2012
(627) Gordon Rd	1.42	16000	G	98%	1%	0%	0%	0%	0%	C	0.088	F	0.606	17000	G	2012
(627) Gordon Rd	0.12	11000	G	98%	1%	0%	0%	0%	0%	F	0.091	F	0.522	12000	G	2012
(627) Gordon Rd	0.22	10000	G	98%	1%	0%	0%	0%	0%	F	0.078	F	0.599	11000	G	2012
(628) Smith Station Rd	2.10	6500	R								NA			NA		09/16/2002
(628) Smith Station Rd	1.67	7700	R								NA			NA		09/16/2002
(628) Smith Station Rd	1.60	9100	G	99%	0%	0%	0%	0%	0%	C	0.098	F	0.587	9700	G	2012
(628) Smith Station Rd	0.91	5900	G	99%	0%	0%	0%	0%	0%	F	0.104	F	0.549	6000	G	2012
(629) Foster Rd	0.56	5000	R								NA			NA		11/19/2005
(630) Corene Rd	0.38	20	R								NA			NA		10/24/2005
(631) American Legion Dr	0.21	810	R								NA			NA		08/03/2005
(632) Roxbury Mill Rd South	1.00	490	R								NA			NA		10/21/2002
(632) Roxbury Mill Rd South	0.12	70	R								NA			NA		10/31/2005
(632) Roxbury Mill Rd North	0.96	1300	R								NA			NA		11/02/2005
(632) Hickory Ridge Rd	3.40	950	R								NA			NA		10/21/2002
(633) Church Pond Rd	1.40	1000	R								NA			NA		10/21/2002
(634) Flippo Dr	2.60	150	R								NA			NA		10/21/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(635) Lee Hill School Dr	2.53	3600	R								NA			NA		09/09/2002
(636) Ewell Rd	0.09	1600	R								NA			NA		11/14/2005
(636) Ewell Rd	0.30	1400	R								NA			NA		11/14/2005
(636) Hood Dr	0.44	13000	R								NA			NA		11/14/2005
(636) Mine Rd	1.47	13000	G	98%	0%	0%	0%	1%	0%	C	0.088	F	0.513	14000	G	2012
(636) Mine Rd	2.30	5000	G	98%	0%	0%	0%	1%	0%	F	0.086	F	0.609	5200	G	2012
(637)	0.09	40	R								NA			NA		09/25/2002
(638) Lansdowne Rd	1.92	6800	G	97%	0%	1%	0%	1%	0%	C	0.089	F	0.630	7200	G	2012
(639) Leavells Rd	1.69	3000	N								NA			NA		08/26/2002
(639) Leavells Rd	1.38	3000	R								NA			NA		08/26/2002
(639) Leavells Rd	0.43	6600	R								NA			NA		08/26/2002
(639) Leavells Rd	0.69	8900	R								NA			NA		08/26/2002
(639) Leavells Rd	2.09	24000	G	99%	1%	1%	0%	0%	0%	F	0.088	F	0.505	26000	G	2012
(639) Salem Church Rd	1.45	26000	G	99%	1%	1%	0%	0%	0%	C	0.085	F	0.533	28000	G	2012
(639) Bragg Rd	0.91	17000	G	99%	1%	1%	0%	0%	0%	F	0.089	F	0.617	18000	G	2012
(640) Black Meadow Rd	1.60	830	R								NA			NA		10/03/2005
(641) Gatewood Rd	0.20	170	R								NA			NA		10/08/2002
(642) Woolfolk Rd	0.80	150	R								NA			NA		09/26/2005
(643) Haleys Mill Rd	2.50	190	R								NA			NA		10/24/2005
(643) Williams Lane	0.96	100	R								NA			NA		10/24/2005
(644) Village Dr	0.09	120	R								NA			NA		08/27/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(644) Marshall Dr	0.07	70	R			From: 0.09 ME US 1 Bus					NA			NA		08/27/2002
						To: Dead End										
(645) Sunset Rd	1.20	550	R			From: 88-606 Morris Rd					NA			NA		10/10/2002
(645) Sunset Rd	0.85	660	R			From: 88-646 Stanfield Rd					NA			NA		10/10/2002
(645) Sunset Rd	0.25	840	R			From: 0.85 MS 88-646					NA			NA		10/31/2005
						To: 88-617 Hams Ford Rd										
(646) Stanfield Rd	3.48	270	R			From: 88-605 Marye Rd					NA			NA		10/10/2002
						To: 88-645 Sunset Rd										
(647) Twilight Lane	0.10	90	R			From: Dead End					NA			NA		11/02/2005
(647) Blaydes Corner Rd	3.80	450	R			From: 88-605 Marye Rd					NA			NA		10/10/2002
						To: 88-738 Partlow Rd										
(648) Block House Rd	2.26	830	R			From: 88-738 Partlow Rd					NA			NA		10/31/2005
(648) Block House Rd	1.15	1000	R			From: 2.26 MN 88-738					NA			NA		10/31/2005
						To: SR 208 Courthouse Rd										
(649) Seays Rd	1.10	750	R			From: 88-606 Post Oak Rd					NA			NA		10/22/2002
(649) Seays Rd	1.20	860	R			From: 88-703 Mastin Lane					NA			NA		10/22/2002
						To: 88-608 W. Robert E Lee Dr										
(649) Mill Pond Rd	2.30	480	R			From: 88-608 E. Robert E Lee Dr					NA			NA		10/22/2002
						To: 88-612 Catharpin Rd										
(650) Margo Rd	1.30	430	R			From: 88-733 Brockenburg Rd					NA			NA		10/07/2002
						To: 88-606 Post Oak Rd										
(651) Tatum Rd	0.10	390	R			From: Orange County Line					NA			NA		10/07/2002
(651) Houston Lane	0.25	40	R			From: 88-601 Lawyers Rd					NA			NA		09/27/2005
						To: Dead End										
(652) Belmont Rd	1.00	460	R			From: 88-719 Days Bridge Rd					NA			NA		10/03/2002
(652) Belmont Rd	2.10	420	R			From: 88-653 S. Jones Powell Rd					NA			NA		10/03/2002
						To: 88-601 Lawyers Rd										
(653) Orange Springs Rd	1.90	200	R			From: Orange County Line					NA			NA		10/03/2002
						To: 88-652 N. Belmont Rd										
(653) Jones Powell Rd	1.70	310	R			From: 88-652 S. Belmont Rd					NA			NA		10/03/2002
						To: 88-601 Lawyers Rd										
(654) Windway Dr	0.55	120	R			From: 88-612 Monrovia Rd					NA			NA		09/26/2005
(654) Windway Dr	0.03	2	R			From: 88-1545 Windway Dr					NA			NA		09/26/2005
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(655) Ridge Rd	1.78	260	R									NA		NA		10/07/2002
(655) Ridge Rd	1.45	250	R									NA		NA		10/07/2002
(656) Towles Mill Rd	2.77	390	R									NA		NA		10/31/2005
(656) Towles Mill Rd	0.13	700	R									NA		NA		10/31/2005
(656) Towles Mill Rd	2.30	590	R									NA		NA		10/07/2002
(657) Edenton Rd	3.40	210	R									NA		NA		10/08/2002
(658) Mount Olive Rd	3.10	500	R									NA		NA		10/10/2002
(658) Shirleys Hill Rd	2.00	400	G	97%	1%	0%	0%	2%	0%	C	0.1	F	0.775	410	G	2012
(659) Lanes Corner Rd	2.80	130	R									NA		NA		10/24/2005
(660) Len Hart Lane	0.70	90	R									NA		NA		11/02/2005
(661) Hudgins Rd	0.30	1800	R									NA		NA		11/09/2005
(661) Hudgins Rd	0.31	1400	R									NA		NA		11/09/2005
(662) Log Cabin Rd	1.92	70	R									NA		NA		11/02/2005
(663) Comfort Lane	0.97	280	R									NA		NA		10/03/2002
(664) Granite Springs Rd	1.10	130	R									NA		NA		09/27/2005
(665) Belfonte Rd	0.60	370	R									NA		NA		10/08/2002
(665) Belfonte Rd	1.40	270	R									NA		NA		10/24/2005
(666) Tribble Rd	0.57	70	R									NA		NA		11/02/2005
(667) Robinson Rd	0.80	170	R									NA		NA		10/24/2005
(667) Robinson Rd	0.41	20	R									NA		NA		10/07/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(668) Summit Crossing Rd	2.84	300	R									NA		NA		10/21/2002
(669) Butler Rd	0.27	110	R									NA		NA		10/10/2002
(669) Trivette Rd	0.33	60	R									NA		NA		11/02/2005
(669) Butler Rd	1.39	100	R									NA		NA		11/02/2005
(669) Butler Rd	0.81	200	R									NA		NA		11/02/2005
(669) Smith Rd	1.15	40	R									NA		NA		11/02/2005
(670) Winding Rd	1.65	420	R									NA		NA		10/10/2002
(671) Rhoads Dr	0.41	510	R									NA		NA		09/25/2002
(672) Hall Industrial Dr	0.44	240	R									NA		NA		10/21/2002
(673) Piedmont Dr	0.30	4900	R									NA		NA		08/29/2005
(673) Piedmont Dr	0.67	5900	R									NA		NA		09/12/2005
(673) Piedmont Dr	1.19	8100	R									NA		NA		09/14/2005
(674) Chancellor Rd	0.50	3700	R									NA		NA		09/17/2002
(674) Chancellor Rd	0.60	3500	R									NA		NA		09/18/2002
(674) Chancellor Rd	0.90	5200	R									NA		NA		09/18/2002
(675) Five Mile Rd	1.08	860	R									NA		NA		09/20/2005
(676) Cookstown Rd	0.90	140	R									NA		NA		08/08/2005
(677)	0.23	620	R									NA		NA		09/25/2002
(678) Shepherds Rd	3.03	610	R									NA		NA		11/02/2005
(679) Country Rd	1.10	310	R									NA		NA		10/10/2002
(680) Granite Springs Rd	1.20	280	R									NA		NA		09/27/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(680) Granite Springs Rd	1.00	350	R			From: 1.20 MN 88-664					NA			NA		09/27/2005
						To: 88-601 Lawyers Rd										
(681) Lorraine Ave	0.12	930	R			From: US 1 Bus; Lafayette Blvd					NA			NA		08/18/2005
						To: 88-1201 Madeline Ave										
(681) Lorraine Ave	0.12	850	R			From: 88-1204 Laurel Ave; 88-1219					NA			NA		08/18/2005
						To: 88-1222 Lorraine Ct										
(681) Lorraine Ave	0.13	780	R			From: 88-9393 Spotswood Elementary School					NA			NA		08/18/2005
						To: 88-1370 Ann Davis Dr										
(682) Parker Lane	0.95	60	R			From: 88-611 Windy Acres Lane					NA			NA		08/08/2005
						To: Dead End										
(683) Bartlett Lane	0.17	30	R			From: Dead End					NA			NA		10/05/2005
						To: 88-698 Harry Lee Dr										
(683) Bartlett Lane	0.30	40	R			From: 88-608 Catharpin Rd					NA			NA		10/05/2005
						To: Dead End										
(684) Craigs Church Lane	0.65	280	R			From: 88-754 Hayden Rd					NA			NA		09/27/2005
						To: Dead End										
(684) Craigs Church Lane	0.95	150	R			From: Dead End					NA			NA		09/27/2005
						To: 88-648 Block House Rd										
(685) Pritchett Rd	0.45	150	R			From: US 1 Jefferson Davis Hwy					NA			NA		10/22/2002
						To: US 1 Bus										
(687) Shirley Rd	1.20	70	R			From: 88-653 Orange Springs Rd					NA			NA		09/27/2005
						To: Orange County Line										
(688) Single Oak Rd	1.17	440	R			From: SR 3 Plank Rd					NA			NA		09/03/2002
						To: 88-675 Five Mile Rd										
(689) Gentry Lane	0.30	60	R			From: 88-601 Lewiston Rd					NA			NA		10/24/2005
						To: Dead End										
(690) Peppertree Rd	0.40	20	R			From: Dead End					NA			NA		08/08/2005
						To: 0.40 MN Dead End										
(690) Peppertree Rd	0.60	120	R			From: 88-600 Herndon Rd					NA			NA		08/08/2005
						To: 88-656 Towles Rd										
(691) Black Rock Dr	1.51	170	R			From: 88-601 Lewiston Rd					NA			NA		10/07/2002
						To: SR 208 Courthouse Rd										
(692) Sunnybrook Farm Rd	0.75	70	R			From: Dead End					NA			NA		10/31/2005
						To: 88-608 Robert E Lee Dr										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(693) Gladly Fork Rd	0.40	40	R									NA		NA		10/31/2005
(694) Heatherstone Dr	0.35	3400	R									NA		NA		02/02/2005
(694) Heatherstone Dr	0.13	1900	R									NA		NA		02/02/2005
(694) Heatherstone Dr	0.37	360	R									NA		NA		02/02/2005
(695) Mosby St	0.16	750	R									NA		NA		08/05/2002
(696) Sullivan Rd	1.10	70	R									NA		NA		09/27/2005
(697) Red Hill Rd	0.50	480	R									NA		NA		10/22/2002
(698) Harry Lee Dr	0.10	110	R									NA		NA		10/05/2005
(699) French Acors Rd	0.96	270	R									NA		NA		10/10/2002
(700)	0.20	660	R									NA		NA		10/29/2002
(701) Rumsey Lane	0.70	40	R									NA		NA		10/31/2005
(702) Curtis Lane	0.90	150	R									NA		NA		10/31/2005
(703) Mastin Lane	0.20	110	R									NA		NA		10/31/2005
(704) Hadamar Rd	1.05	160	R									NA		NA		11/02/2005
(705) Jennings Lane	0.50	150	R									NA		NA		10/31/2005
(706) Cherry Rd	0.65	1900	G	99%	0%	0%	0%	0%	0%	C	0.109	F	0.569	2000	G	2012
(707) Chewning Lane	0.40	230	R									NA		NA		09/03/2002
(707) Chewning Lane	0.06	350	R									NA		NA		09/20/2005
(708) Bernstein Rd	0.18	120	R									NA		NA		09/03/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(709) Alsop Town Rd	0.54	240	R									NA		NA		10/31/2005
(710) Taskforce Dr	0.16	3900	R									NA		NA		09/14/2005
(710) Maple Grove Dr	0.16	4400	R									NA		NA		09/20/2005
(710) Bragg Rd	0.27	2000	R									NA		NA		09/20/2005
(710) Bragg Rd	0.11	950	R									NA		NA		09/20/2005
(711) Southpoint Pkwy	1.14	20000	R									NA		NA		12/09/2008
(711) Southpoint Pkwy	0.11	13000	R									NA		NA		08/15/2005
(711) Rollingwood Dr	0.31	580	R									NA		NA		08/15/2005
(711) Rollingwood Dr	0.27	230	R									NA		NA		08/15/2005
(712) Bradley Lane	0.40	150	R									NA		NA		10/24/2005
(713) Boggs Dr	1.41	160	R									NA		NA		10/08/2002
(714) Cloverdale St	0.36	48	R									NA		NA		09/29/2005
(714) Cloverdale St	0.34	530	R									NA		NA		09/29/2005
(715) Camp Town Rd	0.50	320	R									NA		NA		10/31/2002
(716) Southgate Ave	0.28	320	R									NA		NA		08/27/2002
(716) Southgate Ave	0.05	110	R									NA		NA		08/27/2002
(718) Hebron Church Rd	0.60	180	R									NA		NA		10/31/2005
(719) Days Bridge Rd	2.83	260	R									NA		NA		10/03/2002
(719) Days Bridge Rd	1.83	750	R									NA		NA		10/13/2002
(719) Days Bridge Rd	1.18	1100	R									NA		NA		10/03/2002
(720) Confederate Cemetery Dr	0.25	20	R									NA		NA		08/01/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(721) Grand Brooks Rd	4.01	200	R								NA			NA		10/24/2005
(722) Tanglewood Rd	0.82	500	R								NA			NA		09/16/2002
(722) Tanglewood Rd	0.08	60	R								NA			NA		10/31/2005
(723) Dovey Rd	0.92	120	R								NA			NA		10/03/2002
(724) Wigglesworth Rd	0.50	20	R								NA			NA		11/02/2005
(725) Talley Rd	0.70	120	R								NA			NA		10/17/2005
(726) Ryland Payne Rd	0.65	100	R								NA			NA		10/24/2005
(727) Rosser St	0.20	60	R								NA			NA		10/05/2005
(728) Wheeler Rd	0.65	210	R								NA			NA		10/31/2005
(729) Hill St	0.19	830	R								NA			NA		08/05/2002
(730)	0.16	110	R								NA			NA		08/05/2002
(732) Mallard Point Rd	0.30	40	R								NA			NA		08/03/2005
(733) Brockenburg Rd	0.68	360	R								NA			NA		10/07/2002
(734) Greengate Rd	0.80	340	R								NA			NA		10/22/2002
(735) Vidalia St	0.09	400	R								NA			NA		10/22/2002
(736) Eagle Dr	0.05	2000	R								NA			NA		10/22/2002
(736)	0.36	70	R								NA			NA		10/21/2002
(738) Partlow Rd	1.98	1600	G	97%	1%	1%	0%	1%	0%	F	0.106	F	0.559	1700	G	2012
(738) Partlow Rd	2.97	1600	G	97%	1%	1%	0%	1%	0%	C	0.099	F	0.512	1700	G	2012
(738) Partlow Rd	3.83	2300	G	97%	1%	1%	0%	1%	0%	F	0.095	F	0.667	2400	G	2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(738) Partlow Rd	1.74	2800	G	97%	1%	1%	0%	1%	0%	F	0.092	F	0.532	2900	G	2012
(738) Partlow Rd	2.01	3800	G	97%	1%	1%	0%	1%	0%	F	0.090	F	0.664	3900	G	2012
(739) Dickenson Dr	0.03	360	R								NA			NA		07/31/2002
(739) Dickenson Dr	0.31	290	R								NA			NA		07/31/2002
(740) Wrights Lane	0.05	930	R								NA			NA		09/03/2002
(740) Wrights Lane	0.04	20	R								NA			NA		09/03/2002
(741) Wrights Lane	0.02	1100	R								NA			NA		09/03/2002
(742) Timberbrook Lane	0.54	100	R								NA			NA		10/24/2005
(743) Lewis Thorburn Rd	0.79	1800	R								NA			NA		09/17/2002
(744) Dogwood Ave	0.26	140	R								NA			NA		07/31/2002
(745)	0.13	70	R								NA			NA		09/03/2002
(745) Woodside Dr	0.18	490	R								NA			NA		09/03/2002
(746) Sarah Lane	0.05	120	R								NA			NA		09/23/2002
(747) Old Mill Lane	1.54	180	R								NA			NA		10/31/2005
(747) Old Mill Lane	0.35	630	R								NA			NA		10/31/2005
(748) Three Cedars Lane	0.12	80	R								NA			NA		08/31/2005
(748) Three Cedars Lane	0.91	2900	R								NA			NA		08/07/2002
(749) Old Telegraph Rd	0.44	100	R								NA			NA		10/31/2005
(750) Lee Dr	0.30	60	R								NA			NA		09/12/2002
(752) Fenton Rd	0.49	90	R								NA			NA		10/24/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(753) Rapidan Rd	0.45	230	R								NA		NA			10/03/2005
(754) Hayden Rd	0.30	40	R								NA		NA			09/27/2005
(756)	0.41	2800	R								NA		NA			03/14/2002
(756)	0.43	1800	R								NA		NA			03/14/2002
(757) Moss Lane	0.27	6	R								NA		NA			10/24/2005
(758) Lee Hill Park Rd	0.20	980	R								NA		NA			10/19/2005
(759) Orrock Lane	0.73	20	R								NA		NA			10/31/2005
(760) Willow Oaks Dr	0.20	1500	R								NA		NA			09/08/2005
(760) Corter Ave	0.11	1000	R								NA		NA			09/08/2005
(760) Corter Ave	0.06	960	R								NA		NA			09/08/2005
(760) Corter Ave	0.05	800	R								NA		NA			09/08/2005
(760) Corter Ave	0.11	670	R								NA		NA			09/08/2005
(762) White Shop Rd	0.30	30	R								NA		NA			09/26/2005
(763) Don Rd	0.60	60	R								NA		NA			09/26/2005
(764) Bowen Dr	0.53	390	R								NA		NA			08/07/2002
(765) Crossroads Pkwy	0.47	110	R								NA		NA			10/21/2002
(766) Nyland Rd	0.61	110	R								NA		NA			11/02/2005
(767) Wildwood Court	0.11	49	R								NA		NA			08/11/2005
(768) Blount Dr	1.28	90	R								NA		NA			10/24/2005
(770) Northeast Dr	0.64	1300	R								NA		NA			08/11/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(771) Cosner Dr	0.31	1300	R									NA		NA		08/11/2005
						From: Dead End										
						To: FR-696 Overview Dr										
(771) Cosner Dr	0.03	4200	R									NA		NA		08/11/2005
						From: US 17; 88-1035										
						To: 88-639 Salem Church Rd										
(775) Genral Semmes Rd	0.06	3100	R									NA		NA		1999
						From: 88-776										
						To: Cul-de-Sac										
(776)	0.09	90	R									NA		NA		1999
						From: 88-775										
(776) Old Salem Church Rd	0.17	3100	R									NA		NA		1999
						From: 88-1118 Norris Dr										
						To: Dead End										
(777) Round Hill Rd	0.16	90	R									NA		NA		10/17/2005
						From: 88-612 Catharpin Rd										
						To: 88-777 Round Hill Rd										
(778) Landon Lane	0.07	30	R									NA		NA		10/17/2005
						From: Dead End										
						To: 88-608 Massaponax Church Rd										
(780) Corridor Dr	0.76	650	R									NA		NA		08/03/2005
						From: US 1 Jefferson Davis Hwy										
						To: Poe River Dr										
(785) Hunters Lodge Dr	0.45	250	R									NA		NA		04/21/2009
						From: SR 208 Courthouse Rd										
						To: US 17 Bus										
(790)	0.07	240	R									NA		NA		10/29/2002
						From: Dead End										
						To: 88-608										
(791)	0.43	NA										NA		NA		
						From: Cul-de-Sac										
						To: 88-649 Mill Pond Rd										
(795) Todds Tavern Dr	0.61	NA										NA		NA		
						From: Cul-de-Sac										
						To: Cul-de-Sac										
(796)	0.20	NA										NA		NA		
						From: 88-795										
						To: 88-688 Single Oak Rd										
(950) Trench Hill Lane	0.65	200	R									NA		NA		10/13/2009
						From: Cul-de-Sac										
						To: Cul-de-Sac										
(951) Block House Rd	0.39	40	G	98%	0%	1%	1%	1%	0%	F	0.325	F	0.539	40	G	2012
						From: 88-608 Robert E Lee Dr										
(951) Block House Rd	1.12	970	G	98%	0%	1%	1%	1%	0%	C	0.112	F	0.646	990	G	2012
						From: 88-613 Brock Rd										
						To: 88-656 Towles Mill Rd										
(990) Horseshoe Dr	0.85	170	R									NA		NA		10/28/2002
						From: Cul-de-Sac										
						To: Cul-de-Sac										
(991)	0.15	40	R									NA		NA		10/28/2002
						From: 88-990										
						To: 88-656 Towles Mill Rd										
(992)	0.39	100	R									NA		NA		10/28/2002
						From: Cul-de-Sac										

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
999	Greentree Dr	0.16	110	R								NA		NA		11/07/2005
1000	Cedar Brook Dr	0.15	680	R								NA		NA		11/07/2005
1001	Kemper Dr	0.07	60	R								NA		NA		11/07/2005
1002	Bent Tree Dr	0.79	160	R								NA		NA		11/07/2005
1004	Briarbend Ct	0.21	120	R								NA		NA		11/07/2005
1005	Leavels Crossing Dr	0.76	320	R								NA		NA		11/07/2005
1006	Rainwood Dr	0.46	220	R								NA		NA		11/07/2005
1007	Priest Ct	0.05	40	R								NA		NA		11/07/2005
1008	Jamie Ct	0.16	170	R								NA		NA		11/07/2005
1009	Lotus Ct	0.05	40	R								NA		NA		11/07/2005
1010	Blue Ridge Rd	0.46	170	R								NA		NA		10/03/2002
1011		0.07	NA									NA		NA		
1013		0.09	50	R								NA		NA		10/02/2002
1014	Cowger Ct	0.09	120	R								NA		NA		11/07/2005
1015		0.05	30	R								NA		NA		09/25/2002
1016	Cedar Ridge Dr	0.80	210	R								NA		NA		09/25/2002
1017		0.18	200	R								NA		NA		10/02/2002
1018	State Place	0.04	40	R								NA		NA		08/11/2005
1019	Harvard St	0.06	210	R								NA		NA		08/11/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1019 Harvard St	0.06	130	R								NA			NA		08/11/2005
1020 Chatham Court	0.09	80	R								NA			NA		08/11/2005
1021 Fullerton Court	0.10	280	R								NA			NA		08/11/2005
1021 Fullerton Court	0.07	100	R								NA			NA		08/11/2005
1022 Crossgate Dr	0.14	130	R								NA			NA		08/11/2005
1022 Crossgate Dr	0.06	70	R								NA			NA		08/11/2005
1023 Westover Court	0.05	48	R								NA			NA		08/11/2005
1024 Colechester St	0.12	130	R								NA			NA		08/11/2005
1024 Colechester St	0.23	110	R								NA			NA		08/11/2005
1024 Colechester St	0.18	500	R								NA			NA		08/11/2005
1024 Colechester St	0.08	620	R								NA			NA		08/11/2005
1024 Colechester St	0.07	680	R								NA			NA		08/11/2005
1025	0.04	70	R								NA			NA		09/09/2002
1026	0.03	40	R								NA			NA		09/09/2002
1027 Bazzanella Dr	0.88	80	R								NA			NA		10/05/2009
1027 Bazzanella Dr	0.06	150	R								NA			NA		09/09/2002
1028 Wyndemere Circle	1.33	80	R								NA			NA		10/03/2002
1028 Wyndemere Circle	0.11	90	R								NA			NA		10/03/2002
1029 Germanna Dr	0.42	4500	R								NA			NA		10/29/2002
1030 Debon Lane	0.07	70	R								NA			NA		11/19/2005
1031	0.06	46	R								NA			NA		09/25/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1032 Gobbler Court	0.09	40	R				88-1033				NA			NA		09/20/2005
							Cul-de-Sac									
1033 Turkey Rn Rd	0.75	170	R				88-619 Mill Rd				NA			NA		10/22/2002
							Cul-de-Sac									
1034 Gunston Hall Rd	0.58	530	R				88-1036				NA			NA		08/10/2005
							Dead End									
1035 Old Dominion Pkwy	1.04	4400	R				US 17 Mills Dr				NA			NA		09/09/2002
							Cul-de-Sac									
1036 Grand Staff Rd	0.22	910	R				88-1034 Gunston Hall Rd				NA			NA		09/09/2002
							88-1035									
1037 Monticello St	0.15	1900	R				88-1035				NA			NA		09/09/2002
							88-1045 Avalon Way									
1037 Monticello St	0.33	1200	R				88-1061 Fendale Lane				NA			NA		08/11/2005
							88-1063 Oatlands Place									
1037 Monticello St	0.15	1000	R				88-635 Lee Hill School Dr				NA			NA		08/11/2005
							88-1063 Oatlands Place									
1037 Monticello St	0.37	1000	R				88-1034 Gunston Hall Rd				NA			NA		10/29/2002
							Cul-de-Sac									
1038 Wickham Ct	0.05	40	R				Cul-de-Sac				NA			NA		08/10/2005
							Cul-de-Sac									
1039 Murven Park Lane	0.13	60	R				88-1034 Gunston Hall Rd				NA			NA		08/10/2005
							Cul-de-Sac									
1039 Murven Park Lane	0.05	50	R				Cul-de-Sac				NA			NA		08/10/2005
							Cul-de-Sac									
1040	0.02	40	R				88-1196				NA			NA		07/31/2002
							Cul-de-Sac									
1041	0.02	60	R				88-1196				NA			NA		07/31/2002
							Cul-de-Sac									
1042	0.02	40	R				88-1196				NA			NA		07/31/2002
							Cul-de-Sac									
1043	0.02	40	R				88-1196				NA			NA		07/31/2002
							Cul-de-Sac									
1044 Battery Hill Ct	0.12	60	R				Dead End				NA			NA		11/07/2002
							88-1034 Gunston Hall Rd									
1045 Avalon Way	0.08	80	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1046 Oakhill Rd									
1045 Avalon Way	0.04	250	R				88-1037 Monticello St				NA			NA		08/15/2005
							88-1048 Mount Vernon Place									
1045 Avalon Way	0.04	420	R				88-1048 Mount Vernon Place				NA			NA		08/15/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1045) Avalon Way	0.06	260	R								NA			NA		08/15/2005
(1045) Avalon Way	0.17	110	R								NA			NA		08/15/2005
(1046) Oakhill Rd	0.05	160	R								NA			NA		08/15/2005
(1046) Oakhill Rd	0.08	80	R								NA			NA		08/15/2005
(1047) Kenmore Ct	0.07	48	R								NA			NA		08/15/2005
(1048) Mount Vernon Place	0.11	110	R								NA			NA		08/15/2005
(1048) Mount Vernon Place	0.10	47	R								NA			NA		08/15/2005
(1049) Prestwould Ct	0.09	70	R								NA			NA		08/15/2005
(1050)	0.04	80	R								NA			NA		1995
(1051)	0.20	160	R								NA			NA		11/07/2002
(1052) Park Ridge Rd	0.32	170	R								NA			NA		10/17/2002
(1052) Park Ridge Rd	0.20	NA									NA			NA		
(1053)	0.12	NA									NA			NA		
(1053) Howitzer Dr	0.13	90	R								NA			NA		10/17/2002
(1054) Crescent Point Dr	0.79	170	R								NA			NA		10/03/2002
(1055) Venison Dr	0.31	370	R								NA			NA		11/09/2005
(1056) Doeskin Dr	0.16	80	R								NA			NA		11/09/2005
(1057) Buckskin Lane	0.16	150	R								NA			NA		11/09/2005
(1058) Deer Dr	0.17	210	R								NA			NA		11/09/2005
(1059) Antelope Trl	0.19	150	R								NA			NA		11/09/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1060) Minuteman Ct	0.19	140	R				88-1044				NA			NA		08/10/2005
							Cul-de-Sac									
(1061) Fendale Lane	0.05	230	R				88-1037 Monticello St				NA			NA		08/16/2005
(1061)	0.16	160	R				88-1062 Weston Court				NA			NA		08/15/2005
							Cul-de-Sac									
(1062) Weston Court	0.06	50	R				88-1061 Fendale Lane				NA			NA		08/15/2005
							Cul-de-Sac									
(1063) Oatlands Place	0.05	250	R				88-1037 Monticello St				NA			NA		08/15/2005
(1063) Oatlands Place	0.11	120	R				88-1064 Ramsay Dr				NA			NA		08/15/2005
							Cul-de-Sac									
(1064) Ramsay Dr	0.16	80	R				88-1063 Oatlands Place				NA			NA		08/15/2005
							Cul-de-Sac									
(1065) Creekwood Rd	0.20	110	R				88-673 Piedmont Dr				NA			NA		1995
							Cul-de-Sac									
(1066) Huntington Woods Circle	0.46	70	R				Dead End				NA			NA		1995
							88-1065 E, Creekwood Rd									
(1067)	0.14	70	R				Dead End				NA			NA		1995
							Cul-de-Sac									
(1068) Leeds Ct	0.19	250	R				Cul-de-Sac				NA			NA		10/31/2002
							88-1091 Lancaster Ring Rd									
(1069) Saltburn Ct	0.10	100	R				Cul-de-Sac				NA			NA		10/26/2005
(1069) Saltburn Ct	0.06	90	R				88-1068				NA			NA		10/31/2002
							Cul-de-Sac									
(1070) Juniper Ct	0.07	60	R				88-1237 Butternut Dr				NA			NA		11/16/2005
							Cul-de-Sac									
(1071) Kerrydale Cir	0.23	80	R				88-1237 W, Butternut Dr				NA			NA		11/16/2005
							88-1237 E, Butternut Dr									
(1072) Dairy jDr	0.30	90	R				Cul-de-Sac				NA			NA		09/26/2005
							US 522 Zachary Taylor Hwy									
(1073) Springfield Farm Lane	0.30	40	R				Cul-de-Sac				NA			NA		09/26/2005
							88-1010; 88-1074									
(1074) Derrick Circle	0.05	10	R				88-1010; 88-1074				NA			NA		09/26/2005
							Cul-de-Sac									
(1075) Danielville Dr	0.48	60	R				Cul-de-Sac				NA			NA		10/07/2002
							88-608 Catharpin Rd									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1076) Danielville Dr	0.14	40	R				88-1075				NA			NA		09/27/2005
							Cul-de-Sac									
(1077)	0.09	80	R				Cul-de-Sac				NA			NA		10/31/2002
							88-1091 Lancaster Ring Rd									
(1078) Engleman Lane	0.80	140	R				Cul-de-Sac				NA			NA		10/22/2002
							88-649 Seays Rd									
(1079)	0.18	70	R				Cul-de-Sac				NA			NA		10/22/2002
							88-1078									
(1080) Sorrell Ct	0.14	120	R				Cul-de-Sac				NA			NA		10/26/2005
							88-1068									
(1081) Hastings Court West	0.10	110	R				Cul-de-Sac				NA			NA		10/26/2005
							88-1091 Lancaster Ring Rd									
(1081) Hastings Court East	0.11	NA					Cul-de-Sac				NA			NA		
							Cul-de-Sac									
(1082)	0.04	50	R				Cul-de-Sac				NA			NA		08/29/2002
							88-1145 Tara Dr									
(1083)	0.03	90	R				Dead End				NA			NA		08/19/2002
							88-1145 Tara Dr									
(1084)	0.04	40	R				Dead End				NA			NA		08/19/2002
							88-1145 Tara Dr									
(1085) Shamrock Dr	0.33	460	R				88-1146 Lavelle Dr				NA			NA		11/09/2005
							88-1141									
(1086) Gallagher Dr	0.15	110	R				88-1085 Shamrock Dr				NA			NA		11/09/2005
							88-1146 Lavelle Dr									
(1087) Kildare Ct	0.03	40	R				Cul-de-Sac				NA			NA		11/09/2005
							88-1085 Shamrock Dr									
(1088) Dublin Ct	0.04	60	R				Cul-de-Sac				NA			NA		11/09/2005
							88-1085 Shamrock Dr									
(1088) Larry Lane	0.05	90	R				Cul-de-Sac				NA			NA		11/09/2005
							Cul-de-Sac									
(1089)	0.13	640	R				88-1099 Manette Dr				NA			NA		10/31/2002
							Cul-de-Sac									
(1090)	0.49	3500	R				88-608 Massaponax Church Rd				NA			NA		10/31/2002
							Dead End									
(1091) Lancaster Ring Rd	0.09	1600	R				Dead End				NA			NA		10/31/2002
							88-1090									
(1091) Lancaster Ring Rd	0.55	1100	R				Cul-de-Sac				NA			NA		10/31/2002
							88-1068									
(1091) Lancaster Ring Rd	0.56	430	R				Cul-de-Sac				NA			NA		10/26/2005
							88-2100 Brighten Court									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1091) Lancaster Ring Rd	0.60	480	R			From: 88-2100 Brighten Court					NA		NA			10/26/2005
						To: Dead End										
(1092)	0.23	70	R			From: Dead End					NA		NA			10/31/2002
						To: Dead End										
(1093) Oldham Rd	0.34	110	R			From: Cul-de-Sac					NA		NA			10/31/2002
						To: 88-1091 Lancaster Ring Rd										
(1094) Witneys Ct	0.12	300	R			From: Dead End					NA		NA			10/26/2005
						To: 88-1090										
(1094) Witneys Ct	0.07	310	R			From: 88-1093					NA		NA			10/31/2002
						To: 88-1093										
(1095) Westbury Manor Dr	0.34	260	R			From: Cul-de-Sac					NA		NA			09/17/2002
						To: 88-625 Ashby Dr										
(1096)	0.15	130	R			From: Cul-de-Sac					NA		NA			09/17/2002
						To: 88-1095										
(1097) Banbury Ct	0.06	40	R			From: Cul-de-Sac					NA		NA			09/17/2002
						To: 88-1095										
(1098) Henly Court	0.16	380	R			From: 88-1091 Lancaster Ring Rd					NA		NA			10/31/2002
						To: Cul-de-Sac										
(1099) Manette Dr	0.06	180	R			From: Dead End					NA		NA			10/26/2005
						To: 88-1089										
(1099) Manette Dr	0.11	340	R			From: 88-1098					NA		NA			10/31/2002
						To: 88-1098										
(1100) Deerskin Dr	0.22	420	R			From: Cul-de-Sac					NA		NA			09/14/2005
						To: 88-1164										
(1100) Deerskin Dr	0.10	670	R			From: 88-673 Piedmont Dr					NA		NA			09/14/2005
						To: 88-673 Piedmont Dr										
(1101) Sheraton Hill Dr	0.13	390	R			From: 88-1106 Calhoun Dr					NA		NA			1999
						To: 88-1105										
(1101) Sheraton Hill Dr	0.07	450	R			From: 88-1104					NA		NA			1999
						To: 88-1104										
(1101) Sheraton Hill Dr	0.04	580	R			From: 88-1103					NA		NA			1999
						To: 88-1103										
(1101) Sheraton Hill Dr	0.06	610	R			From: SR 3 Plank Rd					NA		NA			1999
						To: SR 3 Plank Rd										
(1102) Weaton Rd	0.20	130	R			From: 88-1106					NA		NA			1999
						To: 88-1103										
(1103)	0.03	20	R			From: Dead End					NA		NA			1999
						To: 88-1102 Weaton Rd										
(1103) Lasalle Dr	0.07	170	R			From: 88-1101 Sheraton Hill Dr					NA		NA			1999
						To: 88-1101 Sheraton Hill Dr										

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1104) Sheraton Hill Dr	0.12	390	R								NA			NA		1999
(1104)	0.05	490	R								NA			NA		1999
(1104) Watson Lane	0.03	710	R								NA			NA		1999
(1105)	0.03	47	R								NA			NA		1999
(1106)	0.02	30	R								NA			NA		08/19/2002
(1106) Calhoun Dr	0.08	80	R								NA			NA		08/19/2002
(1106) Calhoun Dr	0.04	350	R								NA			NA		08/19/2002
(1106) Calhoun Dr	0.06	320	R								NA			NA		08/19/2002
(1106) Calhoun Dr	0.07	680	R								NA			NA		08/29/2002
(1106) Up A Way Dr	0.06	450	R								NA			NA		08/29/2002
(1106) Up A Way Dr	0.05	570	R								NA			NA		08/29/2002
(1106)	0.19	280	R								NA			NA		08/29/2002
(1106) Up A Way Dr	0.10	240	R								NA			NA		08/29/2002
(1106)	0.03	360	R								NA			NA		08/29/2002
(1107) Concord Dr	0.14	40	R								NA			NA		1999
(1108) Branchwater St	0.12	540	R								NA			NA		1999
(1108) Branchwater St	0.17	660	R								NA			NA		1999
(1109)	0.11	110	R								NA			NA		08/29/2002
(1110) Ross Dr	0.28	190	R								NA			NA		09/09/2002
(1111) Lucas St	0.20	340	R								NA			NA		09/09/2002
(1111)	0.12	NA									NA			NA		
(1112) Rutherford Dr	0.18	480	R								NA			NA		08/29/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1112) Rutherford Dr	0.16	380	R								NA			NA		08/29/2002
(1112) Rutherford Dr	0.26	670	R								NA			NA		08/29/2002
(1112) Rutherford Dr	0.07	840	R								NA			NA		08/29/2002
(1112) Rutherford Dr	0.06	1100	R								NA			NA		08/29/2002
(1112) Rutherford Dr	0.19	1300	R								NA			NA		08/29/2002
(1112) Rutherford Dr	0.10	1700	R								NA			NA		08/29/2002
(1113) Jackson Rd	0.11	180	R								NA			NA		08/29/2002
(1113) Jackson Rd	0.10	380	R								NA			NA		08/29/2002
(1114) Kennedy Lane	0.05	2000	R								NA			NA		09/14/2005
(1114) Kennedy Lane	0.09	1600	R								NA			NA		09/14/2005
(1114) Kennedy Lane	0.19	1500	R								NA			NA		09/14/2005
(1114) Kennedy Lane	0.07	1700	R								NA			NA		09/14/2005
(1114) Kennedy Lane	0.07	1900	R								NA			NA		09/14/2005
(1114) Kennedy Lane	0.06	1900	R								NA			NA		09/14/2005
(1114) Kennedy Lane	0.28	1700	R								NA			NA		09/14/2005
(1115) Maple Grove Dr	0.32	2000	R								NA			NA		09/20/2005
(1115) Maple Grove Dr	0.06	3000	R								NA			NA		09/20/2005
(1115) Maple Grove Dr	0.29	5600	R								NA			NA		09/20/2005
(1116) Blake Dr	0.12	560	R								NA			NA		09/09/2002
(1116) Blake Dr	0.07	1400	R								NA			NA		09/09/2002
(1116) Blake Dr	0.14	2300	G								NA		2300	G	2012	
(1117) Glazebrook Dr	0.06	490	R								NA			NA		09/09/2002
(1117) Glazebrook Dr	0.07	310	R								NA			NA		09/09/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1117) Glazebrook Dr	0.05	220	R			From: 88-1123 Douglas St					NA			NA		09/09/2002
(1117) Glazebrook Dr	0.04	220	R			To: 88-1026 Junie Ct					NA			NA		09/09/2002
(1117) Glazebrook Dr	0.11	320	R			From: 88-1025 Mickey Ct					NA			NA		09/09/2002
(1117) Glazebrook Dr	0.06	510	R			To: 88-1123 Douglas St					NA			NA		09/09/2002
(1117) Glazebrook Dr	0.02	570	R			From: 88-1122 Dinwiddie Dr					NA			NA		09/09/2002
(1117) Glazebrook Dr	0.06	600	R			To: 88-1121 Summer Ct					NA			NA		09/09/2002
(1117) Glazebrook Dr	0.06	630	R			From: 88-1120 Arnall Ct					NA			NA		09/09/2002
(1118) Norris Dr	0.07	2000	G			To: 88-1115 Maple Grove Dr					NA			2000	G	2012
(1118) Norris Dr	0.12	2400	R			From: 88-776 Old Salem Church Rd					NA			NA		09/20/2005
(1118) Norris Dr	0.05	2500	R			To: 88-1117 Glazebrook Dr					NA			NA		09/20/2005
(1118) Norris Dr	0.05	2500	R			From: 88-1050 Eugene Ct					NA			NA		09/20/2005
(1118) Norris Dr	0.11	110	R			To: 88-1119 Rick Court					NA			NA		09/20/2005
(1119) Rick Court	0.04	40	R			From: Cul-de-Sac					NA			NA		09/20/2005
(1119) Rick Court	0.05	2500	R			To: 88-1116					NA			NA		09/20/2005
(1120) Arnall Ct	0.04	40	R			From: 88-1118 Norris Dr					NA			NA		09/09/2002
(1121)	0.06	60	R			To: 88-1117					NA			NA		09/09/2002
(1122) Dinwiddie Dr	0.11	80	R			From: 88-1117 Glazebrook Dr					NA			NA		09/09/2002
(1123) Douglas St	0.06	90	R			To: 88-1116 Blake Dr					NA			NA		09/09/2002
(1123)	0.10	190	R			From: 88-1117					NA			NA		09/09/2002
(1124)	0.03	47	R			To: Cul-de-Sac					NA			NA		09/09/2002
(1125)	0.10	70	R			From: 88-1123					NA			NA		1999
(1126)	0.05	48	R			To: 88-1133					NA			NA		1999
						From: 88-1133					NA			NA		1999
						To: Cul-de-Sac					NA			NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1127)	0.05	50	R			From: 88-1133					NA		NA			1999
						To: Cul-de-Sac										
(1128)	0.09	160	R			From: 88-1146 Lavelle Dr					NA		NA			08/28/2002
						To: Cul-de-Sac										
(1129)	0.03	45	R			From: 88-1141					NA		NA			08/29/2002
						To: Cul-de-Sac										
(1130) Lincoln Dr	0.09	1100	R			From: 88-1131					NA		NA			1999
						To: 88-710 Bragg Rd; Maple Grove Dr										
(1131)	0.09	220	R			From: 88-1133					NA		NA			1999
						To: 88-1139										
(1131) Churchill Dr	0.04	240	R			From: 88-1139					NA		NA			1999
						To: 88-1138										
(1131) Churchill Dr	0.31	470	R			From: 88-1138					NA		NA			1999
						To: 88-1130										
(1131) Churchill Dr	0.02	580	R			From: 88-1130					NA		NA			1999
						To: 88-1137										
(1131) Churchill Dr	0.10	340	R			From: 88-1137					NA		NA			1999
						To: 88-1135										
(1131) Churchill Dr	0.05	380	R			From: 88-1135					NA		NA			1999
						To: 88-1134										
(1131) Churchill Dr	0.06	440	R			From: 88-1134					NA		NA			1999
						To: 88-1133										
(1131) Churchill Dr	0.07	210	R			From: 88-1133					NA		NA			1999
						To: 88-1132 Barkley Dr										
(1132) Barkley Dr	0.04	60	R			From: Cul-de-Sac					NA		NA			1999
						To: 88-1136										
(1132) Barkley Dr	0.16	190	R			From: 88-1136					NA		NA			1999
						To: 88-1131										
(1133)	0.08	60	R			From: Dead End					NA		NA			1999
						To: 88-1131										
(1133)	0.07	160	R			From: 88-1131					NA		NA			1999
						To: 88-1127										
(1133) Waverly Dr	0.06	140	R			From: 88-1127					NA		NA			1999
						To: 88-1126										
(1133)	0.07	120	R			From: 88-1126					NA		NA			1999
						To: 88-1135										
(1133) Waverly Dr	0.06	220	R			From: 88-1135					NA		NA			1999
						To: 88-1134										
(1133)	0.04	240	R			From: 88-1134					NA		NA			1999
						To: 88-1125										
(1133) Waverly Dr	0.16	350	R			From: 88-1125					NA		NA			1999
						To: 88-1136										
(1133) Waverly Dr	0.16	410	R			From: 88-1136					NA		NA			1999
						To: 88-1131										
(1133) Waverly Dr	0.04	1200	R			From: 88-1131					NA		NA			1999
						To: 88-710 Bragg Rd										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1134) Sherwood Lane	0.15	60	R				88-1133 Waverly Dr				NA			NA		1999
(1134) Sherwood Lane	0.16	190	R				88-1136 Somerset Lane				NA			NA		1999
(1135) Salem Dr	0.10	60	R				88-1133 Waverly Dr				NA			NA		1999
(1135) Salem Dr	0.06	150	R				88-1138 Hawthorne Rd				NA			NA		1999
(1135) Salem Dr	0.20	200	R				88-1136 Somerset Lane				NA			NA		1999
(1136) Somerset Lane	0.06	80	R				88-1135				NA			NA		1999
(1136) Somerset Lane	0.07	110	R				88-1134				NA			NA		1999
(1136) Somerset Lane	0.07	60	R				88-1133				NA			NA		1999
(1137) Lincoln Dr	0.26	240	R				88-1132 Barkley Dr				NA			NA		1999
(1138) Hawthorne Rd	0.09	20	R				88-1138				NA			NA		1999
(1138) Hawthorne Rd	0.09	49	R				88-1131				NA			NA		1999
(1138) Hawthorne Rd	0.09	49	R				88-1131				NA			NA		1999
(1138) Hawthorne Rd	0.09	49	R				88-1137				NA			NA		1999
(1138) Hawthorne Rd	0.09	49	R				88-1137 Lincoln Dr				NA			NA		1999
(1139)	0.08	50	R				88-1135 Salem Dr				NA			NA		1999
(1140)	0.03	110	R				Cul-de-Sac				NA			NA		1999
(1140) Kilarney Dr	0.04	2400	R				88-1131				NA			NA		08/19/2002
(1140) Kilarney Dr	0.07	2500	R				Dead End				NA			NA		08/19/2002
(1140) Kilarney Dr	0.08	2600	R				88-1145 Tara Dr				NA			NA		08/29/2002
(1140) Kilarney Dr	0.21	3800	R				88-1149				NA			NA		08/29/2002
(1140) Kilarney Dr	0.21	4000	R				88-1143				NA			NA		08/29/2002
(1141) McNamara Dr	0.09	170	R				88-1141				NA			NA		08/29/2002
(1141) McNamara Dr	0.09	610	R				88-1178 St Patrick St				NA			NA		08/29/2002
(1141) McNamara Dr	0.14	1000	R				SR 3 Plank Rd				NA			NA		08/29/2002
(1141) McNamara Dr	0.13	490	R				88-1145 Tara Dr				NA			NA		08/29/2002
(1141) McNamara Dr	0.13	490	R				88-1129				NA			NA		08/29/2002
(1141) McNamara Dr	0.13	490	R				88-1146 Lavelle Dr				NA			NA		08/29/2002
(1141) McNamara Dr	0.13	490	R				88-1140				NA			NA		08/29/2002
(1141) McNamara Dr	0.13	490	R				88-1142				NA			NA		08/29/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1141) McNamara Dr	0.08	380	R			From: 88-1142					NA		NA			08/29/2002
						To: 88-706 Cherry Rd										
(1142)	0.03	47	R			From: Cul-de-Sac					NA		NA			08/29/2002
(1142) Galway Lane	0.13	130	R			From: 88-1143					NA		NA			08/29/2002
(1142) Galway Lane	0.05	200	R			From: 88-1144					NA		NA			08/29/2002
						To: 88-1141										
(1143) Blarney St	0.05	170	R			From: 88-1142					NA		NA			08/29/2002
(1143) Blarney St	0.12	130	R			From: 88-1140					NA		NA			08/29/2002
						To: 88-1145 Tara Dr										
(1144)	0.03	40	R			From: 88-1142					NA		NA			08/29/2002
						To: Cul-de-Sac										
(1145) Tara Dr	0.10	2900	R			From: 88-706 Cherry Rd					NA		NA			09/13/2005
(1145) Tara Dr	0.15	890	R			From: 88-1140					NA		NA			09/13/2005
(1145) Tara Dr	0.13	360	R			From: 88-1085 Shamrock Dr					NA		NA			09/13/2005
(1145) Tara Dr	0.10	160	R			From: 88-1146 Lavelle Dr					NA		NA			09/13/2005
(1145) Tara Dr	0.03	60	R			From: 88-1141					NA		NA			09/13/2005
						To: Cul-de-Sac										
(1146) Lavelle Dr	0.08	330	R			From: 88-1141					NA		NA			09/13/2005
(1146) Lavelle Dr	0.10	320	R			From: 88-1145 Tara Dr					NA		NA			09/13/2005
(1146) Lavelle Dr	0.12	120	R			From: 88-1128					NA		NA			09/13/2005
(1146) Lavelle Dr	0.06	60	R			From: 88-1085 Shamrock Dr					NA		NA			09/13/2005
						To: Cul-de-Sac										
(1147) Green Arbor Dr	0.05	750	R			From: 88-1279 Durham Dr					NA		NA			08/19/2002
(1147) Green Arbor Dr	0.11	1200	R			From: 88-1311 Maden St					NA		NA			08/19/2002
(1147) Green Arbor Dr	0.18	1900	R			From: 88-1175 Albany St					NA		NA			08/19/2002
(1147) Green Arbor Dr	0.11	2300	R			From: 88-1148 WEST					NA		NA			08/19/2002
(1147) Green Arbor Dr	0.04	2600	R			From: 88-1279 Durham Dr					NA		NA			08/19/2002
(1147) Green Arbor Dr	0.06	3100	R			From: 88-1148 EAST					NA		NA			08/19/2002
						To: 88-620 Harrison Rd										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1148) Timberland Dr	0.19	60	R			From: 88-1147 To: 88-1147					NA			NA		08/19/2002
(1149)	0.06	80	R			From: Cul-de-Sac To: 88-1140					NA			NA		11/07/2002
(1150) Deerfield Dr	0.20	200	R			From: 88-1154 Fawn Circle To: 88-1153 Bambi Ct					NA			NA		1999
(1150) Deerfield Dr	0.09	240	R			From: 88-1152 Buck Lane To: 88-1151 Doe Circle					NA			NA		1999
(1150) Deerfield Dr	0.13	250	R			From: 88-1151 Doe Circle To: 88-673 Piedmont Dr					NA			NA		1999
(1151) Doe Circle	0.20	210	R			From: 88-1150 To: Dead End					NA			NA		09/12/2005
(1152) Buck Lane	0.34	830	R			From: 88-2114 To: 88-1150					NA			NA		09/12/2005
(1153) Bambi Ct	0.03	50	R			From: Cul-de-Sac To: 88-1150					NA			NA		09/12/2005
(1154) Fawn Circle	0.08	70	R			From: Dead End To: 88-1150					NA			NA		08/29/2005
(1154) Fawn Circle	0.03	260	R			From: 88-1150 To: 88-673 Piedmont Dr					NA			NA		08/29/2005
(1155)	0.09	130	R			From: 88-673 Piedmont Dr To: Cul-de-Sac					NA			NA		08/26/2002
(1156)	0.13	180	R			From: 88-673 Piedmont Dr To: Cul-de-Sac					NA			NA		08/26/2002
(1157) Elk Dr	0.15	240	R			From: 88-628 Smith Station Rd To: 88-1158					NA			NA		08/29/2005
(1157) Elk Dr	0.16	120	R			From: 88-1158 To: Dead End					NA			NA		08/29/2005
(1158) Copp Dr	0.17	190	R			From: 88-1157 Elk Dr To: 88-1159 Ashton Circle					NA			NA		08/26/2002
(1159) Ashton Circle	0.02	49	R			From: Cul-de-Sac To: 88-1158 Copp Dr					NA			NA		08/29/2005
(1159) Ashton Cir	0.09	280	R			From: 88-1158 To: 88-673 Piedmont Dr					NA			NA		08/29/2005
(1160) Duke of Gloucester St	0.06	190	R			From: 88-1163 Candlewood St To: 88-1162 Buxley Ct					NA			NA		10/17/2005
(1160) Duke of Gloucester St	0.06	270	R			From: 88-1162 Buxley Ct To: 88-1161 Belle Meade					NA			NA		10/17/2005
(1160) Duke of Gloucester St	0.10	330	R			From: 88-1161 Belle Meade To: 88-694 Heatherstone Dr					NA			NA		10/17/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1161) Belle Meade	0.06	80	R									NA		NA		10/17/2005
(1162) Buxley Ct	0.06	60	R									NA		NA		10/17/2005
(1163) Candlewood St	0.09	110	R									NA		NA		10/17/2005
(1163) Candlewood St	0.08	80	R									NA		NA		10/17/2005
(1164)	0.05	70	R									NA		NA		08/26/2002
(1165) Shenandoah Dr	0.05	530	R									NA		NA		09/30/2002
(1165) Shenandoah Dr	0.06	400	R									NA		NA		09/30/2002
(1165) Shenandoah Dr	0.15	260	R									NA		NA		09/30/2002
(1165) Shenandoah Dr	0.06	140	R									NA		NA		09/30/2002
(1166)	0.11	150	R									NA		NA		09/30/2002
(1166) Teton Dr	0.08	380	R									NA		NA		09/30/2002
(1166) Teton Dr	0.03	450	R									NA		NA		09/30/2002
(1167) Rainier Lane	0.17	80	R									NA		NA		09/30/2002
(1168) Yosemite Lane	0.14	110	R									NA		NA		09/30/2002
(1168) Yosemite Lane	0.07	150	R									NA		NA		09/30/2002
(1169) Ocala Lane	0.09	250	R									NA		NA		09/30/2002
(1169) Ocala Lane	0.08	120	R									NA		NA		09/30/2002
(1169)	0.03	60	R									NA		NA		09/30/2002
(1170) Olympic Dr	0.13	140	R									NA		NA		09/30/2002
(1171)	0.11	90	R									NA		NA		09/30/2002
(1172) Mintleaf Lane	0.13	230	R									NA		NA		09/13/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1173) Bonnie Brae Ct	0.18	520	R								NA			NA		09/03/2002
(1173)	0.10	50	R								NA			NA		09/03/2002
(1174)	0.15	60	R								NA			NA		09/03/2002
(1174)	0.06	40	R								NA			NA		09/03/2002
(1175) Albany St	0.38	280	R								NA			NA		09/20/2005
(1175) Albany St	0.13	610	R								NA			NA		09/20/2005
(1175) Albany St	0.27	830	R								NA			NA		09/20/2005
(1175) Albany St	0.21	150	R								NA			NA		09/20/2005
(1176) Oak Ridge Ct	0.03	47	R								NA			NA		09/20/2005
(1177) Burlington Dr	0.06	80	R								NA			NA		09/20/2005
(1177) Burlington Dr	0.14	200	R								NA			NA		09/20/2005
(1178) St Patrick St	0.06	30	R								NA			NA		09/13/2005
(1178) St Patrick St	0.04	130	R								NA			NA		09/13/2005
(1178) St Patrick St	0.05	70	R								NA			NA		09/13/2005
(1179) Murphy Ct	0.04	46	R								NA			NA		09/13/2005
(1180) Harvestdale Dr	0.05	1100	R								NA			NA		09/08/2005
(1180) Harvestdale Dr	0.16	640	R								NA			NA		09/08/2005
(1180) Harvestdale Dr	0.27	180	R								NA			NA		09/08/2005
(1181) Silverleaf Lane	0.11	250	R								NA			NA		09/08/2005
(1181) Silverleaf Lane	0.21	240	R								NA			NA		09/08/2005
(1181) Silverleaf Lane	0.17	240	R								NA			NA		09/08/2005
(1181) Silverleaf Lane	0.11	110	R								NA			NA		09/08/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1182) Harvest Lane	0.06	60	R				From: 88-1181 W, Silverleaf Lane				NA		NA		09/08/2005	
(1182) Harvest Lane	0.06	270	R				To: 88-1180 Harvestdale Dr				NA		NA		09/08/2005	
(1182) Harvest Lane	0.11	200	R				From: 88-1181 E, Silverleaf Lane				NA		NA		09/08/2005	
(1182) Harvest Lane	0.18	60	R				To: 88-1610				NA		NA		09/12/2002	
(1182) Harvest Lane							From: 88-1180 N, Harvestdale Dr									
(1183)	0.05	50	R				To: Cul-de-Sac				NA		NA		1999	
(1183) Rock Creek Rd	0.11	230	R				From: 88-1187 Breezewood Dr				NA		NA		1999	
(1183) Rock Creek Rd	0.11	420	R				To: 88-1294 Powers St				NA		NA		1999	
(1184)							From: 88-1195									
(1184)	0.09	60	R				To: Cul-de-Sac				NA		NA		1999	
(1184) Kaiser Dr	0.22	330	R				From: 88-1187 Breezewood Dr				NA		NA		1999	
(1185) Buchanan Ct	0.09	110	R				To: 88-1195				NA		NA		09/14/2005	
(1186) Truman Circle	0.03	40	R				From: 88-1106				NA		NA		09/14/2005	
(1187) Breezewood Dr	0.06	170	R				To: Cul-de-Sac				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.05	300	R				From: 88-1183				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.06	510	R				To: 88-1199				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.11	1200	R				From: 88-1184				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.11	1500	R				To: 88-639 Leavells Rd				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.04	1700	R				From: 88-1188 Stoney Creek Dr				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.05	1800	R				To: 88-1189				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.05	1800	R				From: 88-1254 Foxhall Circle; Fairfield Circle				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.06	2000	R				To: Glenside Circle				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.06	2000	R				From: 88-1359 Bainbridge Lane				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.07	2200	R				To: 88-1358 Bradbury Circle				NA		NA		08/22/2005	
(1187) Breezewood Dr	0.09	2400	R				From: 88-1356 Mayfair Dr				NA		NA		08/22/2005	
(1187) Breezewood Dr							To: 88-1355; 88-1360				NA		NA		08/22/2005	
							From: SR 208; 88-1223									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1188) Stoney Creek Dr	0.10	780	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.10	1700	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.05	1700	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.10	1800	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.05	1900	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.09	1900	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.09	1900	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.08	2300	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.08	2500	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.06	3500	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.30	4000	R								NA		NA			09/06/2005
(1188) Stoney Creek Dr	0.10	5600	R								NA		NA			09/06/2005
(1189) Coleman Lane	0.14	100	R								NA		NA			08/26/2002
(1189) Coleman Lane	0.10	270	R								NA		NA			08/26/2002
(1190) Windswept Dr	0.05	830	R								NA		NA			08/26/2002
(1190) Windswept Dr	0.07	790	R								NA		NA			08/26/2002
(1190) Windswept Dr	0.06	150	R								NA		NA			08/26/2002
(1190) Windswept Dr	0.06	130	R								NA		NA			08/26/2002
(1191)	0.09	70	R								NA		NA			08/26/2002
(1191) Creek Lane	0.09	790	R								NA		NA			08/26/2002
(1192)	0.04	30	R								NA		NA			08/26/2002
(1193)	0.04	70	R								NA		NA			08/26/2002
(1194)	0.06	80	R								NA		NA			08/26/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1195)	0.11	130	R													1999
(1195) C L Walker Blvd	0.06	630	R													1999
(1195) C L Walker Blvd	0.06	880	R													1999
(1195) C L Walker Blvd	0.06	1600	R													1999
(1195) C L Walker Blvd	0.05	1700	R													1999
(1195) C L Walker Blvd	0.06	1800	R													1999
(1196) Stansbury Dr	0.28	320	R													07/31/2002
(1196) Stansbury Dr	0.07	430	R													07/31/2002
(1197)	0.03	50	R													07/31/2002
(1198)	0.02	50	R													07/31/2002
(1199)	0.12	170	R													1999
(1199) Millgarden Dr	0.21	340	R													1999
(1199) Millgarden Dr	0.10	2400	R													1999
(1200) Kendale Lane	0.08	90	R													09/20/2005
(1201) Madeline Ave	0.06	100	R													09/21/2005
(1202) Stratford Ave	0.13	250	R													08/18/2005
(1202) Stratford Ave	0.12	180	R													08/18/2005
(1202) Stratford Ave	0.05	90	R													08/18/2005
(1203) East Stratford Ave	0.05	48	R													08/18/2005
(1204) Laurel Ave	0.24	1800	R													1999
(1204) Laurel Ave	0.07	1400	R													1999
(1204) Laurel Ave	0.06	810	R													1999

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1204) Laurel Ave	0.17	820	R				88-1239 W, Beechnut St				NA			NA		1999
(1204) Laurel Ave	0.05	710	R				88-1336 Azalea Dr				NA			NA		1999
(1204) Laurel Ave	0.12	290	R				88-1237 Mid, Butternut Dr				NA			NA		1999
(1204) Laurel Ave	0.09	750	R				88-1237 S, Butternut Dr				NA			NA		1999
(1204) Laurel Ave	0.22	510	R				88-1269 N, Rosewood Dr				NA			NA		1999
(1204) Laurel Ave	0.04	780	R				88-1269 S, Rosewood Dr				NA			NA		1999
(1204) Laurel Ave	0.10	780	R				88-1220 Lombardy Dr				NA			NA		1999
(1204) Laurel Ave	0.06	880	R				88-1221 Laurel Ct				NA			NA		1999
(1204) Laurel Ave	0.05	1100	R				88-1231 Rosemont Lane				NA			NA		1999
(1204) Bancroft Rd	0.06	200	R				88-681 Lorraine Ave 88-1235 Clay St				NA			NA		08/27/2002
(1205) Artillery Ridge Rd	0.44	350	R				88-1240 Parkview Dr				NA			NA		08/22/2005
(1205) Artillery Ridge Rd	0.24	590	R				88-1208 Gunnery Court				NA			NA		08/22/2005
(1205) Artillery Ridge Rd	0.10	670	R				88-1207 Battery Lane				NA			NA		08/22/2005
(1205) Artillery Ridge Rd	0.24	780	R				88-1206 Caison Way				NA			NA		08/22/2005
(1206) Caison Way	0.10	80	R				88-638 Lansdowne Rd 88-1205 Artillery Ridge Rd				NA			NA		08/22/2005
(1207) Battery Lane	0.14	60	R				Dead End 88-1205 Artillery Ridge Rd				NA			NA		08/22/2005
(1208) Gunnery Court	0.08	40	R				88-1205 Artillery Ridge Rd Dead End				NA			NA		08/22/2005
(1209) Pegram Lane	0.15	480	R				88-636 Ewell Rd Dead End				NA			NA		09/06/2005
(1210)	0.15	360	R				US 1 Bus 88-1211				NA			NA		08/27/2002
(1210)	0.13	290	R				Dead End				NA			NA		08/27/2002
(1211) Tignor Lane	0.08	250	R				88-1212 Alexandria St 88-661 Hudgins Rd				NA			NA		08/27/2002
(1211) Rose Ave	0.06	120	R				88-1214 Early St 88-1215 East McLaws St				NA			NA		08/27/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1211)	0.06	190	R			From: 88-1215 East McLaws St					NA			NA		08/27/2002
(1211)	0.06	170	R			To: 88-1210					NA			NA		08/27/2002
(1211)	0.06	40	R			From: 88-1216 Pender St					NA			NA		08/27/2002
						To: Dead End										
(1212) Alexandria St	0.04	50	R			From: Dead End					NA			NA		08/27/2002
(1212) Alexandria St	0.09	200	R			To: 88-1211 Tignor Lane					NA			NA		08/27/2002
						To: Dead End										
(1213) Archer St	0.05	140	R			From: US 1 Bus; Lafayette Blvd					NA			NA		09/21/2005
						To: Dead End										
(1214) Early St	0.12	230	R			From: Bus US 1 Lafayette Blvd					NA			NA		09/21/2005
(1214) Early St	0.10	40	R			To: 88-1211 Rose Ave					NA			NA		09/21/2005
						To: Dead End										
(1215) East McLaws St	0.14	170	R			From: Bus US 1 Lafayette Blvd					NA			NA		09/21/2005
						To: 88-1211 Rose Ave										
(1216) Pender St	0.14	630	R			From: US 1 Bus; Lafayette Blvd					NA			NA		09/21/2005
(1216) Pender St	0.10	650	R			To: 88-1211 Rose Ave					NA			NA		09/21/2005
						To: Dead End										
(1217) Rodes St	0.09	90	R			From: US 1 Bus; 88-1227					NA			NA		09/21/2005
						To: Dead End										
(1218)	0.10	90	R			From: Dead End					NA			NA		09/12/2002
						To: 88-636 Mine Rd										
(1219) Bancroft Rd	0.06	1900	R			From: 88-1235 Clay St					NA			NA		08/18/2005
(1219) Bancroft Rd	0.09	1800	R			To: 88-1236 Garfield Ct					NA			NA		08/18/2005
(1219) Bancroft Rd	0.04	1600	R			To: 88-716 Southgate Ave					NA			NA		08/18/2005
(1219) Bancroft Rd	0.06	1500	R			To: 88-1202 Stratford Ave					NA			NA		08/18/2005
						To: 88-681 Lorraine Ave										
(1220) Lombardy Dr	0.11	170	R			From: 88-681 Lorraine Ave					NA			NA		08/22/2005
(1220) Lombardy Dr	0.08	60	R			To: 88-1204 Laurel Ave					NA			NA		08/22/2005
						To: Cul-de-Sac										
(1221) Laurel Ct	0.04	40	R			From: Dead End					NA			NA		08/22/2005
						To: 88-1204 Laurel Ave										
(1222) Lorraine Ct	0.04	60	R			From: 88-681 Lorraine Ave					NA			NA		08/22/2005
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1223) Woodland Dr	0.17	1900	R			From: SR 208; 88-1187						NA		NA		09/25/2002
(1223) Woodland Dr	0.12	2000	R			To: 88-1224 SOUTH						NA		NA		09/25/2002
(1223) Woodland Dr	0.13	2000	R			To: 88-1224 NORTH						NA		NA		09/25/2002
(1223) Woodland Dr	0.23	1700	R			From: Dead End; Gap Terminus 88-1982 Gap Terminus						NA		NA		09/25/2002
(1223)	0.06	60	R			To: 88-1005 Leavels Crossing Dr						NA		NA		09/25/2002
(1224) Buckingham Dr	0.21	50	R			To: Dead End						NA		NA		09/25/2002
(1225) McGowan Dr	0.06	190	R			From: 88-1223						NA		NA		09/06/2005
(1225) McGowan Dr	0.05	280	R			To: 88-1226 N, Wilcox St						NA		NA		09/06/2005
(1225) McGowan Dr	0.05	410	R			To: 88-1226 S, Wilcox St						NA		NA		09/06/2005
(1226) Wilcox St	0.02	30	R			To: 88-636 Hood Dr						NA		NA		09/06/2005
(1226) Wilcox St	0.07	40	R			From: 88-1225 S, McGowan Dr						NA		NA		09/06/2005
(1227) Olde Greenwich Dr	0.38	2800	R			To: 88-1245 Wilcox St						NA		NA		09/21/2005
(1228) Redwood Dr	0.08	770	R			From: Bus US 1 Lafayette Blvd						NA		NA		08/27/2002
(1228) Redwood Dr	0.06	680	R			To: 88-1229 Midway St						NA		NA		08/27/2002
(1228) Redwood Dr	0.06	590	R			To: 88-1230 Redwood Cir						NA		NA		08/27/2002
(1229) Midway St	0.08	110	R			To: 88-1231 Rosemont Lane						NA		NA		08/27/2002
(1230) Redwood Cir	0.07	90	R			From: 88-1228 Redwood Dr						NA		NA		08/27/2002
(1231) Rosemont Lane	0.05	630	R			To: Cul-de-Sac						NA		NA		08/18/2005
(1231) Rosemont Lane	0.06	620	R			From: 88-1204 Laurel Ave						NA		NA		08/18/2005
(1231) Rosemont Lane	0.03	460	R			To: 88-1233 Chestnut Lane						NA		NA		08/18/2005
(1231) Rosemont Lane	0.11	980	R			To: 88-1228 Redwood Dr						NA		NA		08/18/2005
(1231) Rosemont Lane	0.07	750	R			From: 88-1228 Chestnut Dr						NA		NA		08/18/2005
(1231) Rosemont Lane	0.07	750	R			To: 88-1232 N, Tulip Cir						NA		NA		08/18/2005
(1231) Rosemont Lane	0.07	750	R			From: 88-1232 S, Tulip Cir						NA		NA		08/18/2005
(1231) Rosemont Lane	0.07	750	R			To: 88-1232 N, Tulip Cir						NA		NA		08/18/2005
(1231) Rosemont Lane	0.07	750	R			From: 88-1232 N, Tulip Cir						NA		NA		08/18/2005
(1231) Rosemont Lane	0.07	750	R			To: 88-1204 Laurel Ave						NA		NA		08/18/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1232) Tulip Cir	0.10	140	R								NA			NA		08/22/2005
(1232) Tulip Cir	0.11	120	R								NA			NA		08/22/2005
(1232) Tulip Circle	0.03	40	R								NA			NA		08/22/2005
(1233) Chestnut Lane	0.04	50	R								NA			NA		08/22/2005
(1233) Chestnut Lane	0.17	80	R								NA			NA		08/22/2005
(1234)	0.29	7600	R								NA			NA		11/14/2002
(1234)	0.39	7700	R								NA			NA		11/14/2002
(1234)	0.64	5700	R								NA			NA		11/14/2002
(1235) Clay St	0.10	2100	R								NA			NA		08/27/2002
(1235) Clay St	0.13	230	R								NA			NA		08/27/2002
(1236) Garfield Ct	0.06	140	R								NA			NA		08/18/2005
(1237) Butternut Dr	0.24	1200	R								NA			NA		10/17/2002
(1237) Butternut Dr	0.08	740	R								NA			NA		10/17/2002
(1237) Butternut Dr	0.05	520	R								NA			NA		10/16/2002
(1237) Butternut Dr	0.32	380	R								NA			NA		10/16/2002
(1237) Butternut Dr	0.07	190	R								NA			NA		10/16/2002
(1237) Butternut Dr	0.11	220	R								NA			NA		10/16/2002
(1237) Butternut Dr	0.14	480	R								NA			NA		10/16/2002
(1238) Sycamore Dr	0.13	140	R								NA			NA		10/17/2002
(1238) Sycamore Dr	0.07	90	R								NA			NA		10/17/2002
(1238) Sycamore Dr	0.04	50	R								NA			NA		10/17/2002
(1239) Beechnut St	0.16	210	R								NA			NA		10/17/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1240) Parkview Dr	0.18	610	R				From: 88-638 Lansdowne Rd					NA		NA		08/22/2005
(1240) Parkview Dr	0.12	390	R				To: 88-1241 E, Longwood Dr					NA		NA		08/22/2005
(1240) Parkview Dr	0.32	330	R				From: 88-1241 W, Longwood Dr					NA		NA		08/22/2005
							To: Dead End									
(1241) Longwood Dr	0.43	150	R				From: 88-1240 W, Parkview Dr					NA		NA		08/22/2005
							To: 88-1240 E, Parkview Dr									
(1242) Pella Lane	0.29	250	R				From: 88-628 Smith Station Rd					NA		NA		08/31/2005
							To: Cul-de-Sac									
(1243) Birch Cir	0.03	150	R				From: 88-1238 Sycamore Dr					NA		NA		10/17/2002
							To: Cul-de-Sac									
(1244) Tulip Place	0.04	80	R				From: 88-1232 Tulip Cir					NA		NA		08/22/2005
							To: Cul-de-Sac									
(1245) Wilcox St	0.03	30	R				From: Dead End					NA		NA		09/06/2005
							To: 88-1226 Wilcox St									
(1246) Industrial Dr	0.45	5800	R				From: 88-1247 Industrial Ct					NA		NA		09/21/2005
							To: US 1; Ent Ser Rd									
(1247) Industrial Ct	0.18	1700	R				From: 88-1246 Industrial Dr					NA		NA		09/21/2005
							To: Cul-de-Sac									
(1248) Houser Dr	0.50	2000	R				From: 88-636 Ewell Rd					NA		NA		09/25/2002
							To: Dead End									
(1249)	0.21	210	R				From: Dead End					NA		NA		1999
(1249) Campbell Dr	0.04	340	R				To: 88-2053 Amelia Dr					NA		NA		1999
(1249) Campbell Dr	0.03	420	R				From: 88-2052					NA		NA		1999
(1249) Campbell Dr	0.06	1000	R				To: 88-2050					NA		NA		1999
(1249) Hardwood Lane	0.09	240	R				From: 88-636 Mine Rd					NA		NA		1999
(1249)	0.16	90	R				To: 88-1250 Tulip Poplar Lane					NA		NA		1999
(1250) Tulip Poplar Lane	0.20	80	R				From: 88-1249					NA		NA		08/15/2005
							To: 88-1251 Iron Wood Lane									
(1251) Iron Wood Lane	0.08	230	R				From: 88-636 Mine Rd					NA		NA		08/15/2005
(1251) Iron Wood Lane	0.06	10	R				To: 88-1250 Tulip Poplar Lane					NA		NA		1999
(1251) Iron Wood Lane	0.12	20	R				From: 88-1317					NA		NA		1999
							To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1252)	0.05	270	R											NA		09/16/2002
(1253) Noel Dr	0.56	100	R											NA		10/19/2005
(1254) Fairfield Circle	0.05	60	R											NA		08/22/2005
(1254) Foxhall Circle	0.05	70	R											NA		08/22/2005
(1255)	0.15	140	R											NA		08/05/2002
(1255) Oak Grove Dr	0.06	320	R											NA		08/05/2002
(1255) Oak Grove Dr	0.06	470	R											NA		08/05/2002
(1255) Oak Grove Dr	0.06	670	R											NA		08/05/2002
(1255) Oak Grove Dr	0.06	840	R											NA		08/05/2002
(1255) Oak Grove Dr	0.06	970	R											NA		08/05/2002
(1255) Oak Grove Dr	0.06	1200	R											NA		08/05/2002
(1255) Oak Grove Dr	0.06	1300	R											NA		08/05/2002
(1255) Oak Grove Dr	0.08	1500	R											NA		08/05/2002
(1256) Peters Lane	0.23	110	R											NA		08/05/2002
(1257) Massaponax Dr	0.12	190	R											NA		08/05/2002
(1257) Massaponax Dr	0.06	370	R											NA		08/05/2002
(1257) Massaponax Dr	0.06	550	R											NA		08/05/2002
(1257) Massaponax Dr	0.06	750	R											NA		08/05/2002
(1257) Massaponax Dr	0.06	900	R											NA		08/05/2002
(1257) Massaponax Dr	0.06	1000	R											NA		08/05/2002
(1257) Massaponax Dr	0.06	1200	R											NA		08/05/2002
(1257) Massaponax Dr	0.06	1300	R											NA		08/05/2002
(1257) Massaponax Dr	0.07	1500	R											NA		08/05/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1258 Elder St	0.23	140	R			From: 88-1255					NA			NA		08/05/2002
						To: 88-1257										
1259 Tallow St	0.23	190	R			From: 88-1255					NA			NA		08/05/2002
						To: 88-1257										
1260 Larch St	0.24	160	R			From: 88-1255					NA			NA		08/05/2002
						To: 88-1257										
1261 Rudy Lane	0.25	170	R			From: 88-1255					NA			NA		08/05/2002
						To: 88-1257										
1262 Bounds St	0.13	160	R			From: 88-1255					NA			NA		08/05/2002
						To: 88-1275										
1262 Bounds St	0.13	180	R			From: 88-1275					NA			NA		08/05/2002
						To: 88-1257										
1263 Slater St	0.14	130	R			From: 88-1255					NA			NA		08/05/2002
						To: 88-1275										
1263 Slater St	0.13	130	R			From: 88-1275					NA			NA		08/05/2002
						To: 88-1257										
1264 Carousel St	0.20	170	R			From: 88-1255					NA			NA		08/05/2002
						To: 88-1276										
1264 Carousel St	0.08	120	R			From: 88-1276					NA			NA		08/05/2002
						To: 88-1257										
1265 Meadowview Dr	0.24	460	R			From: 88-1266 S, Hillside Lane					NA			NA		08/15/2005
						To: 88-1266 N, Hillside Lane										
1265 Meadowview Dr	0.07	1100	R			From: 88-1266 N, Hillside Lane					NA			NA		08/15/2005
						To: 88-636 Mine Rd										
1266 Hillside Lane	0.30	130	R			From: 88-1265 N; Begin Loop					NA			NA		08/15/2005
						To: 88-1265 S, Meadowview Dr										
1266 Hillside Lane	0.43	310	R			From: 88-1265 S, Meadowview Dr					NA			NA		08/15/2005
						To: 88-1265 N; End Loop										
1267 Circle One Dr	0.04	48	R			From: Cul-de-Sac					NA			NA		08/15/2005
						To: 88-636 Mine Rd										
1268 Fern Ct	0.09	80	R			From: 88-1220 Lombardy Dr					NA			NA		11/14/2005
						To: Cul-de-Sac										
1269 Rosewood Dr	0.23	130	R			From: 88-1204 W, Laurel Ave					NA			NA		11/14/2005
						To: 88-1204 E, Laurel Ave										
1270 Cambridge Dr	0.77	1000	R			From: 88-1821 NORTH					NA			NA		08/29/2005
						To: 88-639 Leavells Rd										
1270 Devonne Dr	0.15	790	R			From: 88-639 Leavells Rd					NA			NA		08/29/2005
						To: 88-1271 Jamie Court										
1270 Devonne Dr	0.05	610	R			From: 88-1271 Jamie Court					NA			NA		08/29/2005
						To: 88-1272 Shawn Dr										
1270 Devonne Dr	0.19	540	R			From: 88-1272 Shawn Dr					NA			NA		08/29/2005
						To: 88-1274 Lovett Dr										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1271) Jamie Court	0.13	190	R									NA		NA		08/29/2005
(1272) Shawn Dr	0.10	70	R									NA		NA		08/29/2005
(1273) Lee White Lane	0.12	130	R									NA		NA		08/29/2005
(1274) Lovett Dr	0.98	580	R									NA		NA		08/29/2005
(1275) Pondoley Dr	0.05	20	R									NA		NA		08/05/2002
(1276)	0.03	70	R									NA		NA		08/05/2002
(1276) John Wayne Dr	0.09	80	R									NA		NA		08/05/2002
(1277) Quality Dr	0.12	470	R									NA		NA		11/16/2005
(1278) Burman Lane	0.26	320	R									NA		NA		09/20/2005
(1279) Durham Dr	0.22	290	R									NA		NA		09/20/2005
(1279) Durham Dr	0.06	330	R									NA		NA		09/20/2005
(1279) Durham Dr	0.07	380	R									NA		NA		09/20/2005
(1279) Durham Dr	0.07	460	R									NA		NA		09/20/2005
(1279) Durham Dr	0.12	520	R									NA		NA		09/20/2005
(1279) Durham Dr	0.16	610	R									NA		NA		09/20/2005
(1280) Taft Dr	0.19	70	R									NA		NA		09/14/2005
(1280) Taft Dr	0.07	200	R									NA		NA		09/14/2005
(1281) Ford Rd	0.06	130	R									NA		NA		09/14/2005
(1281) Ford Rd	0.04	90	R									NA		NA		09/14/2005
(1282) McKinley Dr	0.04	660	R									NA		NA		09/14/2005
(1282) McKinley Dr	0.07	750	R									NA		NA		09/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1282) McKinley Dr	0.07	60	R								NA			NA		09/14/2005
(1283) Madison Ct	0.04	40	R								NA			NA		09/14/2005
(1284) Old Leavells Rd	0.12	350	G	98%	2%	0%	0%	0%	0%	F	0.121	F	0.734	370	G	2012
(1284) Old Leavells Rd	0.24	280	G	98%	2%	0%	0%	0%	0%	C	0.121	F	0.568	300	G	2012
(1285)	0.09	47	R								NA			NA		1999
(1286) Battfield Green Dr	0.06	390	R								NA			NA		07/31/2002
(1286) Battfield Green Dr	0.06	260	R								NA			NA		07/31/2002
(1286) Battfield Green Dr	0.20	320	R								NA			NA		07/31/2002
(1286) Battfield Green Dr	0.05	480	R								NA			NA		07/31/2002
(1286) Battfield Green Dr	0.12	540	R								NA			NA		07/31/2002
(1286) Battfield Green Dr	0.06	840	R								NA			NA		07/31/2002
(1287) Soulier Lane	0.24	190	R								NA			NA		07/31/2002
(1287) Soulier Lane	0.13	300	R								NA			NA		07/31/2002
(1288) Lombard Lane	0.19	100	R								NA			NA		07/31/2002
(1289) Collier Dr	0.09	90	R								NA			NA		07/31/2002
(1290) Galaxie Dr	0.05	280	R								NA			NA		09/06/2005
(1290) Galaxie Dr	0.06	510	R								NA			NA		09/06/2005
(1290) Galaxie Dr	0.06	840	R								NA			NA		09/06/2005
(1290) Galaxie Dr	0.04	1100	R								NA			NA		09/06/2005
(1290) Galaxie Dr	0.05	1600	R								NA			NA		09/06/2005
(1290) Galaxie Dr	0.25	2300	R								NA			NA		09/06/2005
(1291) Patterson Ave	0.22	160	R								NA			NA		08/31/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1291) Patterson Ave	0.17	340	R									NA		NA		08/31/2005
(1291) Patterson Ave	0.13	160	R									NA		NA		08/31/2005
(1292) Pleasants Dr	0.06	860	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.06	690	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.06	450	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.06	340	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.16	230	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.23	260	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.07	200	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.07	140	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.07	160	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.07	140	R									NA		NA		08/07/2002
(1292) Pleasants Dr	0.05	250	R									NA		NA		08/07/2002
(1292)	0.04	60	R									NA		NA		08/07/2002
(1293) Hamway Dr	0.05	60	R									NA		NA		08/29/2005
(1293) Hamway Dr	0.14	260	R									NA		NA		08/29/2005
(1294) Powers St	0.05	100	R									NA		NA		08/29/2005
(1294) Powers St	0.05	110	R									NA		NA		08/29/2005
(1295) Highland Rd	0.06	270	R									NA		NA		07/31/2002
(1295) Highland Rd	0.33	200	R									NA		NA		07/31/2002
(1295) Highland Rd	0.06	20	R									NA		NA		07/31/2002
(1296) Selkirk Dr	0.19	70	R									NA		NA		07/31/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1297) Minnear St	0.12	110	R								NA			NA		1999
(1298) Shannon Dr	0.64	1900	R								NA			NA		10/05/2005
(1299) Twin Springs Dr	0.55	220	R								NA			NA		09/14/2005
(1300) Wilmington Court	0.05	45	R								NA			NA		09/20/2005
(1301) Bend Farm Rd	0.17	890	R								NA			NA		1999
(1301) Bend Farm Rd	0.17	610	R								NA			NA		1999
(1301) Bend Farm Rd	0.20	430	R								NA			NA		1999
(1301) Bend Farm Rd	0.05	60	R								NA			NA		1999
(1302) 2nd St	0.05	70	R								NA			NA		1999
(1303) Mansfield St	0.18	590	R								NA			NA		1999
(1303) Mansfield St	0.17	430	R								NA			NA		1999
(1303) Mansfield St	0.20	210	R								NA			NA		1999
(1304) 3rd St	0.06	130	R								NA			NA		1999
(1304) 3rd St	0.05	180	R								NA			NA		1999
(1304) 3rd St	0.08	110	R								NA			NA		1999
(1305) Highland Court	0.14	50	R								NA			NA		11/07/2005
(1306) 1st St	0.06	220	R								NA			NA		1999
(1306) 1st St	0.05	40	R								NA			NA		1999
(1307) Brooke Dr	0.02	290	R								NA			NA		10/05/2005
(1307) Brooke Dr	0.28	160	R								NA			NA		10/05/2005
(1307) Brooke Dr	0.25	60	R								NA			NA		10/05/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1308) Vance Dr	0.30	70	R			From: 88-1307 Brooke Dr					NA			NA		10/05/2005
						To: 88-1307 Brooke Dr										
(1309) 4th St	0.05	46	R			From: Dead End					NA			NA		1999
						To: 88-1301 Bend Farm Rd										
(1310) Church St	0.20	1800	R			From: SR 2, Bus US 17 Tidewater Trail					NA			NA		1999
						To: 88-1306 1st St										
(1310) Church St	0.37	390	R			From: 88-1304 3rd St					NA			NA		1999
						To: 88-1312 Cleveland Ct										
(1311) Maden St	0.21	210	R			From: 88-1147					NA			NA		09/20/2005
						To: Cul-de-Sac										
(1312) Cleveland Ct	0.10	120	R			From: 88-1278 Burman Lane					NA			NA		09/20/2005
						To: 88-1311 Maden St										
(1312) Cleveland Ct	0.05	60	R			From: 88-1279 Durham Dr					NA			NA		09/20/2005
						To: 88-2010										
(1312) Cleveland Ct	0.06	60	R			From: 88-1279 Durham Dr					NA			NA		08/19/2002
						To: Cul-de-Sac										
(1313) Dayton Ct	0.03	50	R			From: 88-1279 Durham Dr					NA			NA		09/20/2005
						To: Cul-de-Sac										
(1314) Columbus Court	0.05	40	R			From: 88-609 Thomton Rolling Rd					NA			NA		09/20/2005
						To: Cul-de-Sac										
(1315)	0.22	110	R			From: Cul-de-Sac					NA			NA		10/21/2002
						To: Cul-de-Sac										
(1316) Roanoke St	0.12	200	R			From: 88-1175 E, Albany St					NA			NA		11/14/2005
						To: 88-1251 Iron Wood Lane										
(1317)	0.16	110	R			From: Cul-de-Sac					NA			NA		1999
						To: 88-1319										
(1318) One Iron Blvd	0.04	1900	R			From: 88-636 Mine Rd					NA			NA		10/19/2005
						To: Cul-de-Sac										
(1319) Willow Point Dr	0.30	1600	R			From: 88-1318 One Iron Blvd					NA			NA		10/31/2002
						To: 88-1397 Watford Lane										
(1319) Willow Point Dr	0.22	280	R			From: US 17 Bus					NA			NA		09/04/2002
						To: 88-1323										
(1320) Powell St	0.34	390	R			From: 88-1322					NA			NA		09/04/2002
						To: Bus US 17										
(1321) Hamilton St	0.11	480	R			From: 88-1323 First St					NA			NA		09/04/2002
						To: 88-1323 First St										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1321 Hamilton St	0.34	370	R									NA		NA		09/04/2002
1322 Greenfield Dr	0.15	130	R									NA		NA		09/04/2002
1322 Greenfield Dr	0.06	140	R									NA		NA		09/04/2002
1323 First St	0.06	60	R									NA		NA		09/04/2002
1324 Lassen Lane	0.20	1800	R									NA		NA		11/14/2002
1325 Rebecca Rd	0.09	110	R									NA		NA		10/27/2005
1326 South Brooks Dr	0.28	100	R									NA		NA		10/27/2005
1326 South Brooks Dr	0.08	60	R									NA		NA		10/27/2005
1326 South Brooks Dr	0.06	80	R									NA		NA		10/27/2005
1327 Brandon Lane	0.09	100	R									NA		NA		10/27/2005
1328 Gerber Dr	0.38	900	R									NA		NA		10/27/2005
1328 Gerber Dr	0.15	80	R									NA		NA		10/27/2005
1329 Earlene St	0.08	80	R									NA		NA		10/27/2005
1330 Roosevelt Rd	0.13	100	R									NA		NA		09/14/2005
1330 Roosevelt Rd	0.34	190	R									NA		NA		09/14/2005
1330 Roosevelt Rd	0.08	130	R									NA		NA		09/14/2005
1331 Pierce Ct	0.13	50	R									NA		NA		09/14/2005
1332 Eisenhower Lane	0.22	290	R									NA		NA		09/14/2005
1333 Coolidge Court	0.04	47	R									NA		NA		09/14/2005
1334 Suzzane Dr	0.11	60	R									NA		NA		09/04/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1335) Mary Lee Ave.	0.10	60	R				88-1326 South Brooks Dr				NA			NA		09/04/2002
							88-1328 Gerber Dr									
(1336) Azalea Dr	0.15	200	R				88-1237 Buttemut Dr				NA			NA		08/22/2005
(1336) Azalea Dr	0.05	120	R				88-1337 Mahogany Lane				NA			NA		08/22/2005
							88-1204 Laurel Ave									
(1337) Mahogany Lane	0.07	90	R				88-1237 Buttemut Dr				NA			NA		08/22/2005
(1337) Mahogany Lane	0.06	130	R				88-1339 Jonquil Ct				NA			NA		08/22/2005
							88-1336 Azalia Dr									
(1338) Myrtle Court	0.03	47	R				88-1237 Buttemut Dr				NA			NA		08/22/2005
							Cul-de-Sac									
(1339) Jonquil Ct	0.11	80	R				Cul-de-Sac				NA			NA		08/22/2005
							88-1337 Mahogany Lane									
(1340) Vicky Lane	0.09	220	R				88-1326 South Brooks Dr				NA			NA		10/27/2005
							88-1328 Gerber Dr									
(1341) Charles Washington Ave	0.06	260	R				88-1343 Signal Corp Dr				NA			NA		09/06/2005
(1341) Charles Washington Ave	0.05	420	R				88-1342 Boxwood Rd				NA			NA		09/06/2005
							88-620 Harrison Rd									
(1342) Boxwood Rd	0.25	180	R				Cul-de-Sac				NA			NA		09/06/2005
							88-1341 Charles Washington Ave									
(1343) Signal Corp Dr	0.12	160	R				88-1344 Beauclaire Blvd				NA			NA		09/06/2005
(1343) Signal Corp Dr	0.13	210	R				88-1341 Charles Washington Ave				NA			NA		09/06/2005
(1343) Signal Corp Dr	0.05	90	R				88-1353 Statesman Ct				NA			NA		09/06/2005
(1343) Signal Corp Dr	0.06	130	R				88-1352 Carriage House Ct				NA			NA		09/06/2005
							88-1344 Beauclaire Blvd									
(1344) Beauclaire Blvd	0.18	480	R				Cul-de-Sac				NA			NA		10/05/2005
(1344) Beauclaire Blvd	0.06	600	R				88-1343 Signal Corp Dr				NA			NA		10/05/2005
(1344) Beauclaire Blvd	0.10	670	R				88-1351 Fielding Lewis Ct				NA			NA		10/05/2005
(1344) Beauclaire Blvd	0.07	890	R				88-1343 Signal Corp Dr				NA			NA		10/05/2005
(1344) Kingswood Blvd	0.04	3100	R				88-620 Harrison Rd				NA			NA		1999
(1344) Kingswood Blvd	0.06	2800	R				88-1580 SOUTH				NA			NA		1999
(1344) Kingswood Blvd	0.08	2500	R				88-1581				NA			NA		1999
							88-1580 NORTH									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1344) Kingswood Blvd	0.48	2200	R				From: 88-1580 NORTH					NA		NA		1999
(1344) Kingswood Blvd	0.08	1900	R				To: 88-1583					NA		NA		1999
(1344) Kingswood Blvd	0.08	1800	R				From: 88-1584 Alton Ct					NA		NA		1999
(1344) Kingswood Blvd	0.05	1700	R				To: 88-1585					NA		NA		1999
(1344) Kingswood Blvd	0.06	840	R				From: 88-1576					NA		NA		1999
(1344) Kingswood Blvd	0.06	750	R				To: 88-1577					NA		NA		1999
(1344) Kingswood Blvd	0.06	680	R				From: 88-1578					NA		NA		1999
(1344) Kingswood Blvd	0.70	570	R				To: 88-1579					NA		NA		1999
(1345)	0.13	120	R				From: Cul-de-Sac					NA		NA		08/07/2002
(1345) Gallimore Dr	0.20	120	R				To: 88-1292 W, Pleasants Dr					NA		NA		08/07/2002
(1345) Gallimore Dr	0.18	180	R				From: 88-1290 Galaxie Dr					NA		NA		08/07/2002
(1345) Gallimore Dr	0.09	80	R				To: 88-1349					NA		NA		08/07/2002
(1346) Sugun Dr	0.17	100	R				From: 88-1292 E, Pleasants Dr					NA		NA		08/07/2002
(1346) Sugun Dr	0.24	160	R				To: 88-1292 W, Pleasants Dr					NA		NA		08/07/2002
(1347) Wyatt Dr	0.15	80	R				From: 88-1290 Galaxie Dr					NA		NA		08/07/2002
(1347) Wyatt Dr	0.20	180	R				To: 88-1292 E, Pleasants Dr					NA		NA		08/07/2002
(1348)	0.08	80	R				From: 88-764					NA		NA		08/07/2002
(1349) Dunlap St	0.26	150	R				To: Cul-de-Sac					NA		NA		08/07/2002
(1350) Woodfield Dr	0.81	540	R				From: 88-1345 Gallimore Dr					NA		NA		08/05/2002
(1351) Fielding Lewis Ct	0.05	40	R				To: Dead End					NA		NA		11/09/2005
(1351) Fielding Lewis Ct	0.05	50	R				From: 88-1344 Beauclaire Blvd					NA		NA		11/09/2005
(1352) Carriage House Ct	0.10	90	R				To: Cul-de-Sac					NA		NA		11/09/2005
							From: 88-1343 Signal Corp Dr									

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1353 Statesman Ct	0.04	40	R								NA			NA		11/09/2005
1354 Glenside Circle	0.04	30	R								NA			NA		11/07/2005
1355 Merrymount Dr	0.13	100	R								NA			NA		11/07/2005
1356 Mayfair Dr	0.26	90	R								NA			NA		11/07/2005
1357 Whitecliff Dr	0.07	80	R								NA			NA		11/07/2005
1358 Bradbury Circle	0.04	60	R								NA			NA		11/07/2005
1359 Bainbridge Lane	0.08	80	R								NA			NA		11/07/2005
1359 Bainbridge Lane	0.09	90	R								NA			NA		11/07/2005
1360 Sanford Circle	0.10	150	R								NA			NA		11/07/2005
1361 White Lake Dr	0.44	100	R								NA			NA		11/14/2005
1362 Victoria Court	0.07	60	R								NA			NA		11/14/2005
1363 Stable Way	0.10	160	R								NA			NA		11/14/2005
1364 Trotter Circle	0.10	90	R								NA			NA		11/14/2005
1365	0.05	60	R								NA			NA		08/07/2002
1366	0.09	80	R								NA			NA		08/07/2002
1367	0.06	80	R								NA			NA		08/07/2002
1368 Ruffin Dr	0.25	290	R								NA			NA		10/24/2002
1368 Ruffin Dr	0.07	350	R								NA			NA		10/24/2002
1368 Ruffin Dr	0.27	790	R								NA			NA		10/24/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1369) Sharon Springs Dr	0.25	110	R			From: 88-1368					NA			NA		10/19/2005
						To: 88-1373 Pittston Rd										
(1370) Ann Davis Dr	0.35	230	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-681 Lorraine Ave										
(1371) Hilltop Court	0.05	60	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-1370 Ann Davis Dr										
(1372) South Fulton	0.25	100	R			From: 88-1368					NA			NA		10/19/2005
						To: 88-1373 Pittston Rd										
(1373) Pittston Rd	0.23	370	R			From: Cul-de-Sac					NA			NA		10/24/2002
						To: 88-1372 South Fulton										
(1373) Pittston Rd	0.09	260	R			From: 88-1369 Sharon Springs Dr					NA			NA		10/19/2005
						To: 88-1368										
(1374) New Scotland Dr	0.27	800	R			From: 88-1368					NA			NA		10/24/2002
						To: 88-609 Jim Morris Rd										
(1375) Wilburn Dr	0.29	1600	R			From: 88-694 Heatherstone Dr					NA			NA		09/03/2002
						To: 88-1380										
(1376) Milestone Dr	0.30	780	R			From: 88-1375					NA			NA		09/03/2002
						To: 88-1381 Clover Dr										
(1377) Meekins Dr	0.29	1100	R			From: 88-1376					NA			NA		09/03/2002
						To: 88-1382										
(1378) Brimstone Dr	0.18	150	R			From: 88-1375					NA			NA		09/03/2002
						To: 88-1377										
(1379) N Rockcreek Dr	0.20	140	R			From: 88-1380					NA			NA		09/03/2002
						To: 88-1380										
(1380) Dewberry Dr	0.66	950	R			From: 88-1375					NA			NA		09/03/2002
						To: Cul-de-Sac										
(1381) Clover Dr	0.42	130	R			From: 88-1375					NA			NA		10/17/2005
						To: Cul-de-Sac										
(1382) Wills Way	0.08	2900	R			From: 88-1377					NA			NA		09/03/2002
						To: 88-639 Bragg Rd										
(1383)	0.30	260	R			From: 88-636 Mine Rd					NA			NA		09/26/2002
						To: Dead End										
(1384) Abbey Lane	0.29	200	R			From: 88-1385 W, Windsor Dr					NA			NA		11/14/2005
						To: 88-1385 E, Windsor Dr										
(1385) Windsor Dr	0.51	1200	R			From: 88-1389 Ascot Circle					NA			NA		11/14/2005
						To: 88-639 Leavells Rd										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1386) Cathedral Dr	0.18	190	R			From: 88-1385 Windsor Dr					NA		NA			11/14/2005
						To: Cul-de-Sac										
(1387) Loriella Park Dr	0.64	1300	R			From: 88-1389 W. Ascot Cir					NA		NA			11/14/2005
						To: 88-639 Leavells Rd										
(1388) Westminster Ct	0.05	45	R			From: 88-1385 Windsor Dr					NA		NA			11/14/2005
						To: Cul-de-Sac										
(1389) Ascot Circle	0.46	140	R			From: 88-1394					NA		NA			11/04/2002
(1389) Ascot Cir	0.06	460	R			From: 88-1387 Loriella Park Dr					NA		NA			11/14/2005
(1389) Ascot Circle	0.30	150	R			From: 88-1385 Windsor Dr					NA		NA			11/14/2005
						To: End of Loop										
(1390) Broadfield Lane	0.35	130	R			From: Cul-de-Sac					NA		NA			08/05/2002
						To: 88-1350										
(1392) Longview Lane	0.09	80	R			From: Dead End					NA		NA			08/29/2005
						To: 88-1350										
(1393)	0.12	100	R			From: Cul-de-Sac					NA		NA			11/04/2002
						To: 88-1350										
(1394)	0.17	70	R			From: 88-1389 Begin Loop					NA		NA			11/04/2002
						To: Cul-de-Sac										
(1395) Park Dr	0.23	1100	R			From: Cul-de-Sac					NA		NA			11/17/2005
						To: 88-1246 Industrial Dr										
(1396) Freedom Court	0.13	670	R			From: 88-1246 Industrial Dr					NA		NA			11/16/2005
						To: Cul-de-Sac										
(1397) Watford Lane	0.38	700	R			From: 88-636 Mine Rd					NA		NA			12/12/2002
(1397) Watford Lane	0.26	130	R			From: 88-1522 Bricken Lane					NA		NA			10/27/2005
						To: Cul-de-Sac										
(1398) Ashland Ct	0.04	30	R			From: Cul-de-Sac					NA		NA			09/30/2002
						To: 88-1397 Watford Lane										
(1399) Surry Woods Ct	0.05	NA				From: Cul-de-Sac					NA		NA			
(1399) Surry Woods Ct	0.29	20	R			From: 88-1387 Loriella Park Dr					NA		NA			11/07/2002
						To: Cul-de-Sac										
(1400)	0.15	170	R			From: Cul-de-Sac					NA		NA			08/21/2002
						To: 88-1405 Meadowlark Lane										
(1401) Wild Turkey Dr	0.20	2000	R			From: SR 208 Courthouse Rd					NA		NA			08/01/2005
(1401) Wild Turkey Dr	0.09	1700	R			From: 88-1402 Robin Lane					NA		NA			08/01/2005
						To: 88-1403 Bluebird Lane										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1401) Wild Turkey Dr	0.08	1300	R								NA			NA		08/01/2005
(1401) Wild Turkey Dr	0.06	910	R								NA			NA		08/01/2005
(1401) Wild Turkey Dr	0.17	600	R								NA			NA		08/01/2005
(1401) Wild Turkey Dr	0.13	210	R								NA			NA		08/01/2005
(1402) Robin Lane	0.10	290	R								NA			NA		08/01/2005
(1402) Robin Lane	0.06	80	R								NA			NA		08/01/2005
(1403) Bluebird Lane	0.08	270	R								NA			NA		08/21/2002
(1403) Bluebird Lane	0.06	300	R								NA			NA		08/21/2002
(1403) Bluebird Lane	0.09	610	R								NA			NA		08/21/2002
(1403) Bluebird Lane	0.06	100	R								NA			NA		08/01/2005
(1403) Bluebird Lane	0.04	30	R								NA			NA		08/01/2005
(1404) Woodcock Lane	0.07	240	R								NA			NA		08/01/2005
(1404) Woodcock Lane	0.19	200	R								NA			NA		08/01/2005
(1405) Meadowlark Lane	0.10	80	R								NA			NA		08/21/2002
(1405) Meadowlark Lane	0.14	220	R								NA			NA		08/21/2002
(1405) Meadowlark Lane	0.10	350	R								NA			NA		08/01/2005
(1405) Meadowlark Lane	0.07	170	R								NA			NA		08/01/2005
(1405) Meadowlark Lane	0.11	160	R								NA			NA		08/01/2005
(1405) Meadowlark Lane	0.12	120	R								NA			NA		08/01/2005
(1405) Meadowlark Lane	0.08	100	R								NA			NA		08/01/2005
(1405) Meadowlark Lane	0.11	130	R								NA			NA		08/01/2005
(1405) Meadowlark Lane	0.05	70	R								NA			NA		08/01/2005
(1406) Redbird Lane	0.07	250	R								NA			NA		08/01/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1406) Redbird Lane	0.12	100	R			From: 88-1407 Raven Circle					NA		NA			08/01/2005
						To: 88-1405 Meadowlark Lane										
(1407) Raven Circle	0.04	40	R			From: 88-1406 Redbird Lane					NA		NA			08/01/2005
						To: Dead End										
(1408) Mockingbird Lane	0.26	410	R			From: 88-1401 Wild Turkey Dr					NA		NA			08/01/2005
						To: 88-1405 Meadowlark Lane										
(1408) Mockingbird Lane	0.06	230	R			From: 88-1404 Woodcock Lane					NA		NA			08/01/2005
						To: 88-1409 Sparrow Lane										
(1408) Mockingbird Lane	0.06	120	R			From: Cul-de-Sac					NA		NA			08/01/2005
						To: 88-1408 Mockingbird Lane										
(1409) Sparrow Lane	0.03	48	R			From: 88-1412					NA		NA			08/01/2005
						To: 88-1411										
(1410) Spotslee Dr	0.09	420	R			From: 88-1415					NA		NA			08/21/2002
						To: 88-1414										
(1410) Spotslee Dr	0.05	570	R			From: 88-1414					NA		NA			08/21/2002
						To: 88-613 Brock Rd										
(1410) Spotslee Dr	0.12	910	R			From: 88-1410					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1410) Spotslee Dr	0.09	1600	R			From: 88-1437 WEST					NA		NA			08/21/2002
						To: 88-1437 EAST										
(1411)	0.07	80	R			From: 88-1410					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1412) Cooper St	0.16	140	R			From: 88-1415					NA		NA			08/21/2002
						To: 88-1416										
(1412) Cooper St	0.14	120	R			From: 88-1410					NA		NA			08/21/2002
						To: Dead End										
(1413)	0.08	80	R			From: 88-1414 Hardee St					NA		NA			08/21/2002
						To: Cul-de-Sac										
(1414) Hardee St	0.06	260	R			From: 88-1415					NA		NA			08/21/2002
						To: 88-1416										
(1414) Hardee St	0.21	340	R			From: 88-1410					NA		NA			08/21/2002
						To: 88-1410										
(1414) Hardee St	0.09	690	R			From: 88-1414 Hardee St					NA		NA			08/21/2002
						To: 88-1416										
(1415) Hampton Dr	0.06	110	R			From: 88-1410 Spotslee Dr					NA		NA			08/21/2002
						To: 88-1415										
(1415) Hampton Dr	0.28	70	R			From: 88-1415					NA		NA			08/21/2002
						To: 88-1436										
(1416) Polk Dr	0.05	260	R			From: 88-1435					NA		NA			08/21/2002
						To: 88-1435										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1416 Polk Dr	0.04	70	R			From: 88-1435					NA			NA		08/21/2002
						To: 88-1414										
1417 Bobwhite Lane	0.12	470	R			From: 88-1401 Wild Turkey Dr					NA			NA		08/01/2005
						To: 88-1405 Meadowlark Lane										
1418 Goldfinch Circle	0.04	45	R			From: Cul-de-Sac					NA			NA		08/01/2005
						To: 88-1405 Meadowlark Lane										
1419 Judiciary Dr	0.24	190	R			From: 88-613 Brock Rd					NA			NA		08/01/2005
						To: Cul-de-Sac										
1420 Battle Park Dr	0.52	150	R			From: Dead End					NA			NA		08/21/2002
						To: 88-608 Massaponax Church Rd										
1421 Plantation Forest Dr	1.43	1000	R			From: SR 208 Courthouse Rd					NA			NA		08/21/2002
						To: Cul-de-Sac										
1422	0.08	100	R			From: 88-1421					NA			NA		08/21/2002
						To: Cul-de-Sac										
1423	0.09	140	R			From: 88-1403 Bluebird Lane					NA			NA		08/21/2002
						To: Cul-de-Sac										
1424 Pool Dr	0.07	250	R			From: Cul-de-Sac					NA			NA		08/21/2002
						To: 88-1425										
1424 Pool Dr	0.19	320	R			From: 88-613 Brock Rd					NA			NA		08/21/2002
						To: 88-1424										
1425 Crestar Dr	0.09	700	R			From: 88-1424					NA			NA		08/21/2002
						To: SR 208 Courthouse Rd										
1426	0.08	150	R			From: 88-1421					NA			NA		08/21/2002
						To: Cul-de-Sac										
1427	0.08	70	R			From: 88-1421					NA			NA		08/21/2002
						To: Cul-de-Sac										
1428 Gibbs Dr	0.48	250	R			From: 88-606 Morris Rd					NA			NA		09/16/2002
						To: Cul-de-Sac										
1429 Fisher Dr	0.42	150	R			From: 88-606 Morris Rd					NA			NA		09/16/2002
						To: Cul-de-Sac										
1430 Shade Tree Lane	0.24	320	R			From: Cul-de-Sac					NA			NA		09/16/2002
						To: 88-722 Tanglewood Rd										
1430 Shade Tree Lane	0.17	100	R			From: 88-722 Tanglewood Rd					NA			NA		09/16/2002
						To: Cul-de-Sac										
1431 Salem Run Rd	0.46	1100	R			From: 88-639 S. Salem Church Rd					NA			NA		09/25/2002
						To: 88-639; 88-1114 NORTH										
1432 Armand Ct	0.07	80	R			From: Cul-de-Sac					NA			NA		08/21/2002
						To: 88-1421										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1433) Bayberry Lane	0.17	270	R								NA		NA			08/21/2002
(1434) Gayle Ct	0.20	140	R								NA		NA			08/21/2002
(1435)	0.09	60	R								NA		NA			08/21/2002
(1436)	0.05	70	R								NA		NA			08/21/2002
(1437) General Dr	0.15	320	R								NA		NA			08/21/2002
(1437) General Dr	0.20	150	R								NA		NA			08/21/2002
(1437) General Dr	0.21	60	R								NA		NA			08/21/2002
(1438) Godwin Dr	0.09	120	R								NA		NA			08/01/2005
(1439) Stanley Court	0.09	80	R								NA		NA			08/01/2005
(1440) Berkshire Lane	0.71	650	R								NA		NA			09/16/2002
(1441) Arabian Trl	0.38	250	R								NA		NA			09/16/2002
(1442) Morgan Lane	0.47	190	R								NA		NA			09/16/2002
(1443)	0.15	90	R								NA		NA			09/16/2002
(1444) Mustang Court	0.13	40	R								NA		NA			11/02/2005
(1445) Cherry Blossom Lane	0.25	110	R								NA		NA			10/31/2002
(1446) Appaloosa Dr	0.40	230	R								NA		NA			09/16/2002
(1447) Palorino Ct	0.19	110	R								NA		NA			09/16/2002
(1448)	0.06	30	R								NA		NA			09/16/2002
(1449) Castlebridge Rd	0.13	1100	R								NA		NA			11/04/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1450) Jeans Dr	0.19	340	R									NA		NA		08/01/2005
(1451) Lando Dr	0.07	30	R									NA		NA		08/01/2005
(1451) Lando Dr	0.10	230	R									NA		NA		08/01/2005
(1452) Stephen Dr	0.04	8	R									NA		NA		08/01/2005
(1452) Stephen Dr	0.14	140	R									NA		NA		08/01/2005
(1452) Stephen Dr	0.20	60	R									NA		NA		08/01/2005
(1453) Marc Dr	0.17	100	R									NA		NA		08/01/2005
(1454) Ronnie Court	0.04	20	R									NA		NA		08/01/2005
(1455) Taverneer Lane	0.13	60	R									NA		NA		11/12/2002
(1455) Taverneer Lane	0.32	610	R									NA		NA		10/31/2005
(1456) East Point Circle	0.07	70	R									NA		NA		10/31/2005
(1457) Cloverhill Rd	0.15	500	R									NA		NA		08/03/2005
(1457) Cloverhill Rd	0.36	270	R									NA		NA		08/03/2005
(1457) Cloverhill Rd	0.16	170	R									NA		NA		08/03/2005
(1457) Coverhill Rd	0.16	70	R									NA		NA		08/03/2005
(1458) Sourwood Court	0.38	90	R									NA		NA		08/03/2005
(1459) Pioneer Court	0.16	40	R									NA		NA		08/03/2005
(1460) Cloverhill Court	0.14	60	R									NA		NA		08/03/2005
(1461) Wexwood Ct	0.04	170	R									NA		NA		11/12/2002
(1462) North Point Dr	0.27	60	R									NA		NA		11/02/2005
(1462) North Point Dr	0.29	230	R									NA		NA		11/02/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1462) Larkin Chew Rd	0.28	660	R								NA			NA		11/02/2005
(1463) Yakama Trail	0.27	150	R								NA			NA		10/21/2002
(1464)	0.13	40	R								NA			NA		10/21/2002
(1464)	0.12	40	R								NA			NA		10/21/2002
(1465) Collingwood Court	0.14	210	R								NA			NA		09/14/2005
(1466)	0.05	30	R								NA			NA		11/12/2002
(1467) Danielle Dr	0.49	620	R								NA			NA		10/28/2002
(1468) Alicia Ct	0.11	90	R								NA			NA		10/28/2002
(1469) Ashbrook Ct	0.05	40	R								NA			NA		11/13/2002
(1469) Ashbrook Ct	0.06	NA									NA			NA		
(1470) Bloomsbury Lane	0.11	40	R								NA			NA		08/29/2005
(1470) Bloomsbury Lane	0.10	110	R								NA			NA		08/29/2005
(1470) Bloomsbury Lane	0.21	280	R								NA			NA		08/29/2005
(1470) Bloomsbury Lane	1.39	760	R								NA			NA		08/29/2005
(1471)	0.10	100	R								NA			NA		08/05/2002
(1472)	0.09	70	R								NA			NA		08/05/2002
(1473) Trisler Dr	0.22	360	R								NA			NA		11/09/2005
(1474) Griffith Way	0.34	570	R								NA			NA		11/09/2005
(1475) Salem Station Blvd	0.86	2200	R								NA			NA		11/14/2005
(1476) Castle Court	0.08	70	R								NA			NA		11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1477) Queens Mill Circle	0.43	120	R			From: 88-1475 S, Salem Station Blvd					NA			NA		11/14/2005
						To: 88-1475 N, Salem Station Blvd										
(1478) Regal Court	0.10	110	R			From: 88-1477 Queens Mill Circle					NA			NA		11/14/2005
						To: Cul-de-Sac										
(1479) Crown Court	0.09	80	R			From: 88-1477 Queens Mill Circle					NA			NA		11/14/2005
						To: Cul-de-Sac										
(1480) Prince Court	0.07	80	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-1477 Queens Mill Circle										
(1481) Cheshire Court	0.07	90	R			From: 88-1477 Queens Mill Circle					NA			NA		11/14/2005
						To: Cul-de-Sac										
(1482) Yorkshire Court	0.11	110	R			From: 88-1477 Queens Mill Circle					NA			NA		11/14/2005
						To: Cul-de-Sac										
(1483) Barrister Court	0.24	60	R			From: Cul-de-Sac					NA			NA		11/12/2002
						To: 88-1419 Judiciary Dr										
(1484)	0.07	30	R			From: Cul-de-Sac					NA			NA		11/12/2002
						To: 88-1483										
(1485) Sunkist Court	0.04	40	R			From: 88-1274 Lovett Dr					NA			NA		11/07/2005
						To: Cul-de-Sac										
(1486) Courthouse Commons Blvd	0.37	150	R			From: SR 208 Courthouse Rd					NA			NA		10/29/2002
						To: Dead End										
(1487) Commons Circle	0.22	130	R			From: Dead End					NA			NA		10/29/2002
						To: 88-1486										
(1488) Aldrich Ct	0.09	10	R			From: 88-1487					NA			NA		10/29/2002
						To: Dead End										
(1489) Market St	0.21	10000	R			From: US 1 Jefferson Davis Hwy; FR-692					NA			NA		11/14/2002
						To: 88-1234 Spotsylvania Ave										
(1490) Valley View Rd	0.27	110	R			From: 88-1188 Stoney Creek Dr					NA			NA		11/14/2005
						To: Cul-de-Sac										
(1491) Dapple Grey Court	0.04	40	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-1188 Stoney Creek Dr										
(1492) Inglewood Dr	0.19	290	R			From: 88-1188 Stoney Creek Dr					NA			NA		11/14/2005
						To: Cul-de-Sac										
(1493) Courtland Lane	0.13	170	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-1492 Inglewood Dr										
(1494) Woods Court	0.06	40	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-1493 Courtland Lane										
(1495) Rodeo Court	0.06	70	R			From: 88-1492 Inglewood Dr					NA			NA		11/14/2005
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1496) Chinaberry Court	0.17	110	R			From: 88-1188 Stoney Creek Dr					NA			NA		11/14/2005
						To: Cul-de-Sac										
(1497) Carmine Circle	0.06	60	R			From: 88-1496 Chinaberry Court					NA			NA		11/14/2005
						To: Cul-de-Sac										
(1498) Abingdon Court	0.22	90	R			From: 88-1465 Collingwood Court					NA			NA		09/14/2005
						To: 88-1499 Halifax Court										
(1499) Halifax Court	0.07	190	R			From: 88-1431					NA			NA		09/14/2005
						To: Cul-de-Sac										
(1501) Valentine Dr	0.43	80	R			From: Cul-de-Sac					NA			NA		10/24/2005
						To: 88-1502 Katy-Ber Dr										
(1501) Valentine Dr	0.07	120	R			From: 88-622 Lucks Rd					NA			NA		10/24/2005
						To: Cul-de-Sac										
(1502) Katy Ber Dr	0.11	40	R			From: Cul-de-Sac					NA			NA		10/24/2005
						To: 88-1501 Valentine Dr										
(1503) Waddell Rd	0.11	10	R			From: Cul-de-Sac					NA			NA		10/24/2005
						To: 88-1501 Valentine Dr										
(1504) Pierson Dr	0.33	1000	R			From: Cul-de-Sac					NA			NA		10/05/2005
						To: 0.33 MN of Cul-de-Sac										
(1505) Oakwood Dr	0.15	60	R			From: 88-719 Days Bridge Rd					NA			NA		10/03/2002
						To: Parkwood Circle										
(1505) Oakwood Dr	0.43	40	R			From: Cul-de-Sac					NA			NA		10/03/2002
						To: Cul-de-Sac										
(1506) Parkwood Circle	0.16	30	R			From: 88-1505					NA			NA		09/26/2005
						To: Cul-de-Sac										
(1507) Cedar Lane	0.10	30	R			From: 88-1505					NA			NA		09/26/2005
						To: Cul-de-Sac										
(1508)	0.13	10	R			From: 88-1505					NA			NA		10/03/2002
						To: Cul-de-Sac										
(1509) Ballston Rd	0.19	60	R			From: 88-1368					NA			NA		12/08/2008
						To: 88-1373 Pittston Rd										
(1510) Oak Crest Dr	0.40	450	R			From: 88-738 Partlow Rd					NA			NA		11/07/2002
						To: 88-1511										
(1510) Oak Crest Dr	0.47	230	R			From: Cul-de-Sac					NA			NA		11/07/2002
						To: Cul-de-Sac										
(1511)	0.11	70	R			From: Dead End					NA			NA		11/07/2002
						To: 88-1510										
(1511) Cypress Court	0.45	110	R			From: Cul-de-Sac					NA			NA		11/07/2002
						To: Cul-de-Sac										
(1512) Harris Mill Court	0.29	510	R			From: 88-1344 Kingswood Blvd					NA			NA		10/05/2005
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1513) Carriage Way Lane	0.15	280	R								NA		NA			10/05/2005
(1514) Gunnery Hill Rd	0.96	160	R								NA		NA			08/21/2002
(1515) Oxbow Court	0.08	90	R								NA		NA			10/05/2005
(1515) Oxbow Court	0.06	NA									NA		NA			
(1516) Lakes Ridge Way	0.24	50	R								NA		NA			10/03/2002
(1517) Lake Point Dr	0.66	80	R								NA		NA			09/26/2005
(1518) Ventura Lane	0.24	200	R								NA		NA			09/20/2005
(1519) Argall Lane	0.10	100	R								NA		NA			09/20/2005
(1520) Billman Dr	0.20	70	R								NA		NA			11/07/2002
(1521) Eustace Dr	0.28	49	R								NA		NA			11/07/2002
(1521) Eustace Dr	0.06	30	R								NA		NA			11/07/2002
(1522) Bricken Lane	0.08	130	R								NA		NA			10/27/2005
(1522) Bricken Lane	0.12	NA									NA		NA			
(1523) Little River Dr	0.12	140	R								NA		NA			10/27/2005
(1524) Purley Dr	0.09	80	R								NA		NA			10/27/2005
(1525) Morning Glory Dr	0.03	30	R								NA		NA			10/24/2005
(1525) Morning Glory Dr	0.38	130	R								NA		NA			10/24/2005
(1526) Dukes Dr	0.27	70	R								NA		NA			10/24/2005
(1527) South Woods Dr	1.00	430	R								NA		NA			10/21/2002
(1528) Bridlepath Ct	0.22	150	R								NA		NA			10/21/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1528)	0.18	NA												NA		
(1529)	0.12	90	R											NA		10/21/2002
(1530) Noranda Dr	0.41	20	R											NA		10/03/2002
(1531) Anna Rd	0.10	20	R											NA		10/03/2002
(1532) Duchess Dr	0.27	150	R											NA		10/05/2005
(1532) Duchess Dr	0.19	140	R											NA		10/05/2005
(1533) Chivalry Dr	0.05	90	R											NA		10/05/2005
(1534)	0.10	30	R											NA		10/03/2002
(1535) September Dr	0.37	50	R											NA		10/03/2002
(1536) Heth Dr	0.09	80	R											NA		09/26/2005
(1536) Heth Dr	0.15	140	R											NA		09/26/2005
(1536) Heth Dr	0.20	200	R											NA		09/26/2005
(1536) Heth Dr	0.31	260	R											NA		09/26/2005
(1537) Connie Lane	0.18	50	R											NA		09/26/2005
(1538) Bryn Lane	0.20	45	R											NA		09/26/2005
(1539) Ruth Lane	0.22	20	R											NA		09/26/2005
(1539) Ruth Lane	0.05	10	R											NA		09/26/2005
(1540) Julian Lane	0.28	50	R											NA		09/26/2005
(1541)	0.16	70	R											NA		10/03/2002
(1542) Bills Rd	0.12	90	R											NA		10/03/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1542	Bills Rd	0.32	40	R								NA		NA		10/03/2002
1543	Eds Rd	0.46	60	R								NA		NA		10/03/2002
1544	Logan Heights Circle	0.85	40	R								NA		NA		11/05/2009
1545	Windway Dr	0.62	90	R								NA		NA		09/26/2005
1546	Windy Hill Ct	0.12	10	R								NA		NA		09/26/2005
1548	Bellevue Court	0.10	110	R								NA		NA		10/19/2005
1549	Heriot Row Court	0.14	80	R								NA		NA		10/19/2005
1550	Whitfield Lane	0.28	90	R								NA		NA		10/08/2002
1551	Lakeside Woods Dr	0.17	90	R								NA		NA		10/08/2002
1552	Laken Woods Dr	0.06	30	R								NA		NA		10/08/2002
1552	Laken Woods Dr	0.06	40	R								NA		NA		10/08/2002
1553	Commons Court	0.05	60	R								NA		NA		10/05/2005
1554	Monarch Court	0.05	60	R								NA		NA		10/05/2005
1555	Waterford Dr	1.63	260	R								NA		NA		08/01/2005
1556	Lismore Lane	0.17	49	R								NA		NA		08/01/2005
1557	Tranquility Court	0.13	40	R								NA		NA		08/01/2005
1558	Harvest Glen Court	0.12	100	R								NA		NA		10/05/2005
1559	Integrity Court	0.11	90	R								NA		NA		10/05/2005
1560	Raynold Court	0.10	60	R								NA		NA		11/09/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1561) Doran Rd	0.23	100	R								NA		NA			11/09/2005
(1562) Copperleaf Rd	0.08	160	R								NA		NA			11/09/2005
(1563) Hazel Court	0.16	140	R								NA		NA			11/09/2005
(1563) Hazel Court	0.31	300	R								NA		NA			11/09/2005
(1564)	0.04	30	R								NA		NA			1999
(1564)	0.24	80	R								NA		NA			1999
(1564) Glen Eagles Dr	0.07	160	R								NA		NA			1999
(1564) Glen Eagles Dr	0.16	320	R								NA		NA			1999
(1564) Glen Eagles Dr	0.32	170	R								NA		NA			1999
(1564)	0.05	120	R								NA		NA			1999
(1564) Glen Eagles Dr	0.24	90	R								NA		NA			1999
(1565) Sawgrass Lane	0.16	90	R								NA		NA			1999
(1565) Sawgrass Lane	0.15	220	R								NA		NA			11/12/2002
(1566)	0.05	40	R								NA		NA			11/12/2002
(1567) Innisbrook Circle	0.25	110	R								NA		NA			1999
(1568) Inverarry Dr	0.20	80	R								NA		NA			1999
(1569)	0.09	20	R								NA		NA			1999
(1571)	0.08	80	R								NA		NA			08/05/2002
(1572) Ashley Ct	0.09	70	R								NA		NA			08/05/2002
(1573)	0.09	45	R								NA		NA			08/05/2002
(1573)	0.09	NA									NA		NA			

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1574) Hillwood Court	0.19	90	R											NA		08/29/2005
(1575) Pineberry Court	0.04	60	R											NA		08/29/2005
(1576)	0.06	80	R											NA		1999
(1577)	0.06	80	R											NA		1999
(1578)	0.06	70	R											NA		1999
(1579)	0.06	80	R											NA		1999
(1580)	0.12	120	R											NA		1999
(1580) Queensbury Circle	0.57	80	R											NA		1999
(1580)	0.09	130	R											NA		09/25/2002
(1581)	0.11	80	R											NA		1999
(1581)	0.16	150	R											NA		09/25/2002
(1582)	0.04	80	R											NA		1999
(1583)	0.08	120	R											NA		1999
(1583)	0.04	40	R											NA		1999
(1584) Alton Ct	0.04	40	R											NA		10/05/2005
(1584) Alton Ct	0.05	60	R											NA		10/05/2005
(1585)	0.20	180	R											NA		1999
(1585) New Bond St	0.13	350	R											NA		1999
(1585)	0.06	80	R											NA		1999
(1586)	0.06	60	R											NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1587)	0.05	50	R									NA		NA		1999
(1588) Ropers Run	0.04	20	R									NA		NA		10/24/2005
(1588) Ropers Run	0.06	70	R									NA		NA		10/24/2005
(1589) Waterside Dr	0.33	40	R									NA		NA		10/24/2005
(1590) Ballantraye Dr	0.20	3400	R									NA		NA		11/14/2005
(1591) Horseshoe Bend Dr	0.21	30	R									NA		NA		10/24/2005
(1592) Heritage Hills Circle	0.75	80	R									NA		NA		11/04/2002
(1593) Old Dickerson's Rd	0.49	260	R									NA		NA		09/26/2005
(1594) Drummers Lane	0.16	30	R									NA		NA		09/26/2005
(1594) Drummers Lane	0.11	20	R									NA		NA		09/26/2005
(1595) Castaway Beach Lane	0.18	10	R									NA		NA		09/26/2005
(1596) Deer Hill Rd	0.14	20	R									NA		NA		09/26/2005
(1597) Sugar Hollow	0.19	120	R									NA		NA		09/26/2005
(1598) Hidden Brook	0.17	40	R									NA		NA		09/26/2005
(1599) Edgewood Dr	0.05	6	R									NA		NA		09/26/2005
(1601) Winewood Dr	0.17	160	R									NA		NA		08/08/2005
(1601) Winewood Dr	0.40	760	R									NA		NA		08/08/2005
(1602) Small Court	0.03	40	R									NA		NA		08/08/2005
(1603) Maplewood Dr	0.07	80	R									NA		NA		08/08/2005
(1603) Maplewood Dr	0.07	210	R									NA		NA		08/08/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1603) Maplewood Dr	0.06	130	R								NA			NA		08/08/2005
(1603) Maplewood Dr	0.07	90	R								NA			NA		08/08/2005
(1603) Maplewood Dr	0.07	120	R								NA			NA		08/08/2005
(1604) Oakdale Court	0.05	40	R								NA			NA		08/08/2005
(1605) Birchwood Court	0.06	60	R								NA			NA		08/08/2005
(1606) Ashwood Ct	0.08	90	R								NA			NA		08/08/2005
(1607) Cherrywood Dr	0.07	290	R								NA			NA		08/08/2005
(1607) Cherrywood Dr	0.12	440	R								NA			NA		08/08/2005
(1608) Timberwood Rd	0.07	80	R								NA			NA		08/08/2005
(1609) Rolling Ridge Dr	0.28	130	R								NA			NA		11/05/2009
(1610) Beechplum Rd	0.14	50	R								NA			NA		09/30/2002
(1611)	0.04	10	R								NA			NA		09/30/2002
(1612) Brittany Commons Blvd	0.28	3000	R								NA			NA		11/07/2005
(1613) OBryant Ct	0.12	80	R								NA			NA		11/04/2002
(1614)	0.05	40	R								NA			NA		11/04/2002
(1615) Overview Dr	0.81	470	R								NA			NA		09/30/2002
(1616) Ardwick Circle	0.34	70	R								NA			NA		09/30/2002
(1617)	0.03	60	R								NA			NA		09/30/2002
(1618)	0.08	70	R								NA			NA		09/30/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1619)	0.08	110	R				88-1615				NA			NA		09/30/2002
							Cul-de-Sac									
(1620) Fox Gate Dr	0.26	640	R				SR 3 Plank Rd				NA			NA		10/03/2005
							88-1621 Fox Gate Lane									
(1621) Fox Gate Lane	0.98	350	R				88-1620 Fox Gate Dr				NA			NA		10/03/2005
							Cul-de-Sac									
(1622)	0.19	200	R				88-1621 Fox Gate Lane				NA			NA		10/28/2002
							Cul-de-Sac									
(1623) Bridlerain Court	0.19	100	R				88-1621 Fox Gate Lane				NA			NA		10/03/2005
							Cul-de-Sac									
(1624) Pelham Dr	0.07	230	R				88-621 Orange Plank Rd				NA			NA		08/08/2005
							88-1625 Dana Ct									
(1624) Pelham Dr	0.10	180	R				88-1626 Tracy Lane				NA			NA		08/08/2005
							88-1627 Kelsey Cir									
(1624) Pelham Dr	0.11	130	R				88-1624 Pelham Dr				NA			NA		08/08/2005
							Cul-de-Sac									
(1625) Dana Ct	0.13	45	R				88-1624 Pelham Dr				NA			NA		08/08/2005
							88-1624 Pelham Dr									
(1626) Tracy Lane	0.11	40	R				88-1624 Pelham Dr				NA			NA		08/08/2005
							Cul-de-Sac									
(1627) Kelsey Circle	0.13	48	R				88-1624 Pelham Dr				NA			NA		08/08/2005
							Cul-de-Sac									
(1628) Kirk Lane	0.17	50	R				88-621 Orange Plank Rd				NA			NA		08/08/2005
							Cul-de-Sac									
(1629) West Lake Circle	0.12	40	R				88-621 Orange Plank Rd				NA			NA		08/08/2005
							Cul-de-Sac									
(1630) Rising Sun Rd	0.29	220	R				88-608 Massaponax Church Rd				NA			NA		09/16/2002
							88-1631									
(1631) Surry Rd	0.47	80	R				88-1632				NA			NA		09/16/2002
							Cul-de-Sac									
(1632)	0.08	20	R				Dead End				NA			NA		09/16/2002
							88-1631									
(1632)	0.16	46	R				88-1632				NA			NA		09/16/2002
							Cul-de-Sac									
(1633)	0.18	70	R				Cul-de-Sac				NA			NA		10/29/2002
							88-1621 Fox Gate Lane									
(1634)	0.19	60	R				88-1621 Fox Gate Lane				NA			NA		10/29/2002
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Spotsylvania County																	
(1635)	0.09	40	R				From: Dead End				NA			NA		09/16/2002	
							To: 88-780 Corridor Dr										
(1636) Jenny Lane	0.49	70	R				From: 88-1638 SOUTHWEST				NA			NA		09/16/2002	
							To: 88-1638 NORTHEAST										
(1637) Forrest Glen Circle	0.17	60	R				From: 88-1643 South Oaks Ave				NA			NA		09/16/2002	
							To: 88-1638										
(1638) South Branch Rd	0.65	1000	R				From: 88-608 Massaponax Church Rd				NA			NA		09/16/2002	
							To: Dead End										
(1639)	0.06	60	R				From: 88-1638				NA			NA		09/16/2002	
							To: Dead End										
(1640) Edinburgh Dr	0.98	990	R				From: SR 208 Courthouse Rd				NA			NA		09/19/2002	
							To: End Loop										
(1641) Coventry Ct	0.11	160	R				From: 88-1640 Edinburgh Dr				NA			NA		09/19/2002	
							To: Cul-de-Sac										
(1642) Dover Ct	0.05	130	R				From: 88-1640 Edinburgh Dr				NA			NA		09/19/2002	
							To: Cul-de-Sac										
(1643) South Oaks Ave	0.21	220	R				From: 88-1636				NA			NA		08/03/2005	
							To: 88-1638										
(1643) South Oaks Ave	0.08	490	R				From: 88-1649 South Oaks Court				NA			NA		08/03/2005	
							To: 88-1647										
(1643) South Oaks Ave	0.06	530	R				From: 88-1647				NA			NA		08/03/2005	
							To: 88-1646 Oak Glen Court										
(1643) South Oaks Ave	0.09	820	R				From: 88-1646 Oak Glen Court				NA			NA		08/03/2005	
							To: 88-1645 Southfork Court										
(1643) South Oaks Ave	0.07	990	R				From: 88-1645 Southfork Court				NA			NA		08/03/2005	
							To: 88-1644 Lesley Court										
(1643) South Oaks Ave	0.03	1100	R				From: 88-1644 Lesley Court				NA			NA		08/03/2005	
							To: 88-780 Corridor Dr										
(1644) Lesley Court	0.17	160	R				From: Cul-de-Sac				NA			NA		08/15/2005	
							To: 88-1643 South Oaks Ave										
(1644) Lesley Court	0.06	60	R				From: 88-1643 South Oaks Ave				NA			NA		08/15/2005	
							To: Cul-de-Sac										
(1645) Southfork Court	0.16	140	R				From: 88-1643 South Oaks Ave				NA			NA		08/15/2005	
							To: Cul-de-Sac										
(1646) Oak Glen Court	0.07	80	R				From: Cul-de-Sac				NA			NA		08/03/2005	
							To: 88-1643 South Oaks Ave										
(1646) Oak Glen Court	0.13	140	R				From: 88-1643 South Oaks Ave				NA			NA		08/03/2005	
							To: Cul-de-Sac										
(1647) Glenmont Dr	0.04	220	R				From: 88-1638				NA			NA		09/16/2002	
							To: 88-1648 Veld Court										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1647) Glenmont Dr	0.10	210	R			From: 88-1648 Veld Court					NA		NA			09/16/2002
						To: 88-1643 South Oaks Ave										
(1648) Veld Court	0.08	90	R			From: Cul-de-Sac					NA		NA			08/03/2005
						To: 88-1647										
(1649) South Oaks Court	0.06	60	R			From: Cul-de-Sac					NA		NA			08/03/2005
						To: 88-1643 South Oaks Ave										
(1650) Holleybrooke Dr	0.97	200	R			From: 88-628 Smith Station Rd					NA		NA			1995
						To: Cul-de-Sac										
(1651) Cobblestone Dr	0.16	1100	R			From: 88-628 Smith Station Rd					NA		NA			12/08/2008
(1651) Cobblestone Dr	0.06	790	R			From: 88-1652 NORTH					NA		NA			12/08/2008
(1651) Cobblestone Dr	0.60	270	R			From: 88-1653					NA		NA			12/08/2008
						To: 88-1653										
(1652) Heatherwood Dr	0.57	160	R			From: 88-1650 Holleybrooke Dr					NA		NA			1999
						To: End Loop										
(1653)	0.04	48	R			From: Cul-de-Sac					NA		NA			1999
(1653) Chesterwood Dr	0.14	140	R			From: 88-1666					NA		NA			1999
(1653) Chesterwood Dr	0.14	390	R			From: 88-1651 NORTH					NA		NA			1999
(1653) Chesterwood Dr	0.10	160	R			From: 88-1651					NA		NA			1999
(1653) Chesterwood Dr	0.07	290	R			From: 88-1655 Maple Ridge Dr					NA		NA			1999
(1653) Chesterwood Dr	0.21	650	R			From: 88-1650					NA		NA			1999
(1653) Chesterwood Dr	0.09	450	R			From: 88-1662					NA		NA			1999
(1653) Chesterwood Dr	0.07	410	R			From: 88-1663					NA		NA			1999
(1653) Chesterwood Dr	0.09	300	R			From: 88-1664					NA		NA			1999
(1653) Chesterwood Dr	0.20	120	R			From: 88-1658 Cedar Post Lane					NA		NA			1999
(1654)	0.10	NA				From: Cul-de-Sac					NA		NA			
						To: 88-635 Lee Hill School Dr										
(1655) Maple Ridge Dr	0.41	200	R			From: 88-1653					NA		NA			11/09/2005
						To: 88-1658 Cedar Post Lane										
(1656) Bentwood Court	0.04	40	R			From: Cul-de-Sac					NA		NA			11/09/2005
						To: 88-1655 Maple Ridge Dr										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1657 Whipperwill Court	0.04	48	R				88-1655 Maple Ridge Dr				NA			NA		11/09/2005
							Cul-de-Sac									
1658 Cedar Post Lane	1.02	210	R				88-1653				NA			NA		11/09/2005
							Cul-de-Sac									
1659 Bradford St	0.12	120	R				88-1650				NA			NA		11/09/2005
							Cul-de-Sac									
1660 Heavenwood Court	0.08	70	R				88-1650				NA			NA		11/09/2005
							Cul-de-Sac									
1661 Southridge Ct	0.08	210	R				Cul-de-Sac; 0.08 MW				NA			NA		11/09/2005
1661 Southridge Ct	0.16	110	R				88-1658 Cedar Post Lane				NA			NA		11/09/2005
							Cul-de-Sac									
1662 Crestwood Dr	0.13	100	R				88-1653				NA			NA		1999
1662 Crestwood Dr	0.18	130	R				88-1663				NA			NA		1999
1662 Crestwood Dr	0.24	320	R				88-1658 Cedar Post Lane				NA			NA		1999
1662 Crestwood Dr	0.05	200	R				88-1902				NA			NA		1999
1662 Crestwood Dr	0.09	130	R				88-1903				NA			NA		1999
							88-1658 E, Cedar Post Lane									
1663 Eden Park Dr	0.15	160	R				88-1651				NA			NA		12/08/2008
1663 Eden Brook Dr	0.09	46	R				88-1650				NA			NA		1999
1663 Eden Brook Dr	0.06	190	R				88-1662				NA			NA		1999
							88-1653									
1664 Seven Oaks Dr	0.15	90	R				88-1653				NA			NA		1999
							88-1658; 88-1906									
1665 Driftwood Lane	0.06	70	R				88-1651 WEST				NA			NA		11/04/2002
							88-1651 EAST									
1666	0.06	50	R				Cul-de-Sac				NA			NA		11/04/2002
							88-1653									
1667 Crestfield Lane	0.13	120	R				Cul-de-Sac				NA			NA		11/04/2002
1667 Crestfield Lane	0.21	150	R				88-1668 Autumn Wood Dr				NA			NA		08/29/2005
							88-1678 Silverbrook Dr									
1668 Autumn Wood Dr	0.09	160	R				88-1677 Springwood Dr				NA			NA		08/29/2005
1668 Autumn Wood Dr	0.16	260	R				Dead End				NA			NA		11/04/2002
							88-1669									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1668) Autumn Wood Dr	0.07	630	R			From: 88-1669					NA		NA			11/04/2002
						To: 88-628; 88-1651										
(1669) Westfield Lane	0.37	150	R			From: 88-1668 Autumn Wood Dr					NA		NA			11/04/2002
						To: 88-1678 Silverbrook Dr										
(1670)	0.21	470	R			From: 88-627 Gordon Rd					NA		NA			08/19/2002
						To: 88-1673										
(1671) Warner Dr	0.23	70	R			From: 88-1670					NA		NA			08/19/2002
						To: 88-1675										
(1672)	0.14	200	R			From: 88-1670					NA		NA			08/19/2002
						To: Cul-de-Sac										
(1673) Roslyn Rd	0.23	170	R			From: 88-1670					NA		NA			08/19/2002
						To: 88-1674										
(1674)	0.17	170	R			From: 88-1673					NA		NA			08/19/2002
						To: Cul-de-Sac										
(1675) Redground Rd	0.21	490	R			From: 88-1673					NA		NA			08/19/2002
						To: 88-627 Gordon Rd										
(1676)	0.07	100	R			From: Cul-de-Sac					NA		NA			11/04/2002
						To: 88-1668 Autumn Wood Dr										
(1677) Springwood Dr	0.07	60	R			From: Cul-de-Sac					NA		NA			08/29/2005
						To: 88-1668 Autumn Wood Dr										
(1677) Springwood Dr	0.12	NA				From: Cul-de-Sac					NA		NA			
						To: Cul-de-Sac										
(1678) Silverbrook Dr	0.29	400	R			From: 88-1609					NA		NA			08/29/2005
						To: 88-628 Smith Station Rd										
(1679) Saxony Circle	0.06	90	R			From: Dead End					NA		NA			08/29/2005
						To: 88-1667										
(1680) Glade Dr	0.63	450	R			From: Cul-de-Sac					NA		NA			09/17/2002
						To: SR 3 Plank Rd										
(1681) Dell Way	0.69	130	R			From: 88-1680					NA		NA			09/17/2002
						To: 88-1680										
(1682) Mindy Court	0.12	130	R			From: 88-1689					NA		NA			10/19/2005
						To: Cul-de-Sac										
(1683) Tatiana Court	0.05	60	R			From: 88-1689					NA		NA			10/19/2005
						To: Cul-de-Sac										
(1684) Timberlake Rd	0.41	240	R			From: 88-2155 Hickory Hill Dr					NA		NA			10/19/2005
						To: 88-1691 Layton St										
(1684) Timberlake Rd	0.29	560	R			From: 88-1615					NA		NA			10/19/2005
						To: 88-1615										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1685) East Glen Dower Dr	0.12	80	R								NA			NA		10/19/2005
(1685) East Glen Dower Dr	0.12	NA									NA			NA		
(1686) Carter Grove Court	0.28	1000	R								NA			NA		11/07/2002
(1687)	0.04	40	R								NA			NA		11/07/2002
(1688)	0.23	190	R								NA			NA		11/07/2002
(1689) Carlyle Court	0.70	220	R								NA			NA		11/07/2002
(1690) Heather Greens Circle	0.69	290	R								NA			NA		1999
(1691) Layton St	0.10	80	R								NA			NA		10/19/2005
(1691) Layton St	0.06	110	R								NA			NA		10/19/2005
(1692) Jansen Ct	0.06	40	R								NA			NA		10/19/2005
(1693) Albert Dr	0.45	200	R								NA			NA		10/19/2005
(1694) Twiford Court	0.07	90	R								NA			NA		10/19/2005
(1695) Andrews Mill Lane	0.20	70	R								NA			NA		10/19/2005
(1696) River Junction Dr	0.88	180	R								NA			NA		11/07/2005
(1697) Gold Mine Court	0.26	40	R								NA			NA		11/07/2005
(1698) Riverview Dr	0.49	30	R								NA			NA		11/07/2005
(1699) Junction Ct	0.12	20	R								NA			NA		11/07/2005
(1700) Dorothy Lane	0.39	90	R								NA			NA		10/07/2002
(1701) Ni River Dr	0.42	80	R								NA			NA		08/03/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1701) Ni River Dr	0.06	140	R								NA			NA		08/03/2005
(1701) Ni River Dr	0.14	230	R								NA			NA		08/03/2005
(1701) Ni River Dr	0.09	590	R								NA			NA		08/03/2005
(1701) Ni River Dr	0.14	480	R								NA			NA		08/03/2005
(1701) Ni River Dr	0.13	660	R								NA			NA		08/03/2005
(1702) Marathon Pl	0.14	190	R								NA			NA		08/03/2005
(1703) Shaw Dr	0.34	240	R								NA			NA		08/03/2005
(1703) Shaw Dr	0.19	100	R								NA			NA		08/03/2005
(1704) Colise Lane	0.15	49	R								NA			NA		08/03/2005
(1705) Helena Terrace	0.11	130	R								NA			NA		08/03/2005
(1705) Helena Terrace	0.13	90	R								NA			NA		08/03/2005
(1706) Beau Court	0.06	30	R								NA			NA		08/03/2005
(1707) Mineral Springs Dr	0.10	190	R								NA			NA		09/04/2002
(1708) Fiths Corps Lane	0.86	30	R								NA			NA		09/04/2002
(1709) Kalmbacks Mill Dr	0.88	40	R								NA			NA		09/04/2002
(1710) Hunting Run Dr	0.98	160	R								NA			NA		09/04/2002
(1711) Avocet Way	0.44	480	R								NA			NA		09/29/2005
(1712) Cinnamon Teal	0.27	910	R								NA			NA		11/05/2002
(1712) Cinnamon Teal	0.46	1000	R								NA			NA		09/29/2005
(1712) Cinnamon Teal	0.84	520	R								NA			NA		09/29/2005
(1713) Pintail Pt	0.35	60	R								NA			NA		11/05/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1714) Cherokee Lane	0.14	210	R								NA		NA			10/22/2002
(1714)	0.36	70	R								NA		NA			10/22/2002
(1715) Shawnee Lane	0.90	300	R								NA		NA			10/22/2002
(1716) Ashleigh Park Blvd	0.18	550	R								NA		NA			11/05/2002
(1716) Ashleigh Park Blvd	0.05	20	R								NA		NA			09/08/2005
(1717) Heathrow Dr	0.13	190	R								NA		NA			09/08/2005
(1717) Heathrow Dr	0.19	80	R								NA		NA			11/05/2002
(1718) Sterling Dr	0.29	450	R								NA		NA			09/08/2005
(1718) Sterling Dr	0.11	70	R								NA		NA			11/05/2002
(1719) Teeside Dr	0.22	90	R								NA		NA			11/05/2002
(1720) Chapel Hills Dr	0.41	230	R								NA		NA			10/17/2002
(1720)	0.06	45	R								NA		NA			10/17/2002
(1721) Hickory Ct	0.34	150	R								NA		NA			10/17/2002
(1722) Brookcrest Ct	0.10	46	R								NA		NA			10/17/2002
(1722)	0.10	40	R								NA		NA			10/17/2002
(1723) Blue Herron Circle	0.51	100	R								NA		NA			09/29/2005
(1724) Sanderling Court	0.09	70	R								NA		NA			09/29/2005
(1725) Millstream Dr	0.59	310	R								NA		NA			10/31/2002
(1726) Millwood Dr	0.50	170	R								NA		NA			10/31/2002
(1726) Millwood Dr	0.36	230	R								NA		NA			10/31/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1726) Millwood Dr	0.16	46	R									NA		NA		10/31/2002
(1727) Millwood Ct	0.09	50	R									NA		NA		10/31/2002
(1727) Millwood Ct	0.06	60	R									NA		NA		10/31/2002
(1728) Canvasback Court	0.19	110	R									NA		NA		09/29/2005
(1729)	0.29	110	R									NA		NA		09/04/2002
(1730)	0.76	150	R									NA		NA		09/04/2002
(1731)	0.16	40	R									NA		NA		09/04/2002
(1731) Secca Dr	0.50	160	R									NA		NA		09/04/2002
(1732)	0.27	60	R									NA		NA		09/04/2002
(1733) Antler Rd	0.60	260	R									NA		NA		09/04/2002
(1733) Antler Rd	0.22	40	R									NA		NA		09/04/2002
(1734) Antler Ct	0.26	80	R									NA		NA		09/04/2002
(1735)	0.25	90	R									NA		NA		10/17/2002
(1736)	0.18	60	R									NA		NA		10/17/2002
(1737) Sedgwick Dr	0.21	150	R									NA		NA		10/17/2005
(1737) Sedgwick Dr	0.22	70	R									NA		NA		10/17/2005
(1738) McLane Pl	0.10	90	R									NA		NA		10/17/2005
(1739) Floral Pl	0.12	30	R									NA		NA		10/17/2002
(1740) River Bluffs Dr	0.13	560	R									NA		NA		10/17/2005
(1740) River Bluffs Dr	0.35	290	R									NA		NA		10/17/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1741) River Bend Dr W	0.32	60	R									NA		NA		10/17/2005
(1741) River Bend Dr W	0.48	180	R									NA		NA		10/17/2005
(1741) River Bend Dr E	0.64	140	R									NA		NA		10/17/2005
(1742) Old Ridge Rd	0.13	60	R									NA		NA		10/17/2005
(1742) Old Ridge Rd	0.06	100	R									NA		NA		10/17/2005
(1743) Bluff Point Rd	0.21	49	R									NA		NA		10/17/2005
(1744) Goldview Dr	0.62	240	R									NA		NA		10/17/2005
(1745) Beech Tree Ct	0.19	90	R									NA		NA		10/17/2005
(1746) River Oak Pl	0.25	80	R									NA		NA		10/17/2005
(1747) Wesley Dr	0.42	100	R									NA		NA		10/03/2005
(1748) Hemlock Ct	0.20	20	R									NA		NA		10/17/2005
(1749) Snowy Egret Court	0.53	170	R									NA		NA		09/29/2005
(1750) Riverdowns Dr	0.28	160	R									NA		NA		10/17/2005
(1750)	0.12	30	R									NA		NA		10/17/2005
(1751) Rosecroft Dr	0.20	90	R									NA		NA		10/17/2005
(1752) Pemwood Lane	0.28	110	R									NA		NA		09/17/2002
(1753) Stonehenge Dr	0.42	280	R									NA		NA		09/08/2005
(1753) Stonehenge Dr	0.37	280	R									NA		NA		09/08/2005
(1754) Knight Court	0.11	110	R									NA		NA		09/08/2005
(1755) McClain St	0.04	60	R									NA		NA		08/26/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1755) McClain St	0.06	250	R								NA			NA		08/26/2002
(1755) McClain St	0.20	40	R								NA			NA		08/26/2002
(1756) Willow Woods Dr	0.23	80	R								NA			NA		08/26/2002
(1757) Drew Lane	0.15	190	R								NA			NA		09/08/2005
(1757) Drew Lane	0.21	70	R								NA			NA		09/08/2005
(1758) Middleton Dr	0.06	60	R								NA			NA		09/08/2005
(1758) Middleton Dr	0.10	600	R								NA			NA		09/08/2005
(1758) Middleton Dr	0.11	640	R								NA			NA		09/08/2005
(1759) General Sickles Court	0.14	60	R								NA			NA		11/07/2005
(1760) Springfield Dr	0.60	540	R								NA			NA		1999
(1761) Kyle Ct	0.06	100	R								NA			NA		1999
(1762) Perimeter Dr	0.25	240	R								NA			NA		11/07/2005
(1762) Perimeter Dr	0.81	840	R								NA			NA		11/05/2002
(1763) Last Line Lane	0.38	100	R								NA			NA		11/05/2002
(1764) Barnes Ct	0.10	30	R								NA			NA		11/05/2002
(1765)	0.07	50	R								NA			NA		09/10/2002
(1765) Stonewall Lane	0.18	70	R								NA			NA		09/10/2002
(1765) Stonewall Lane	0.08	340	R								NA			NA		09/10/2002
(1765) Stonewall Lane	0.07	610	R								NA			NA		09/10/2002
(1765) Stonewall Lane	0.10	820	R								NA			NA		09/10/2002
(1765) Stonewall Lane	0.10	970	R								NA			NA		09/10/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1765) Stonewall Lane	0.06	1100	R								NA		NA			09/10/2002
(1765) Stonewall Lane	0.05	1200	R								NA		NA			09/10/2002
(1765) Stonewall Lane	0.05	1300	R								NA		NA			09/10/2002
(1766)	0.05	60	R								NA		NA			09/10/2002
(1767)	0.08	80	R								NA		NA			09/10/2002
(1768) Gettysburg Lane	0.10	160	R								NA		NA			09/10/2002
(1769) Casey Pl	0.15	100	R								NA		NA			09/10/2002
(1770) Halleck St	0.32	120	R								NA		NA			09/10/2002
(1770) Halleck St	0.16	220	R								NA		NA			09/10/2002
(1771) Montrose Dr	0.12	70	R								NA		NA			09/10/2002
(1772) Lamplighter Dr	0.12	90	R								NA		NA			09/10/2002
(1773)	0.16	60	R								NA		NA			10/28/2002
(1774) Twelfth Corp Dr	0.32	110	R								NA		NA			10/28/2002
(1775) Post Lane	0.36	90	R								NA		NA			10/28/2002
(1776)	0.12	60	R								NA		NA			10/28/2002
(1777)	0.12	70	R								NA		NA			10/28/2002
(1778)	0.13	60	R								NA		NA			10/28/2002
(1779) Quail Meadows Dr	0.34	130	R								NA		NA			11/02/2005
(1780) Grantwood Dr	0.26	520	R								NA		NA			09/12/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1781) Sharon Rd	0.19	150	R			From: 88-1780 Grantwood Dr					NA		NA			09/12/2002
						To: Dead End										
(1782) Kenny Ln	0.20	150	R			From: 88-1780 Grantwood Dr					NA		NA			09/12/2002
						To: Dead End										
(1783) Christina Court	0.13	40	R			From: 88-1782 Kenny Ln					NA		NA			09/12/2002
						To: Cul-de-Sac										
(1784) Wales Dr	0.40	80	R			From: Dead End					NA		NA			09/08/2005
						To: 88-1753 Stonehenge Dr										
(1785)	0.26	NA				From: 88-01527(L)/					NA		NA			
						To: Cul-de-Sac/										
(1786) Musket Ridge Lane	0.10	150	R			From: 88-618 River Rd					NA		NA			10/03/2005
						To: 88-1787 Pipe Run Dr										
(1786) Musket Ridge Lane	0.16	100	R			From: 88-1787 Pipe Run Dr					NA		NA			10/03/2005
						To: 88-1788 Canteen Circle										
(1786) Musket Ridge Lane	0.10	20	R			From: 88-1788 Canteen Circle					NA		NA			10/03/2005
						To: Dead End										
(1787) Pipe Run Dr	0.09	100	R			From: 88-1789 Bayonet Point Court; Bayonet Point Ct					NA		NA			10/03/2005
						To: 88-1788 Canteen Circle										
(1787) Pipe Run Dr	0.30	46	R			From: 88-1788 Canteen Circle					NA		NA			10/03/2005
						To: 88-1786 Musket Ridge Lane										
(1788) Canteen Circle	0.40	60	R			From: 88-1787 Pipe Run Dr					NA		NA			10/03/2005
						To: 88-1786 Musket Ridge Lane										
(1789) Bayonet Point Ct	0.09	160	R			From: 88-618 River Rd					NA		NA			10/03/2005
						To: 88-1787 Pipe Run Dr										
(1789) Bayonet Point Court	0.19	40	R			From: 88-1787 Pipe Run Dr					NA		NA			10/03/2005
						To: Dead End										
(1790) Nine Mile Run Dr	0.44	580	R			From: SR 3 Plank Rd					NA		NA			10/17/2002
						To: 88-618 River Rd										
(1791)	0.25	90	R			From: 88-1790					NA		NA			10/17/2002
						To: Cul-de-Sac										
(1792)	0.27	60	R			From: SR 3 Plank Rd					NA		NA			10/17/2002
						To: Cul-de-Sac										
(1793) Trench Court	0.06	30	R			From: Dead End					NA		NA			10/03/2005
						To: 88-1795 Campfire Lane										
(1793) Trench Court	0.31	90	R			From: 88-1795 Campfire Lane					NA		NA			10/03/2005
						To: 88-618 River Rd										
(1794) Davmar Lane	0.31	150	R			From: Cul-de-Sac					NA		NA			10/17/2002
						To: 88-618 River Rd										
(1795) Campfire Lane	0.24	100	R			From: 88-1793 Trench Court					NA		NA			10/03/2005
						To: 88-618 River Rd										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1796)	0.22	80	R								NA			NA		10/28/2002
(1797) Wilton Lane	0.58	120	R								NA			NA		10/08/2002
(1798) Elizabeth Court	0.06	30	R								NA			NA		10/03/2005
(1799) Wood Ibis Court	0.13	90	R								NA			NA		09/29/2005
(1800) Treemont Lane	0.32	240	R								NA			NA		08/21/2002
(1801) Conaty Circle	0.14	50	R								NA			NA		08/21/2002
(1802) Bernly Court	0.10	50	R								NA			NA		08/21/2002
(1803)	0.46	NA									NA			NA		
(1804) Five Mile Rd	0.19	840	R								NA			NA		12/11/2008
(1805) St Catherines Court	0.17	130	R								NA			NA		11/07/2005
(1806) Dartmoor Court	0.19	140	R								NA			NA		11/07/2005
(1807) Dunstable Court	0.07	70	R								NA			NA		11/07/2005
(1808) Wellington Glen Dr	0.23	430	R								NA			NA		09/29/2005
(1809) Regency Glen Dr	0.43	240	R								NA			NA		09/29/2005
(1810) Hampstead Dr	0.27	410	R								NA			NA		09/17/2002
(1811) Brixton Dr	0.18	230	R								NA			NA		09/17/2002
(1812)	0.04	48	R								NA			NA		09/17/2002
(1813) Kenton Dr	0.13	160	R								NA			NA		09/17/2002
(1814) Stockwell Dr.	0.24	270	R								NA			NA		09/17/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1815)	0.06	90	R											NA		09/17/2002
(1816) Gants Hill Lane	0.06	360	R											NA		09/17/2002
(1817) Westchester Lane	0.13	100	R											NA		10/28/2002
(1818) Caledonia Ct	0.16	140	R											NA		10/28/2002
(1819)	0.06	70	R											NA		10/28/2002
(1820)	0.10	650	R											NA		10/28/2002
(1821) Wellington St.	0.31	410	R											NA		10/28/2002
(1822)	0.14	80	R											NA		10/28/2002
(1823)	0.10	180	R											NA		09/17/2002
(1824)	0.04	60	R											NA		09/17/2002
(1825) Peach Tree Dr	0.15	120	R											NA		09/29/2005
(1825) Peach Tree Dr	0.12	330	R											NA		09/29/2005
(1825) Peach Tree Dr	0.22	450	R											NA		09/29/2005
(1825) Peach Tree Dr	0.09	660	R											NA		09/29/2005
(1826) Sandalwood Lane	0.06	60	R											NA		09/29/2005
(1827) Bridgewood Court	0.13	180	R											NA		09/29/2005
(1828) Blossom Wood Court	0.14	150	R											NA		09/29/2005
(1829) Live Oak Court	0.06	60	R											NA		09/29/2005
(1830)	0.20	100	R											NA		09/04/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1831) Willow Court	0.09	100	R								NA		NA			09/29/2005
(1831) Sumac Court	0.04	40	R								NA		NA			09/29/2005
(1832) White Pine Court	0.08	110	R								NA		NA			09/29/2005
(1833) Cedar Cove Court	0.04	30	R								NA		NA			09/29/2005
(1834) Locust Court	0.11	150	R								NA		NA			09/29/2005
(1835) Red Ash Court	0.05	60	R								NA		NA			09/29/2005
(1836) Elmwood Lane	0.14	170	R								NA		NA			09/29/2005
(1837) Highland Oaks Dr	0.15	70	R								NA		NA			09/29/2005
(1837) Highland Oaks Dr	0.05	40	R								NA		NA			09/29/2005
(1838) Walnut St	0.09	310	R								NA		NA			09/29/2005
(1838) Walnut St	0.11	100	R								NA		NA			09/29/2005
(1839) Spruce Court	0.05	30	R								NA		NA			09/29/2005
(1840) Chancellor West Blvd	0.18	760	R								NA		NA			09/17/2002
(1841) Pathfinders Court	0.31	190	R								NA		NA			09/17/2002
(1842) Lee Jackson Dr	1.31	160	R								NA		NA			09/17/2002
(1843)	0.08	50	R								NA		NA			09/17/2002
(1844)	0.07	49	R								NA		NA			09/17/2002
(1845) Catharines Furnace Court	0.11	60	R								NA		NA			10/03/2005
(1846)	0.14	120	R								NA		NA			09/17/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1847) Boulevard Of The General	0.63	290	R									NA		NA		10/24/2002
(1848)	0.11	90	R									NA		NA		10/24/2002
(1849) Westerlo Court	0.06	60	R									NA		NA		08/31/2005
(1850) Blackstone Blvd	0.48	3700	R									NA		NA		09/25/2002
(1850) Blackstone Blvd	0.06	1200	R									NA		NA		09/25/2002
(1851) Prospect St	0.93	240	R									NA		NA		09/25/2002
(1851) Prospect St	0.18	360	R									NA		NA		09/25/2002
(1851)	0.07	NA										NA		NA		
(1852) Hope Cour	0.05	60	R									NA		NA		08/31/2005
(1853) Justice Dr	0.06	46	R									NA		NA		08/31/2005
(1854) Fox Point Dr	0.29	820	R									NA		NA		08/26/2002
(1854) Fox Point Dr	0.26	980	R									NA		NA		08/26/2002
(1854) Fox Point Dr	0.03	1400	R									NA		NA		08/26/2002
(1855) Sweetbriar Dr	0.53	300	R									NA		NA		08/31/2005
(1856) Cranston Lane	0.39	560	R									NA		NA		08/31/2005
(1856) Cranston Lane	0.06	1100	R									NA		NA		08/31/2005
(1856) Cranston Lane	0.11	180	R									NA		NA		09/25/2002
(1857) Providence Court	0.12	150	R									NA		NA		08/31/2005
(1858) Thayer Court	0.17	250	R									NA		NA		08/31/2005
(1859) Charlesfield Dr	0.03	450	R									NA		NA		08/26/2002
(1859) Charlesfield Dr	0.25	330	R									NA		NA		08/31/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1859) Charlesfield Dr	0.29	850	R								NA			NA		08/31/2005
(1859) Charlesfield Dr	0.06	330	R								NA			NA		08/31/2005
(1861) Waterman Dr	0.08	70	R								NA			NA		08/31/2005
(1861) Waterman Dr	0.34	330	R								NA			NA		08/31/2005
(1862) New Pembroke Lane	0.21	250	R								NA			NA		10/05/2009
(1862) New Pembroke Lane	0.15	580	R								NA			NA		09/25/2002
(1862) New Pembroke Lane	0.09	730	R								NA			NA		09/25/2002
(1862) New Pembroke Lane	0.06	NA									NA			NA		
(1863) Barton Lane	0.12	590	R								NA			NA		08/31/2005
(1865) Benevolent St	0.19	130	R								NA			NA		08/31/2005
(1866) Avery St	0.06	48	R								NA			NA		08/31/2005
(1867) Danford St	0.10	150	R								NA			NA		08/31/2005
(1867) Danford St	0.18	320	R								NA			NA		08/31/2005
(1867) Danford St	0.58	180	R								NA			NA		09/25/2002
(1868) West Melody Court	0.12	160	R								NA			NA		08/31/2005
(1868) West Melody Court	0.11	NA									NA			NA		
(1869) North Cranston Lane	0.15	170	R								NA			NA		08/31/2005
(1869) North Cranston Lane	0.15	420	R								NA			NA		12/09/2008
(1870) Aspen Lane	0.13	NA									NA			NA		
(1870) Aspen Lane	0.19	440	R								NA			NA		09/16/2002
(1870) Aspen Lane	0.08	NA									NA			NA		

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1871) Tupelo Dr	0.31	180	R				From: Cul-de-Sac				NA			NA		09/16/2002
							To: 88-1870 Aspen Lane									
(1872) Sawmill Circle	0.05	10	R				From: 88-1871 Tupelo Dr				NA			NA		09/16/2002
							To: Cul-de-Sac									
(1873) Raintree Dr	0.09	670	R				From: 88-1874				NA			NA		11/05/2002
							To: 88-610 Old Plank Rd									
(1874) Cherry Tree Dr.	0.53	380	R				From: 88-1825 Peach Tree Dr				NA			NA		11/05/2002
							To: Cul-de-Sac									
(1875)	0.05	40	R				From: 88-1874				NA			NA		11/05/2002
							To: Cul-de-Sac									
(1876)	0.07	90	R				From: 88-1825 Peach Tree Dr				NA			NA		11/05/2002
							To: Cul-de-Sac									
(1877) Furbeck Rd	0.09	30	R				From: 88-1753 Stonehenge Dr				NA			NA		12/11/2008
							To: 88-1784 Wales Dr									
(1878) Setter Dr	0.17	120	R				From: 88-1718 Sterling Dr				NA			NA		12/11/2008
							To: 88-1753 Stonehenge Dr									
(1879)	0.16	NA					From: 88-1869				NA			NA		
							To: Dead End									
(1880) Patrician Court	0.18	370	R				From: 88-1881 WEST				NA			NA		09/19/2002
							To: 88-620 Harrison Rd									
(1881) N Willow Pond Dr	0.20	210	R				From: 88-1880 WEST				NA			NA		09/19/2002
							To: 88-1880 EAST									
(1882) Mossy Bank Lane	0.37	360	R				From: Cul-de-Sac				NA			NA		10/19/2005
							To: 88-1037 Monticello St									
(1883) Hackberry Court	0.05	60	R				From: 88-1882 Mossy Bank Lane				NA			NA		10/19/2005
							To: Cul-de-Sac									
(1884) Fieldstone Court	0.09	30	R				From: Cul-de-Sac				NA			NA		10/19/2005
							To: Cul-de-Sac NORTH									
(1885) Cotter Court	0.04	60	R				From: 88-1882 Mossy Bank Lane				NA			NA		10/19/2005
							To: Cul-de-Sac									
(1886)	0.41	NA					From: 88-1803				NA			NA		
							To: Cul-de-Sac									
(1887) Stove Haven Pkwy	0.13	850	R				From: Cul-de-Sac				NA			NA		11/05/2002
							To: 88-1035									
(1888)	0.09	110	R				From: 88-1887				NA			NA		11/05/2002
							To: Cul-de-Sac									
(1889)	0.05	40	R				From: 88-1888				NA			NA		11/05/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1890 Saddlebrook Dr	0.50	440	R									NA		NA		10/10/2002
1891 Danbury Circle	0.32	80	R									NA		NA		10/10/2002
1891 Danbury Circle	1.14	350	R									NA		NA		10/10/2002
1892	0.18	40	R									NA		NA		10/10/2002
1893 Kerrydale Court	0.60	120	R									NA		NA		10/10/2002
1894 Crown Grant Dr	0.36	1200	R									NA		NA		11/07/2005
1895 Chesney Dr	0.39	380	R									NA		NA		11/07/2005
1895 Chesney Dr	0.48	140	R									NA		NA		12/09/2008
1896	0.06	NA										NA		NA		
1897	0.12	NA										NA		NA		
1902	0.05	40	R									NA		NA		08/26/2002
1903	0.04	70	R									NA		NA		08/26/2002
1904 Big Oak Court	0.12	190	R									NA		NA		08/26/2002
1905	0.06	60	R									NA		NA		08/26/2002
1906	0.11	110	R									NA		NA		1999
1908	0.07	90	R									NA		NA		10/24/2002
1909	0.06	60	R									NA		NA		10/24/2002
1910 Smoketree Blvd	0.14	330	R									NA		NA		10/12/2005
1910 Smoketree Blvd	0.09	1800	R									NA		NA		10/12/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1911) Arbor Glen Dr	0.16	160	R								NA			NA		10/24/2002
(1911) Arbor Glen Dr	0.15	110	R								NA			NA		10/12/2005
(1911) Arbor Glen Dr	0.11	90	R								NA			NA		10/12/2005
(1912) Cedar Crest Dr	0.06	320	R								NA			NA		10/12/2005
(1912) Cedar Crest Dr	0.06	730	R								NA			NA		10/12/2005
(1912) Cedar Crest Dr	0.11	950	R								NA			NA		10/12/2005
(1912) Cedar Crest Dr	0.09	200	R								NA			NA		10/24/2002
(1913) Oakhurst Dr	0.18	130	R								NA			NA		10/24/2002
(1913) Oakhurst Dr	0.16	330	R								NA			NA		10/24/2002
(1914) Timbermill Lane	0.16	130	R								NA			NA		10/12/2005
(1915) Hickory Creek Dr	0.30	220	R								NA			NA		10/12/2005
(1915) Hickory Creek Dr	0.05	30	R								NA			NA		10/12/2005
(1916) Woodland View Dr	0.42	180	R								NA			NA		10/24/2002
(1916) Woodland View Dr	0.08	140	R								NA			NA		10/24/2002
(1916) Woodland View Dr	0.11	200	R								NA			NA		10/12/2005
(1916) Woodland View Dr	0.38	230	R								NA			NA		10/24/2002
(1917) Falcons Ridge Dr	0.51	1300	R								NA			NA		10/24/2002
(1918) Ford Hollow Dr	0.17	190	R								NA			NA		10/24/2002
(1919) Stone Crossing Dr	0.29	590	R								NA			NA		10/24/2002
(1920) Locklear Landing Dr	0.18	40	R								NA			NA		11/12/2005
(1920) Locklear Landing Dr	0.13	170	R								NA			NA		11/02/2005
(1920) Locklear Landing Dr	0.35	330	R								NA			NA		11/02/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1921 Richmond Rd	0.33	230	R				88-1920 Locklear Landing Dr				NA			NA		09/16/2002
							Cul-de-Sac									
1922 Maxie Lee Court	0.18	40	R				Cul-de-Sac				NA			NA		11/12/2005
							88-1921									
1923 Tree Haven Lane	0.20	60	R				Cul-de-Sac				NA			NA		11/02/2005
							88-1924 Ta River Dr									
1923 Tree Haven Lane	0.17	120	R				88-1920 Locklear Landing Dr				NA			NA		11/02/2005
							Cul-de-Sac									
1924 Ta River Dr	0.22	60	R				88-1923 Tree Haven Lane				NA			NA		11/02/2005
							Cul-de-Sac									
1925	0.10	160	R				88-1919				NA			NA		10/24/2002
							Cul-de-Sac									
1925	0.17	NA					Cul-de-Sac				NA			NA		
							88-748									
1926 Angell Ct	0.10	130	R				Cul-de-Sac				NA			NA		08/31/2005
							Cul-de-Sac									
1927 Wickenden Court	0.12	160	R				88-1929 Elm St				NA			NA		08/31/2005
							Cul-de-Sac									
1928 Cedar Ridge Lane	0.08	200	R				88-1929 Elm St				NA			NA		08/31/2005
							Cul-de-Sac									
1928 Cedar Ridge Lane	0.17	NA					Cul-de-Sac				NA			NA		
							Dead End									
1929 Elm St	0.10	310	R				88-748 Three Cedars Lane				NA			NA		11/04/2002
							88-1928 Cedar Ridge Lane									
1929 Elm St	0.05	350	R				88-748 Three Cedars Lane				NA			NA		08/31/2005
							88-1931									
1930 Millstone Dr	0.05	880	R				88-1935 Stone Meadow Dr				NA			NA		08/07/2002
							Cul-de-Sac									
1930 Millstone Dr	0.07	590	R				88-1930 Millstone Dr				NA			NA		08/07/2002
							88-748									
1931 Cascade Dr	0.41	290	R				88-1933				NA			NA		09/06/2005
							88-1936 Southwick Court									
1932 Windridge Dr	0.15	720	R				Cul-de-Sac				NA			NA		09/06/2005
							88-1932 Windridge Dr									
1932 Windridge Dr	0.05	420	R				Cul-de-Sac				NA			NA		09/06/2005
							88-1932 Windridge Dr									
1932 Windridge Dr	0.20	160	R				Cul-de-Sac				NA			NA		09/06/2005
							88-1932 Windridge Dr									
1933	0.10	120	R				Cul-de-Sac				NA			NA		08/07/2002
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1934)		0.05	80	R										NA		08/07/2002
(1935)	Stone Meadow Dr	0.14	60	R										NA		09/06/2005
(1935)	Stone Meadow Dr	0.07	580	R										NA		09/06/2005
(1935)	Stone Meadow Dr	0.04	480	R										NA		09/06/2005
(1935)	Stone Meadow Dr	0.06	310	R										NA		09/06/2005
(1935)	Stone Meadow Dr	0.06	220	R										NA		09/06/2005
(1936)	Southwick Court	0.18	150	R										NA		09/06/2005
(1937)	Erlwood Court	0.04	47	R										NA		08/31/2005
(1938)	Wellford Court	0.05	90	R										NA		08/31/2005
(1939)	Wellford Court	0.08	70	R										NA		08/31/2005
(1940)	Peppermill Court	0.09	50	R										NA		08/31/2005
(1941)		0.15	120	R										NA		08/07/2002
(1942)	Big Ben Blvd	0.27	930	R										NA		12/11/2008
(1942)	Big Ben Blvd	0.30	1500	R										NA		09/08/2005
(1943)	Governors Grant Lane	0.18	360	R										NA		09/08/2005
(1944)	Tower of London Dr	0.15	130	R										NA		09/08/2005
(1945)	Enchanted Court	0.07	70	R										NA		09/08/2005
(1945)	Enchanted Court	0.17	240	R										NA		11/09/2009
(1946)	Paddock Pl	0.16	150	R										NA		09/08/2005
(1947)	Brandontown Court	0.06	80	R										NA		09/08/2005

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1948) Huntington Meadows Lane	0.25	460	R								NA		NA			12/09/2008
						From: 88-1389 Ascot Cir										
						To: 88-1949										
(1949) Sunny Meadows Lane	0.15	NA									NA		NA			
						From: Cul-de-Sac										
(1949) Sunny Meadows Lane	0.12	NA									NA		NA			
						From: 88-1948 Huntington Meadows Lane										
						To: Cul-de-Sac										
(1950) Runnymede Trail	0.96	940	R								NA		NA			07/31/2002
						From: 88-1959 Bend Bow Dr										
						To: 88-627 Gordon Rd										
(1951) Century Ct	0.06	80	R								NA		NA			07/31/2002
						From: 88-1950 Runnymede Trail										
						To: Cul-de-Sac										
(1952) Creeks View Dr	0.07	270	R								NA		NA			07/31/2002
						From: 88-1953 Ridge Way										
						To: 88-1950 Runnymede Trail										
(1953) Ridge Way Dr	0.11	190	R								NA		NA			07/31/2002
						From: Cul-de-Sac										
(1953) Ridge Way Dr	0.05	NA									NA		NA			
						From: 88-1952 Creeks View Dr										
						To: Cul-de-Sac										
(1954) Saddleback Dr	0.06	80	R								NA		NA			07/31/2002
						From: Cul-de-Sac										
						To: 88-1950 Runnymede Trail										
(1955) Joy Lane	0.19	120	R								NA		NA			07/31/2002
						From: 88-1950 W, Runnymede Trail										
						To: 88-1950 E, Runnymede Trail										
(1956) Enchanted Woods Way	0.25	260	R								NA		NA			07/31/2002
						From: Enchanted Woods Way										
						To: 88-1962 Meadow Wood Ave										
(1956) Enchanted Woods Way	0.63	NA									NA		NA			
						From: Cul-de-Sac										
						To: 88-1950 Runnymede Trail										
(1957) Lord Barton Dr	0.27	90	R								NA		NA			07/31/2002
						From: Cul-de-Sac										
						To: 88-1956 Enchanted Woods Way										
(1958) Hearthside Trail	0.16	90	R								NA		NA			07/31/2002
						From: 88-1959 Arrow Head Ct										
						To: 88-1956 Enchanted Woods Way										
(1959) Arrow Head Ct	0.04	210	R								NA		NA			07/31/2002
						From: Cul-de-Sac										
(1959) Bend Bow Dr	0.25	NA									NA		NA			
						From: 88-1956 Enchanted Woods Way										
						To: Cul-de-Sac										
(1960) Tuck Trail	0.05	70	R								NA		NA			07/31/2002
						From: 88-1956 Enchanted Woods Way										
						To: Cul-de-Sac										
(1961) Bow Ct	0.03	30	R								NA		NA			07/31/2002
						From: Cul-de-Sac										
						To: 88-1956 Enchanted Woods Way										
(1962) Meadow Wood Ave	0.08	930	R								NA		NA			07/31/2002
						From: 88-674 Chancellor Rd										
						To: 88-1956 Enchanted Woods Way										
(1963) Mayflower Court	0.06	40	R								NA		NA			11/07/2005
						From: 88-627 Gordon Rd										
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1964) North River Landing	0.88	430	R									NA		NA		10/24/2002
(1965) Cattail Ct	0.25	110	R									NA		NA		10/24/2002
(1966) Teal Wing Cove	0.46	140	R									NA		NA		10/24/2002
(1967)	0.08	70	R									NA		NA		10/24/2002
(1968) River Crest Ct.	0.30	NA										NA		NA		
(1969) Riparian Ct	0.31	NA										NA		NA		
(1970) Brian Dr	0.44	540	R									NA		NA		09/19/2002
(1971) Daughtry Dr	0.09	80	R									NA		NA		09/19/2002
(1972) Katie Dr	0.10	90	R									NA		NA		09/19/2002
(1973)	0.04	60	R									NA		NA		09/19/2002
(1974) N Katie Dr	0.29	100	R									NA		NA		09/08/2005
(1974) N. Katie Dr	0.14	140	R									NA		NA		09/08/2005
(1975) McGinty Rd	0.23	350	R									NA		NA		09/19/2002
(1976) Pullen Dr	0.26	80	R									NA		NA		09/19/2002
(1976) Pullen Dr.	0.52	910	R									NA		NA		09/08/2005
(1977) Nicholas Dr	0.21	260	R									NA		NA		09/08/2005
(1978) Danalu Court	0.06	140	R									NA		NA		09/08/2005
(1979) Bethwood Dr	0.26	130	R									NA		NA		10/05/2009
(1980) Calvert Court	0.23	290	R									NA		NA		09/25/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1981)	0.10	100	R			From: 88-1980						NA		NA		09/25/2002
						To: Cul-de-Sac										
(1982) McManus Dr	0.32	350	R			From: 88-1223						NA		NA		09/25/2002
						To: Cul-de-Sac										
(1983)	0.05	60	R			From: 88-1982						NA		NA		09/25/2002
						To: Cul-de-Sac										
(1984)	0.06	70	R			From: 88-1982						NA		NA		09/25/2002
						To: Dead End										
(1985) Coventry Creek Dr	0.15	710	R			From: Cul-de-Sac						NA		NA		10/19/2005
						To: 88-635 Lee Hill School Dr										
(1986) Summerview Lane	0.08	30	R			From: 88-1987						NA		NA		12/09/2008
						To: 88-1545 Windway Dr										
(1987)	0.07	NA				From: Dead End						NA		NA		
						To: 88-1986										
(1987)	0.04	NA				From: 88-1986						NA		NA		
						To: Dead End										
(1988) Winding Hollow Dr	0.34	640	R			From: Dead End						NA		NA		11/13/2002
						To: 88-1319										
(1989) Maple Springs Dr	0.35	70	R			From: 88-1988 SOUTH						NA		NA		11/13/2002
						To: 88-1988 NORTH										
(1990)	0.05	70	R			From: Dead End						NA		NA		11/13/2002
						To: 88-1989										
(1991)	0.05	80	R			From: 88-1988; 88-1989 SOUTH						NA		NA		11/13/2002
						To: Dead End										
(1992)	0.07	90	R			From: 88-1988						NA		NA		11/13/2002
						To: Dead End										
(1993) Cherub Way	0.11	30	R			From: 88-1988						NA		NA		11/13/2002
						To: 88-1994										
(1994) Fallwood Lane	0.15	170	R			From: Dead End						NA		NA		11/13/2002
						To: 88-1319										
(1995) Skinner Hill Rd	0.15	240	R			From: Cul-de-Sac						NA		NA		09/25/2002
						To: 88-636 Mine Rd										
(1996) Forrest Hill Ct	0.17	80	R			From: Cul-de-Sac						NA		NA		09/26/2002
						To: 88-1995										
(1997) Brown Hill Dr	0.15	130	R			From: 88-1996						NA		NA		08/19/2002
						To: 88-1995										
(1998)	0.07	NA				From: Dead End						NA		NA		
						To: 88-723 Dovey Rd										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1999)	0.68	NA														
(2000)	Farmstead Lane	0.29	330	R												08/19/2002
(2000)	Red Rose Village Dr	0.29	830	R												10/12/2005
(2001)	Lottie Ct	0.09	100	R												08/19/2002
(2002)		0.05	40	R												08/19/2002
(2003)	Elsie Lane	0.10	210	R												08/19/2002
(2004)	Green Arbor Dr	0.43	1000	R												08/19/2002
(2005)		0.06	110	R												08/19/2002
(2006)	Doryl Dr	0.14	210	R												08/19/2002
(2007)	Clarence Dr	0.19	180	R												08/19/2002
(2008)	Switchback Lane	0.18	180	R												08/19/2002
(2009)	Meredith Lane	0.15	110	R												08/19/2002
(2010)	Camelot Way	0.25	260	R												08/19/2002
(2011)		0.38	NA													
(2012)		0.06	NA													
(2013)	Tipperary Tr	0.46	220	R												10/05/2009
(2014)		0.12	NA													
(2015)		0.12	NA													
(2016)		0.11	NA													

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2017) Piedmont Landing Dr	0.34	460	R									NA		NA		09/19/2002
(2018)	0.05	70	R									NA		NA		09/19/2002
(2019)	0.05	110	R									NA		NA		09/19/2002
(2020) Royal Oaks Dr	0.30	550	R									NA		NA		09/19/2002
(2020) Royal Oaks Dr	0.64	NA										NA		NA		
(2021) Forest Grove Dr	0.79	290	R									NA		NA		09/19/2002
(2022)	0.08	190	R									NA		NA		09/19/2002
(2023) Sugar Maple Court	0.20	230	R									NA		NA		09/19/2002
(2024) Regency Rd	0.36	190	R									NA		NA		10/05/2009
(2025)	0.24	NA										NA		NA		
(2026)	0.27	NA										NA		NA		
(2028)	0.17	170	R									NA		NA		1999
(2028) Scott Dr	0.03	270	R									NA		NA		1999
(2029)	0.05	80	R									NA		NA		1999
(2030) Chancellors Park Dr	0.19	2800	R									NA		NA		09/19/2002
(2031) Willow Pond Dr	0.46	490	R									NA		NA		09/19/2002
(2031) Wilsn Pond Dr	0.17	540	R									NA		NA		09/19/2002
(2032) Chinquapin Way	0.13	190	R									NA		NA		09/19/2002
(2033) Marsh Court	0.24	30	R									NA		NA		09/19/2002

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2034) Cardinal Lane	0.26	340	R			From: 88-2031					NA			NA		09/19/2002
						To: 88-2030										
(2035) Reed Rd	0.19	60	R			From: 88-2031					NA			NA		09/19/2002
						To: 88-2037										
(2036) Kimberly Lane	0.18	200	R			From: 88-2031					NA			NA		09/19/2002
						To: 88-2037										
(2037)	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2035										
(2037) Basil Court	0.10	60	R			From: 88-2035					NA			NA		09/19/2002
						To: Cul-de-Sac										
(2038) Coventry Meadows	0.16	570	R			From: 88-2039					NA			NA		12/08/2008
						To: 88-635 Lee Hill School Dr										
(2039)	0.44	NA				From: 88-2038					NA			NA		
						To: Cul-de-Sac										
(2040) Lakeland Way	0.05	30	R			From: Cul-de-Sac					NA			NA		10/05/2005
						To: 88-2043 SOUTH										
(2040) Lakeland Way	0.08	60	R			From: 88-2043 SOUTH					NA			NA		10/05/2005
						To: 88-2046 Hillsborough Lane										
(2040) Lakeland Way	0.19	200	R			From: 88-2046 Hillsborough Lane					NA			NA		10/05/2005
						To: 88-2043 NORTH										
(2040) Lakeland Way	0.24	700	R			From: 88-2043 NORTH					NA			NA		07/31/2002
						To: 88-627 Gordon Rd										
(2041) Crystal Lakes Dr	0.18	640	R			From: 88-2043					NA			NA		07/31/2002
						To: 88-627 Gordon Rd										
(2042)	0.10	150	R			From: 88-2041					NA			NA		08/19/2002
						To: Cul-de-Sac										
(2043) Glen Park Dr	0.11	110	R			From: 88-2040 S, Lakeland Way					NA			NA		07/31/2002
						To: 88-2046 Hillsborough Lane										
(2043) Glen Park Dr	0.09	240	R			From: 88-2046 Hillsborough Lane					NA			NA		07/31/2002
						To: 88-2040 N, Lakeland Way										
(2043) Glen Park Dr	0.25	240	R			From: 88-2040 N, Lakeland Way					NA			NA		07/31/2002
						To: 88-2044										
(2044) Willcher Ct	0.16	80	R			From: 88-2045					NA			NA		07/31/2002
						To: Cul-de-Sac										
(2045) Lakeridge Dr	0.16	150	R			From: 88-2043					NA			NA		07/31/2002
						To: 88-2044										
(2046) Hillsborough Lane	0.09	80	R			From: 88-2043					NA			NA		10/05/2005
						To: 88-2040 Lakeland Way										
(2047) Foxon Pl	0.22	140	R			From: 88-2039					NA			NA		12/08/2008
						To: 88-2038 Coventry Meadows										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2048) Pinetap Ct	0.41	70	R			From: 88-605 Wallers Rd					NA			NA		10/05/2009
						To: Dead End										
(2050)	0.07	160	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-1249										
(2051) Amherst Ct	0.05	70	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-2050										
(2052)	0.05	90	R			From: 88-1249					NA			NA		09/12/2002
						To: Cul-de-Sac										
(2053) Amelia Dr	0.22	680	R			From: 88-1249					NA			NA		09/12/2002
						To: 88-2056 Augusta Ct										
(2053) Amelia Dr	0.22	330	R			From: 88-2056 Augusta Ct					NA			NA		09/12/2002
						To: 88-2058 Norfolk Way										
(2053) Amelia Dr	0.10	680	R			From: 88-2058 Norfolk Way					NA			NA		09/12/2002
						To: 88-2060 N. Hampton Lane										
(2054)	0.07	90	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-2053 Amelia Dr										
(2055)	0.11	140	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-2053 Amelia Dr										
(2056) Augusta Ct	0.17	170	R			From: Cul-de-Sac					NA			NA		09/12/2002
						To: 88-2053 Amelia Dr										
(2057) Bristol Court	0.04	40	R			From: 88-2053 Amelia Dr					NA			NA		08/18/2005
						To: Cul-de-Sac										
(2058) Norfolk Way	0.04	760	R			From: 88-2053 Amelia Dr					NA			NA		08/18/2005
						To: 88-2059 Chris Shan Court										
(2058) Norfolk Way	0.05	860	R			From: 88-2059 Chris Shan Court					NA			NA		08/18/2005
						To: 88-636 Mine Rd										
(2059) Chris Shan Court	0.04	46	R			From: Cul-de-Sac					NA			NA		08/18/2005
						To: 88-2058 Norfolk Way										
(2060) N Hampton Lane	0.24	210	R			From: Cul-de-Sac					NA			NA		08/18/2005
						To: 88-2061 Gloucester Lane										
(2060) N Hampton Lane	0.11	590	R			From: 88-2061 Gloucester Lane					NA			NA		08/18/2005
						To: 88-2053 Amelia Dr										
(2060) N. Hampton Lane	0.05	40	R			From: 88-2053 Amelia Dr					NA			NA		08/18/2005
						To: Cul-de-Sac										
(2061) Gloucester Lane	0.12	130	R			From: Cul-de-Sac					NA			NA		08/18/2005
						To: 88-2062 Bath Court										
(2061) Gloucester Lane	0.05	230	R			From: 88-2062 Bath Court					NA			NA		08/18/2005
						To: 88-2060 N. Hampton Lane										
(2062) Bath Court	0.05	100	R			From: 88-2060 N. Hampton Lane					NA			NA		08/18/2005
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2065) Mystic Point Dr	0.60	190	R				From: Dead End				NA		NA			09/29/2005
							To: 88-714 Cloverdale St									
(2066)	0.11	NA					From: 88-1945				NA		NA			
							To: Dead End									
(2067)	0.06	NA					From: 88-1945				NA		NA			
							To: Dead End									
(2068)	0.05	NA					From: 88-1942				NA		NA			
							To: Dead End									
(2069)	0.13	NA					From: Dead End				NA		NA			
							To: 88-1942									
(2070) Apple Blossom Ct	0.05	50	R				From: 88-2000 Red Rose Village Dr				NA		NA			10/12/2005
							To: Cul-de-Sac									
(2071) Violet Dr	0.30	320	R				From: Cul-de-Sac				NA		NA			10/12/2005
							To: 88-2000 Red Rose Village Dr									
(2072) Geranium St	0.20	100	R				From: 88-2071 Violet Dr				NA		NA			10/12/2005
							To: Cul-de-Sac									
(2073) Carnation St	0.04	60	R				From: 88-2071 Violet Dr				NA		NA			10/12/2005
							To: Cul-de-Sac									
(2074) Orchard Lane	0.17	330	R				From: 88-2072 Geranium St				NA		NA			10/12/2005
							To: Cul-de-Sac									
(2075) Gardeia Dr	0.44	870	R				From: 88-2074 Orchard Lane				NA		NA			10/12/2005
							To: 88-610 Old Plank Rd									
(2076) Daisy Lane	0.10	190	R				From: 88-2077 Hyacinth Court				NA		NA			10/12/2005
							To: 88-2075 Gardeia Dr									
(2077) Hyacinth Court	0.06	70	R				From: Cul-de-Sac				NA		NA			10/12/2005
							To: 88-2076 Daisy Lane									
(2077) Hyacinth Court	0.03	20	R				From: 88-2076 Daisy Lane				NA		NA			10/12/2005
							To: Dead End									
(2078) Lilly Lane	0.04	70	R				From: 88-2075 Gardeia Dr				NA		NA			10/12/2005
							To: Cul-de-Sac									
(2079) Buttercup Lane	0.14	100	R				From: 88-2075 Gardeia Dr				NA		NA			10/12/2005
							To: Cul-de-Sac									
(2081)	0.16	NA					From: 88-635 Lee Hill School Dr				NA		NA			
							To: Cul-de-Sac									
(2085) Sawhill Blvd	0.51	1500	R				From: 88-612 Catharpin Rd				NA		NA			10/03/2005
							To: 88-2090 Broadmore Lane									
(2085) Sawhill Blvd	0.33	930	R				From: 88-2090 Broadmore Lane				NA		NA			10/13/2009
							To: 88-2200									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2086) Duck Circle	0.34	80	R			From: 88-2085 S, Sawhill Blvd					NA			NA		10/03/2005
						To: 88-2085 N, Sawhill Blvd										
(2087) West Hildy Court	0.15	110	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-2085 Sawhill Blvd										
(2087) East Hildy Court	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2085 Sawhill Blvd										
(2088) Palmer Court	0.18	150	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-2088 Palmer Court										
(2089) McGee Court	0.08	60	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-2091 Powder Mill Court										
(2090) Broadmore Lane	0.37	320	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-2090 Broadmore Lane										
(2091) Powder Mill Court	0.09	100	R			From: Cul-de-Sac					NA			NA		10/03/2005
						To: 88-2091 Powder Mill Court										
(2091) Powder Mill Court	0.08	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2090 Broadmore Lane										
(2093)	0.17	NA				From: Bus SR 208					NA			NA		
						To: Dead End										
(2094) Chapman Dr	0.74	350	R			From: Cul-de-Sac					NA			NA		10/05/2009
						To: 88-638 Lansdowne Rd										
(2095)	0.05	NA				From: 88-2094					NA			NA		
						To: Cul-de-Sac										
(2096)	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 88-2094										
(2097) George Dr	0.13	320	R			From: 88-2098					NA			NA		10/05/2009
						To: 88-1344 Beauclaire Blvd										
(2098)	0.16	NA				From: Dead End					NA			NA		
						To: 88-2097										
(2098)	0.20	NA				From: 88-2097					NA			NA		
						To: Dead End										
(2099)	0.05	NA				From: 88-2098					NA			NA		
						To: Dead End										
(2100) Brighten Court	0.13	80	R			From: 88-1091 Lancaster Ring Rd					NA			NA		10/26/2005
						To: Cul-de-Sac										
(2101) Cornwall Court	0.12	90	R			From: Cul-de-Sac					NA			NA		10/26/2005
						To: 88-1091 Lancaster Ring Rd										
(2102) Wexam Court	0.13	180	R			From: 88-1091 Lancaster Ring Rd					NA			NA		10/26/2005
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2103) Caven Court S	0.17	90	R				From: Dead End				NA			NA		10/26/2005
							To: Dead End									
(2104)	0.04	NA					From: Dead End				NA			NA		
							To: 88-2126									
(2105) River Meadows Way	0.61	930	R				From: Bus US 17				NA			NA		10/05/2009
							To: Dead End									
(2106)	0.10	NA					From: 88-2105				NA			NA		
							To: Cul-de-Sac									
(2107)	0.41	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2105									
(2108) Meadow Springs Dr	0.09	49	R				From: 88-2105				NA			NA		12/08/2008
							To: 88-2107									
(2109) Heronview Dr	0.28	60	R				From: 88-2107				NA			NA		12/08/2008
							To: 88-2105									
(2110)	0.04	NA					From: 88-2126				NA			NA		
							To: Dead End									
(2111) Proud Foot Lane	0.09	260	R				From: 88-2137				NA			NA		12/09/2008
							To: 88-2122									
(2112)	0.03	NA					From: 88-2137				NA			NA		
							To: Dead End									
(2113)	0.06	NA					From: Dead End				NA			NA		
							To: 88-2137									
(2114) Copeland Ct	0.25	1000	R				From: 88-2137				NA			NA		11/05/2009
							To: Dead End									
(2115)	0.05	NA					From: 88-2119				NA			NA		
							To: Dead End									
(2116)	0.14	NA					From: Dead End				NA			NA		
							To: Dead End									
(2117)	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									
(2118) Vercaille Dr	0.27	190	R				From: 88-2126				NA			NA		12/09/2008
							To: 88-2126									
(2118)	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									
(2119) Quitman Dr.	0.19	290	R				From: Dead End				NA			NA		10/13/2009
							To: 88-2126 Hot Springs Lane									
(2119) Robnel Ct	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2120) Salem Fields Blvd	0.42	3100	R				88-627 Gordon Rd				NA			NA		09/12/2005
							88-2121 Rappahannock Dr									
(2121) Rappahannock Dr	1.05	1900	R				88-628 Smith Station Rd				NA			NA		09/12/2005
							88-2126									
(2121) Rappahannock Rd	0.42	3000	R				88-627				NA			NA		12/09/2008
							88-2135 North Lamont Court									
(2122) Spring Meadow Blvd	0.17	560	R				88-2125 Maple Court				NA			NA		09/12/2005
							88-2121 Rappahannock Dr									
(2122) Spring Meadow Blvd	0.28	1300	R				88-2122 Spring Meadow Blvd				NA			NA		09/12/2005
							Dead End									
(2123) Adios Ct	0.10	370	R				88-2125 Maple Court				NA			NA		09/12/2005
							88-2123 Adios Ct									
(2124) Palladium Way	0.18	210	R				88-2122 Spring Meadow Blvd				NA			NA		09/12/2005
							Cul-de-Sac									
(2125) Maple Court	0.17	200	R				88-2121 Rappahannock Dr				NA			NA		09/12/2005
							88-2130 North Dewey Court									
(2126) Hot Springs Lane	0.19	1600	R				88-2104				NA			NA		09/12/2005
							88-2121									
(2126) Hot Springs Lane	1.05	1100	R				88-2126 Hot Springs Lane				NA			NA		09/12/2005
							Dead End									
(2126) Hot Springs Lane	0.54	1100	R				88-2124 Palladium Way				NA			NA		12/09/2008
							Cul-de-Sac									
(2127) Sandusky Court	0.09	60	R				88-2131 South Dewey Court				NA			NA		09/12/2005
							Dead End									
(2128) Rose Hill Court	0.09	60	R				Dead End				NA			NA		09/12/2005
							Dead End									
(2129) Plume Court	0.12	70	R				Dead End				NA			NA		09/12/2005
							Dead End									
(2130) North Dewey Court	0.08	50	R				Dead End				NA			NA		09/12/2005
							Dead End									
(2131) South Dewey Court	0.14	220	R				Dead End				NA			NA		09/12/2005
							Dead End									
(2132) Englewood Court	0.17	70	R				Dead End				NA			NA		09/12/2005
							Dead End									
(2133) Jarvis Court	0.14	90	R				Dead End				NA			NA		09/12/2005
							88-2122 Spring Meadow Blvd									
(2134) Polaris Court	0.11	40	R				Dead End				NA			NA		09/12/2005
							Dead End									
(2135) North Lamont Court	0.20	200	R				Dead End				NA			NA		09/12/2005
							Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2136) Omega Court	0.07	48	R									NA		NA		09/12/2005
(2137) Castleton Dr	0.11	930	R									NA		NA		09/12/2005
(2137) Castleton Dr	0.29	990	R									NA		NA		11/05/2009
(2138) Yorktown Lane	0.11	310	R									NA		NA		09/12/2005
(2139) Winthrop Court	0.20	130	R									NA		NA		09/12/2005
(2140)	0.11	NA										NA		NA		
(2140) Fillmore Lane	0.24	490	R									NA		NA		12/11/2008
(2141)	0.20	NA										NA		NA		
(2142)	0.15	NA										NA		NA		
(2143)	0.48	NA										NA		NA		
(2143)	0.20	NA										NA		NA		
(2144)	0.04	NA										NA		NA		
(2145) Davidson Lane	0.07	260	R									NA		NA		12/09/2008
(2146)	0.30	NA										NA		NA		
(2147)	0.11	NA										NA		NA		
(2148) Hawthorne Woods Circle	0.19	70	R									NA		NA		12/09/2008
(2149)	0.11	NA										NA		NA		
(2150) Greely Court	0.05	45	R									NA		NA		10/19/2005
(2155) Hickory Hill Dr	0.86	1300	R									NA		NA		08/11/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2156) West Forester Ct	0.04	40	R								NA			NA		08/11/2005
(2156) East Forester Ct	0.08	NA									NA			NA		
(2157) Cameo St	0.20	130	R								NA			NA		08/11/2005
(2158) Andover Lane	0.24	90	R								NA			NA		08/11/2005
(2158) Andover Lane	0.22	NA									NA			NA		
(2159) Townsley St	0.23	80	R								NA			NA		08/11/2005
(2160) Dabney Court	0.21	90	R								NA			NA		08/11/2005
(2161) Bracken Court	0.06	50	R								NA			NA		08/11/2005
(2162)	0.42	NA									NA			NA		
(2168) Wisteria Dr	0.35	280	R								NA			NA		10/05/2009
(2169)	0.04	NA									NA			NA		
(2170) Glamorgan Way	0.82	90	R								NA			NA		10/04/2009
(2171)	0.25	NA									NA			NA		
(2171)	0.79	NA									NA			NA		
(2172)	0.11	NA									NA			NA		
(2173)	0.47	NA									NA			NA		
(2174)	0.11	NA									NA			NA		
(2175)	0.07	NA									NA			NA		
(2176)	0.10	NA									NA			NA		

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2177)	0.35	NA														
(2178) Corolla Dr	0.13	290	R											NA		11/09/2009
(2179)	0.21	NA												NA		
(2180)	0.36	NA												NA		
(2181) Napoleon St	0.40	420	R											NA		12/08/2008
(2182) O Conner Ct	0.17	NA												NA		
(2182) O'Conner Ct	0.27	300	R											NA		04/22/2009
(2183)	0.11	NA												NA		
(2184) Betsy St	0.26	480	R											NA		10/05/2009
(2185) Cahill St	0.31	1500	R											NA		12/08/2008
(2186) Summerview Lane	0.28	120	R											NA		12/08/2008
(2187)	0.23	NA												NA		
(2188)	0.18	NA												NA		
(2189)	0.20	NA												NA		
(2190) Glendas Way	0.57	1500	R											NA		10/05/2009
(2191) Stacy Run	0.52	90	R											NA		12/08/2008
(2191)	0.15	NA												NA		
(2192) Samantha Dr	0.23	90	R											NA		12/08/2008
(2193)	0.16	NA												NA		

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2194)	0.06	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2193									
(2195)	0.10	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2191									
(2196) King Eider Court	0.58	330		R			From: Dead End					NA		NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(2197) Chester Court	0.29	130		R			From: Dead End					NA		NA		09/29/2005
							To: 88-2196 King Eider Court									
(2198) Gannett Lane	0.56	160		R			From: Dead End					NA		NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(2199) Ashy Petral Way	0.09	50		R			From: Dead End					NA		NA		09/29/2005
							To: 88-2198 Gannett Lane									
(2200) Sandy Hill Ct	0.30	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2085 Sawhill Blvd									
(2200)	0.07	NA					From: 88-2085					NA		NA		
							To: Cul-de-Sac									
(2210) HCC Dr	0.08	1000		R			From: Bus US 17					NA		NA		10/19/2005
							To: 88-2211 Hamilton Crossing Rd									
(2210) HCC Dr	0.39	NA					From: 88-2211 Hamilton Crossing Rd					NA		NA		
							To: Cul-de-Sac									
(2211) Hamilton Crossing Rd	0.57	990		R			From: 88-2210 HCC Dr					NA		NA		10/19/2005
							To: 88-2213									
(2212) Allie Dr	0.38	490		R			From: Dead End					NA		NA		10/19/2005
							To: Dead End									
(2213)	0.05	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2211 Hamilton Crossing Rd									
(2213)	0.07	NA					From: 88-2211 Hamilton Crossing Rd					NA		NA		
							To: Cul-de-Sac									
(2215)	1.14	NA					From: JB-68-VA/					NA		NA		
							To: US-00522(B)/									
(2216)	0.18	NA					From: 88-02215(B)/					NA		NA		
							To: Cul-de-Sac/									
(2217)	0.08	NA					From: 88-02215(B)/					NA		NA		
							To: Cul-de-Sac/									
(2218) Big Horn Dr	0.42	240		R			From: Dead End					NA		NA		11/05/2009
							To: 88-628 Smith Station Rd									
(2219)	0.24	NA					From: 88-2218					NA		NA		
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2220) Dogwood Tree Lane	0.60	240	R								NA			NA		09/26/2005
(2221) Hickory Tree Lane	0.43	120	R								NA			NA		09/26/2005
(2221) Hickory Tree Lane	0.06	NA									NA			NA		
(2222) Sycamore Tree Dr	0.18	20	R								NA			NA		09/26/2005
(2222) Sycamore Tree Dr	0.28	80	R								NA			NA		04/21/2009
(2223) Chestnut Tree Ct	0.18	90	R								NA			NA		09/26/2005
(2224) Cedar Tree Ct	0.10	45	R								NA			NA		09/26/2005
(2225) Loblolly Lane	0.09	30	R								NA			NA		09/26/2005
(2226) Wynd St	0.07	30	R								NA			NA		09/21/2005
(2227) Pecan Tree Dr	0.12	20	R								NA			NA		12/09/2008
(2228)	0.07	NA									NA			NA		
(2229)	0.04	NA									NA			NA		
(2230)	0.26	100	R								NA			NA		04/21/2009
(2231) Maple Tree Lane	0.10	40	R								NA			NA		04/21/2009
(2232)	0.06	NA									NA			NA		
(2237) Lees Crossing Lane	0.47	680	R								NA			NA		10/05/2009
(2237) Lees Crossing Lane	0.25	730	R								NA			NA		12/08/2008
(2238) McClellan Dr	0.50	230	R								NA			NA		12/08/2008
(2239) N McClellan Dr	0.26	150	R								NA			NA		10/05/2009

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2240) Carolina Ct	0.30	320	R				From: Dead End				NA		NA			10/05/2009
							To: 88-2237									
(2241)	0.05	NA					From: 88-2240				NA		NA			
							To: Dead End									
(2242)	0.07	NA					From: Cul-de-Sac				NA		NA			
							To: 88-2238									
(2243)	0.49	NA					From: Cul-de-Sac				NA		NA			
							To: 88-2238 McClellan Dr									
(2247) Magnolia Harbour Dr	0.47	90	R				From: 88-2248				NA		NA			12/09/2008
							To: SR 208 Courthouse Rd									
(2248) Black Walnut Lane	0.48	NA					From: Cul-de-Sac				NA		NA			
							To: 88-2247 Magnolia Harbour Dr									
(2248) Black Walnut Lane	0.63	40	R				From: End Loop				NA		NA			11/23/2009
							To: End Loop									
(2249)	0.06	NA					From: Dead End				NA		NA			
							To: 88-2248									
(2250) Whiteheart Dr	0.37	800	R				From: 88-2254 Basswood Dr				NA		NA			12/09/2008
							To: 88-628 Spotsylvania Pkwy									
(2251) Windbreak Dr	0.32	NA					From: 88-2261 Inkwood Dr				NA		NA			
							To: 88-2252 Laurel Oak Dr									
(2252) Laurel Oak Dr	0.48	NA					From: 88-2262				NA		NA			
							To: 88-2254 Basswood Dr									
(2252) Laurel Oak Dr	0.41	440	R				From: Dead End				NA		NA			10/05/2009
							To: 88-2252 Laurel Oak Dr									
(2253) Grey Oak Circle	0.10	40	R				From: 88-2252 Laurel Oak Dr				NA		NA			12/09/2008
							To: 88-2252 Laurel Oak Dr									
(2254) Basswood Dr	0.12	50	R				From: 88-2256 Yellow Birch Dr				NA		NA			12/09/2008
							To: 88-2256 Yellow Birch Dr									
(2255) Joshua Tree Circle	0.74	280	R				From: End of Loop				NA		NA			12/09/2008
							To: 88-2250 Whiteheart Dr									
(2256) Yellow Birch Dr	0.35	960	R				From: 88-628 Spotsylvania Pkwy				NA		NA			12/09/2008
							To: 88-2257 Linden Dr									
(2256) Yellow Birch Dr	0.15	240	R				From: 88-2250 Whiteheart Dr				NA		NA			12/09/2008
							To: 88-2250 Whiteheart Dr									
(2257) Linden Dr	0.10	50	R				From: 88-2252 Laurel Oak Dr				NA		NA			12/09/2008
							To: 88-2256 Yellow Birch Dr									
(2258) Holly Leaf Ln	0.15	NA					From: Cul-de-Sac				NA		NA			
							To: 88-2256 Yellow Birch Dr									
(2258) Holly Leaf Ln	0.05	410	R				From: 88-2255 Joshua Tree Circle				NA		NA			04/21/2009
							To: 88-2255 Joshua Tree Circle									

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2259)	0.19	NA														
(2260) Smith Station Rd	0.19	530	R											NA		11/23/2009
(2261)	0.16	140	R											NA		04/21/2009
(2262) Silver Maple Lane	0.29	NA												NA		
(2263) Holly Oak Rd	0.22	1100	R											NA		10/05/2009
(2263) Deep Creek Dr	0.25	300	R											NA		10/05/2009
(2264) Ivy Hill Dr	0.54	280	R											NA		10/05/2009
(2286)	0.42	NA												NA		
(2287)	0.11	NA												NA		
(2288)	0.33	NA												NA		
(2289)	0.08	NA												NA		
(2290)	0.58	NA												NA		
(2291)	0.25	NA												NA		
(2291)	0.15	NA												NA		
(2292)	0.14	NA												NA		
(2293)	0.09	NA												NA		
(2294)	0.07	NA												NA		
(2294)	0.06	NA												NA		
(2295)	0.12	NA												NA		

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2296)	0.19	NA					From: 88-2290					NA		NA		
							To: Cul-de-Sac									
(2297)	0.05	NA					From: 88-2296					NA		NA		
							To: Cul-de-Sac									
(2298)	0.06	NA					From: 88-2296					NA		NA		
							To: Cul-de-Sac									
(2300) Browns Farm Rd	0.44	740	R				From: Dead End					NA		NA		11/05/2009
							To: 88-627 Gordon Rd									
(2325)	0.38	NA					From: SR 208 Courthouse Rd					NA		NA		
							To: Cul-de-Sac									
(2326)	0.16	NA					From: 88-2325					NA		NA		
							To: Cul-de-Sac									
(2327)	0.30	720	R				From: 88-2328					NA		NA		04/21/2009
							To: 88-2325									
(2328)	0.25	330	R				From: 88-2327					NA		NA		04/21/2009
							To: 88-2325									
(2329)	0.15	NA					From: 88-2327					NA		NA		
							To: Cul-de-Sac									
(2337)	0.78	NA					From: 88-00620(B)/					NA		NA		
							To: Cul-de-Sac/									
(2338)	0.14	NA					From: Cul-de-Sac/					NA		NA		
							To: Cul-de-Sac/									
(2339)	0.21	NA					From: Cul-de-Sac/					NA		NA		
							To: 88-02337(B)/									
(2340)	0.08	NA					From: Dead End					NA		NA		
							To: 88-1516									
(2341)	0.05	NA					From: Dead End					NA		NA		
							To: 88-1516									
(2342)	0.06	NA					From: Dead End					NA		NA		
							To: 88-1517 Lake Point Dr									
(2344) Kennett Ct	0.83	NA					From: Cul-de-Sac					NA		NA		
							To: 88-620 Spotswood Furnace Rd									
(2345) Eastmont Dr	0.44	NA					From: 88-2346					NA		NA		
							To: 88-2344									
(2346) Ashley Farms Dr	0.38	NA					From: Cul-de-Sac					NA		NA		
							To: 88-2345									
(2346) Ashley Farms Dr	0.41	NA					From: 88-2345					NA		NA		
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2347)	0.30	NA				From: 88-2346					NA			NA		
						To: Cul-de-Sac										
(7000) State Park Lane	2.99	80	R			From: Dead End					NA			NA		10/07/2002
						To: 88-601 Lawyers Rd										
(9393) Spotswood Elementary School	0.08	400	R			From: 88-681 Lorraine Ave					NA			NA		10/31/2005
						To: 88-681 Lorraine Ave										
(9398)	0.26	380	R			From: SR 208 Courthouse Rd					NA			NA		11/13/2002
						To: SR 208 Courthouse Rd										
(9490) School Entrance	0.12	150	R			From: 88-613 Brock Rd					NA			NA		11/13/2002
						To: 88-613 Brock Rd										
(9491)	0.15	250	R			From: SR 208 Courthouse Rd					NA			NA		11/13/2002
						To: SR 208 Courthouse Rd										
(9803)	0.07	110	R			From: SR 208 Courthouse Rd					NA			NA		11/13/2002
						To: SR 208 Courthouse Rd										
(9804)	0.05	170	R			From: 88-647 Blaydes Corner Rd					NA			NA		11/07/2002
						To: 88-738 Partlow Rd										
(2043/89) Minnier Ct	0.06	110	R			From: 89-2044; 89-2041					NA			NA		09/19/2012
						To: Cul-de-Sac										
City of Fredericksburg																
(1/111) Cowan Blvd	0.47	15000	G	99%	0%	1%	0%	0%	0%	C	NA			16000	G	2012
						From: US 1 Jefferson Davis Hwy										
						To: Snowden Hills Blvd										
(1/111) Cowan Blvd	1.23	15000	N	99%	0%	1%	0%	0%	0%	N	NA			16000	N	2012
						From: Jefferson Davis Blvd										
						To: Carl D Silver Pkwy										
(3950/111) Twin Lake Dr	0.46	3000	G	99%	0%	0%	0%	0%	0%	C	0.093	F	0.543	3200	G	2012
						From: WCL Fredericksburg; 88-638										
						To: Bus US 17, SR 2 Dixon St										
(3952/111) Lansdowne Rd	0.47	7500	G	94%	1%	1%	1%	4%	0%	C	0.089	F	0.6	7900	G	2012
						From: William Street										
						To: Jefferson Davis Highway										
(3953/111) Stafford Avenue	0.50	1800	G	94%	1%	5%	0%	0%	0%	C	0.079	F	0.746	1900	G	2012
						From: Cardwell St										
						To: Howard Ave										
(3954/111) Howison St	0.09	640	G	98%	0%	1%	0%	1%	0%	F	0.102	F	0.549	680	G	2012
						From: Howard Avenue										
						To: Dixon Street										
(3954/111) Howison Avenue	0.16	1500	G	98%	0%	1%	0%	1%	0%	C	0.098	F	0.536	1600	G	2012
						From: William Street										
						To: Jefferson Davis Highway										
(3955/111) College Ave	0.67	7100	G								NA			7800	G	2012
						From: Bus SR 3 William St										
						To: Hanover St										
(3958/111) High St	0.04	680	G	96%	1%	2%	0%	0%	0%	F	0.124	F	0.918	720	G	2012
						From: High St										
						To: 111-3959 Littlepage St										
(3958/111) Hanover St	0.60	2600	G	96%	1%	2%	0%	0%	0%	C	0.088	F	0.578	2800	G	2012

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Fredericksburg																
(3958/111) Hanover St	0.49	780	G	96%	1%	2%	0%	0%	0%	F	0.101	F		820	G	2012
From: 111-3959 Littlepage St																
To: Bus US 1 Par Princess Anne St																
(3958) Hanover St	0.12	640	G	97%	0%	3%	0%	0%	0%	F	0.157	F		680	G	2012
From: 111-3973 Sophia St																
To: Bus US 1 LaFayette Blvd																
(3959/111) Littlepage St	0.44	1200	G	97%	0%	3%	0%	0%	0%	C	0.085	F	0.699	1300	G	2012
From: Bus SR 3 William St																
To: Bus US 1 LaFayette Blvd																
(3961/111) Kenmore Ave	0.49	3200	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.651	3400	G	2012
From: Bus SR 3 William St																
To: Mary Ball St																
(3961/111) Kenmore Ave	0.40	1300	G	99%	0%	0%	0%	0%	0%	C	0.087	F	0.516	1400	G	2012
From: Kenmore Ave																
To: 111-6963 Washington Ave																
(3961/111) Mary Ball St	0.10	1700	G	99%	0%	0%	0%	0%	0%	F	0.085	F	0.578	1900	G	2012
From: Bus SR 3 P Amelia St																
(3963/111) Washington Ave	0.43	2100	G	98%	1%	1%	0%	0%	0%	C	0.085	F	0.623	2200	G	2012
From: 111-3975 Maury St																
(3963/111) Washington Ave	0.44	2000	G	98%	1%	1%	0%	0%	0%	F	0.092	F		2100	G	2012
From: 111-3965; Fall Hill Ave																
To: Kenmore Avenue																
(3965/111) Prince Edward St	0.35	2200	G	99%	0%	0%	0%	0%	0%	F	0.109	F	0.752	2400	G	2012
From: William Street																
(3965/111) Prince Edward St	0.44	1800	G	99%	0%	0%	0%	0%	0%	C	0.102	F	0.751	1900	G	2012
From: Canal Street																
(3965/111) Fall Hill Avenue	0.10	2100	G	99%	0%	0%	0%	0%	0%	F	0.089	F	0.776	2200	G	2012
From: Maury Street																
(3965/111) Fall Hill Avenue	0.39	2900	G	99%	0%	0%	0%	0%	0%	F	0.094	F		3100	G	2012
From: Washington Street																
(3965/111) Fall Hill Avenue	0.15	8400	G	99%	0%	0%	0%	0%	0%	F	NA			9200	G	2012
From: Jefferson Davis Highway																
(3965/111) Fall Hill Avenue	1.59	15000	G	99%	0%	0%	0%	0%	0%	C	0.091	F	0.673	16000	G	2012
From: I-95																
(3965/111) Fall Hill Avenue	0.95	17000	G	99%	0%	0%	0%	0%	0%	C	0.088	F	0.642	18000	G	2012
From: WCL Fredericksburg																
(3967/111) Charles St	0.24	5500	G	98%	0%	1%	0%	0%	0%	F	0.082	F	0.542	5900	G	2012
From: Bus 17 Dixon St																
To: Bus US 1 LaFayette Blvd																
(3973/111) Sophia St	0.37	5000	G	99%	0%	0%	0%	0%	0%	C	0.098	F	0.516	5300	G	2012
From: Lafayette Blvd																
To: Bus SR 3 William St																
(3975/111) Maury St	0.14	2100	G	98%	0%	1%	0%	0%	0%	C	0.093	F	0.557	2200	G	2012
From: Washington St																
To: Fall Hill Avenue																
(3976/111) Westwood Dr	0.20	860	G	99%	1%	0%	0%	0%	0%	F	0.102	F	0.632	910	G	2012
From: Plank Rd																
To: Woodland Dr																
(3976/111) Woodland Rd	0.04	890	G	99%	1%	0%	0%	0%	0%	F	0.110	F	0.602	940	G	2012
From: Westwood Dr																
To: Falling Creek Rd																
(3976/111) Keenland Rd	0.36	920	G	99%	1%	0%	0%	0%	0%	C	0.121	F	0.653	980	G	2012
From: Cowan Boulevard																
To: Cowan Blvd																
(3976/111) Powhatan St	0.24	1500	G	99%	1%	0%	0%	0%	0%	C	0.097	F	0.846	1500	G	2012
From: Jefferson Davis Hwy																

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Fredericksburg																
Hays St		640	G			From: Mahone Dr				0.085	F	0.577	640	G	2012	
						To: Oakwood St										
Jackson St		970	G			From: Charlotte Street				0.097	F	0.667	970	G	2012	
						To: Wolfe Street										
Sophia St		2600	G			From: Fauquier St				0.097	F	0.911	2600	G	2012	
						To: Lewis St										
Summit St		100	G			From: Railroad Avenue				0.118	F	0.704	100	G	2012	
						To: White Street										
Twin Lakes Dr		3100	G			From: Goodloe Drive				0.093	F	0.514	3100	G	2012	
						To: Lafayette Blvd										