

**2015**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**61**

City of Suffolk

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

---

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route  
Bypass - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Isle of Wight County Line															
10 32	City of Suffolk	1.31	9200	G	95%	1%	1%	1%	2%	0%	F	0.09	0.614	9800	G	
	To: SR 125 Chuckatuck															
10 32	Godwin Blvd	0.87	12000	G	95%	1%	1%	1%	2%	0%	F	0.097	0.571	13000	G	
	From: 133-603 Everets Rd															
10 32	Godwin Blvd	4.81	12000	G	95%	1%	1%	1%	2%	0%	C	0.097	0.571	12000	G	
	To: 133-634 Kings Fork Rd															
10 32	Godwin Blvd	1.36	22000	G	95%	1%	1%	1%	2%	0%	F	0.089	0.510	24000	G	
	From: US 58 Suffolk Bypass															
10 32	Godwin Blvd	0.54	19000	G	95%	1%	1%	1%	2%	0%	F	0.084	0.513	21000	G	
	To: Pruden Blvd US 460															
10 460 32	City of Suffolk	1.49	26000	A	99%	0%	0%	0%	0%	0%	C	0.1	0.529	27000	A	
	From: Bus US 460, Bus US 58															
10 32 460	Main St	0.09	28000	G	99%	0%	1%	0%	0%	0%	F	0.087	0.502	29000	G	
	From: Bus US 460															
10 32 13	Main St	0.68	19000	G	99%	0%	1%	0%	0%	0%	F	0.079	0.561	20000	G	
	From: Bus US 58															
	To: Bus US 58, Bus US 460															
	To: SR 337 Washington St															
	From: North Carolina State Line															
13	Whaleyville Blvd	5.37	5000	A	88%	0%	1%	1%	11%	0%	C	0.098	0.628	4900	A	
	To: 133-616 Mineral Spring Rd															
13	Whaleyville Blvd	1.28	11000	G	88%	0%	1%	1%	11%	0%	F	0.071	0.553	11000	G	
	From: 133-677 Great Fork Rd															
13	Whaleyville Blvd	0.82	7900	G	88%	0%	1%	1%	11%	0%	F	0.086	0.672	7800	G	
	To: 133-675 Cypress Chapel Rd															
13	Whaleyville Blvd	2.22	8000	G	88%	0%	1%	1%	11%	0%	F	0.086	0.676	7800	G	
	From: 133-759 S, Liberty Spring Rd West															
13	Whaleyville Blvd	1.06	9400	G	88%	0%	1%	1%	11%	0%	F	0.087	0.676	9200	G	
	To: 133-759 N, Babbtown Rd															
13	Whaleyville Blvd	2.56	9900	G	88%	0%	1%	1%	11%	0%	F	0.087	0.698	9700	G	
	From: SR 32 Carolina Rd															
13 32	Carolina Rd	1.64	17000	G	88%	0%	1%	1%	11%	0%	F	0.085	0.703	16000	G	
	To: SR 32 Whaleyville Blvd															
13	Southwest Suffolk Bypass	2.80	12000	G	86%	1%	1%	2%	10%	0%	C	0.097	0.661	12000	G	
	From: Bus US 13, SR 32 Carolina Rd															
13 58	Suffolk Bypass	1.41	40000	G	85%	1%	1%	1%	13%	0%	F	0.085	0.620	39000	G	
	From: US 58 Holland Rd															
	To: Bus US 58															
	To: 61-604 Pitchkittle Rd															

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: 61-604 Pitchkittle Rd To: [ ]	City of Suffolk	1.88	43000	G	85%	1%	1%	1%	13%	0%	F	0.084	0.626	41000	G	
13 58 Suffolk Bypass																
From: US 460 Pruden Blvd To: [ ]	City of Suffolk	0.93	49000	G	92%	0%	1%	1%	6%	0%	F	0.077	0.647	50000	G	
13 58 460 Suffolk Bypass																
From: SR 10 SR 32 Godwin Blvd To: [ ]	City of Suffolk	1.87	58000	G	92%	0%	1%	1%	6%	0%	F	0.085	0.597	60000	G	
13 58 460 Suffolk Bypass																
From: 61-642 Wilroy Rd To: [ ]	City of Suffolk	2.30	49000	G	92%	0%	1%	1%	6%	0%	F	0.084	0.618	51000	G	
13 58 460 Suffolk Bypass																
From: Bus US 13, Bus US 58 Military Hwy To: [ ]	City of Suffolk	3.46	71000	G	92%	0%	1%	1%	6%	0%	F	0.086	0.621	74000	G	
13 58 460 Military Highway																
From: Bus US 13 To: [ ]	City of Suffolk	1.17	11000	G	88%	0%	1%	1%	11%	0%	F	0.082	0.676	10000	G	
Bus 13 32 Carolina Rd																
From: Old SCL Suffolk To: [ ]	City of Suffolk	0.54	11000	G	88%	0%	1%	1%	11%	0%	F	0.087	0.602	11000	G	
Bus 13 32 Carolina Rd																
From: Fayette St To: [ ]	City of Suffolk	0.34	9500	G	99%	0%	1%	0%	0%	0%	C	0.081	0.585	10000	G	
Bus 13 32 Main St																
From: Begin SR 10 To: [ ]	City of Suffolk	0.68	19000	G	99%	0%	1%	0%	0%	0%	F	0.079	0.561	20000	G	
Bus 13 32 10 Main St																
From: US 58; Bus US 460 To: [ ]	City of Suffolk	0.88	16000	G	97%	0%	1%	0%	2%	0%	F	0.08	0.566	17000	G	
Bus 13 58 460 Constance Rd																
From: Pinner St To: [ ]	City of Suffolk	1.60	16000	G	97%	0%	1%	0%	2%	0%	C	0.084	0.525	17000	G	
Bus 13 58 460 Portsmouth Blvd																
From: SR 337 Washington St To: [ ]	City of Suffolk	1.22	23000	G	96%	0%	1%	1%	2%	0%	C	0.081	0.579	25000	G	
Bus 13 58 460 Portsmouth Blvd																
From: US 13, US 58, US 460 To: [ ]	City of Suffolk	0.66	21000	G	99%	0%	1%	0%	0%	0%	F	0.088	0.539	22000	G	
17 Bridge Rd																
From: I-664; SR 164 Western Freeway To: [ ]	City of Suffolk	1.81	35000	G	97%	0%	0%	1%	1%	0%	F	0.093	0.597	38000	G	
17 Bridge Rd																
From: 133-626 Knots Neck Road; Shoulders Hill Rd To: [ ]	City of Suffolk	1.54	27000	G	97%	0%	0%	1%	1%	0%	F	0.093	0.577	29000	G	
17 Bridge Rd																
From: 133-627 Bennetts Pasture Rd To: [ ]	City of Suffolk	2.47	19000	G	97%	0%	0%	1%	1%	0%	F	0.093	0.536	20000	G	
17 Bridge Rd																
From: 133-628 Crittenden Rd To: [ ]	City of Suffolk	1.17	15000	G	97%	0%	0%	1%	1%	0%	F	0.103	0.544	16000	G	
17 Bridge Rd																
From: Isle of Wight County Line To: [ ]	City of Suffolk															



Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
17 Ramp	From: US 17-S034A TO ROUTE															
	City of Suffolk (Maint: 61)	0.13	13000	G							0.091			13000	G	
North 17 Ramp	From: US 17 TO ROUTE 664 EASTSOUTH															
	City of Suffolk (Maint: 61)	0.03	4900	G							0.092			4900	G	
South 17 Ramp	From: US 17 TO ROUTE 664 EASTSOUTH															
	City of Suffolk (Maint: 61)	0.05	7800	G							0.092			7800	G	
32 Carolina Rd	From: North Carolina State Line															
	City of Suffolk	2.89	3600	G	91%	1%	1%	1%	7%	0%	C	0.1	0.788	3800	G	
32 Carolina Rd	From: 133-642 Adams Swamp Rd															
	City of Suffolk	2.07	3900	G	91%	1%	1%	1%	7%	0%	F	0.096	0.765	4200	G	
32 Carolina Rd	From: 133-675 Cypress Chapel Rd															
	City of Suffolk	1.40	4300	G	91%	1%	1%	1%	7%	0%	C	0.097	0.737	4600	G	
32 Carolina Rd	From: 133-759 Babtown Rd															
	City of Suffolk	0.65	4400	G	91%	1%	1%	1%	7%	0%	F	0.094	0.764	4700	G	
32 Carolina Rd	From: 133-647 Copeland Rd															
	City of Suffolk	2.45	4500	G	91%	1%	1%	1%	7%	0%	F	0.096	0.737	4800	G	
32 13 Carolina Rd	From: US 13 South of Suffolk															
	City of Suffolk	1.64	17000	G	88%	0%	1%	1%	11%	0%	F	0.085	0.703	16000	G	
32 13 Carolina Rd	From: 61-731 Dill Rd															
	City of Suffolk	1.17	11000	G	88%	0%	1%	1%	11%	0%	F	0.082	0.676	10000	G	
32 13 Carolina Rd	From: Old SCL Suffolk															
	City of Suffolk	0.54	11000	G	88%	0%	1%	1%	11%	0%	F	0.087	0.602	11000	G	
32 13 Main St	From: Bus US 58 Constance Rd															
	City of Suffolk	0.34	9500	G	99%	0%	1%	0%	0%	0%	C	0.081	0.585	10000	G	
32 13 10 Main St	From: SR 337 Washington St															
	City of Suffolk	0.68	19000	G	99%	0%	1%	0%	0%	0%	F	0.079	0.561	20000	G	
32 460 10 Main St	From: Bus US 58, Bus US 460															
	City of Suffolk	0.09	28000	G	99%	0%	1%	0%	0%	0%	F	0.087	0.502	29000	G	
32 460 10	From: Old NCL of Suffolk															
	City of Suffolk	1.49	26000	A	99%	0%	0%	0%	0%	0%	C	0.1	0.529	27000	A	
32 10 Godwin Blvd	From: SR 10 Elephant Fork															
	City of Suffolk	0.54	19000	G	95%	1%	1%	1%	2%	0%	F	0.084	0.513	21000	G	
	From: Bus US 460															
	From: US 58 Suffolk Bypass															

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: US 58 Suffolk Bypass															
32 10	Godwin Blvd	City of Suffolk	1.36	22000	G	95%	1%	1%	1%	2%	0%	F	0.089	0.510	24000	G
	To: 61-634 Kings Fork Rd															
32 10	Godwin Blvd	City of Suffolk	4.81	12000	G	95%	1%	1%	1%	2%	0%	C	0.097	0.571	12000	G
	To: 61-603 Everets Rd															
32 10	Godwin Blvd	City of Suffolk	0.87	12000	G	95%	1%	1%	1%	2%	0%	F	0.097	0.571	13000	G
	To: SR 125 Chuckatuck															
32 10		City of Suffolk	1.31	9200	G	95%	1%	1%	1%	2%	0%	F	0.09	0.614	9800	G
	To: Isle of Wight County Line															
	From: Southampton County Line															
58 258	Franklin Bypass	City of Suffolk	1.27	21000	G	85%	1%	1%	1%	13%	0%	F	0.079	0.574	20000	G
	To: US 258															
58	Franklin Bypass	City of Suffolk	0.18	18000	N	85%	1%	1%	1%	13%	0%	N	0.077	0.532	17000	N
	To: SR 189															
58 189 189	Franklin Bypass	City of Suffolk	1.01	18000	G	85%	1%	1%	1%	13%	0%	F	0.077	0.532	17000	G
	To: SR 272 South Quay Rd															
58 189 189	S Quay Rd	City of Suffolk	4.23	20000	G	85%	1%	1%	1%	13%	0%	F	0.077	0.6	19000	G
	To: SR 189 S Quay Rd															
58	Holland Bypass	City of Suffolk	1.05	20000	G	85%	1%	1%	1%	13%	0%	F	0.081	0.579	19000	G
	To: Bus US 58															
58	Holland Rd	City of Suffolk	1.32	25000	G	85%	1%	1%	1%	13%	0%	F	0.080	0.564	23000	G
	To: 133-610 W. Buckhorn Rd															
58		City of Suffolk	2.77	24000	G	85%	1%	1%	1%	13%	0%	F	0.081	0.578	23000	G
	To: 133-647 E. Lummis Rd															
58	Holland Rd	City of Suffolk	2.05	26000	G	85%	1%	1%	1%	13%	0%	F	0.080	0.592	24000	G
	To: 133-643 Manning Bridge Rd															
58	Holland Rd	City of Suffolk	0.67	28000	G	85%	1%	1%	1%	13%	0%	F	0.082	0.564	27000	G
	To: 133-738 Kenyon Rd															
58	Holland Rd	City of Suffolk	0.38	31000	G	85%	1%	1%	1%	13%	0%	F	0.080	0.565	30000	G
	To: Cove Point Rd															
58	Holland Rd	City of Suffolk	1.15	33000	G	85%	1%	1%	1%	13%	0%	F	0.081	0.554	31000	G
	To: US 13 Southwest Suffolk Bypass															
	From: Bus US 58															
58 13	Suffolk Bypass	City of Suffolk	1.41	40000	G	85%	1%	1%	1%	13%	0%	F	0.085	0.620	39000	G
	To: 133-604 Pitchkittle Rd															
58 13	Suffolk Bypass	City of Suffolk	1.88	43000	G	85%	1%	1%	1%	13%	0%	F	0.084	0.626	41000	G
	To: US 460 Pruden Blvd															
58 13 460	Suffolk Bypass	City of Suffolk	0.93	49000	G	92%	0%	1%	1%	6%	0%	F	0.077	0.647	50000	G
	To: SR 10, SR 32 Godwin Blvd															

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: SR 10, SR 32 Godwin Blvd 58 13 460 Suffolk Bypass	City of Suffolk	1.87	58000	G	92%	0%	1%	1%	6%	0%	F	0.085	0.597	60000	G	
To: 133-642 Wilroy Rd																
From: 133-642 Wilroy Rd 58 13 460 Suffolk Bypass	City of Suffolk	2.30	49000	G	92%	0%	1%	1%	6%	0%	F	0.084	0.618	51000	G	
To: Bus US 13, Bus US 58 Military Hwy																
From: Bus US 58 Military Hwy Eastbound 58 13 460 Military Highway	City of Suffolk	3.46	71000	G	92%	0%	1%	1%	6%	0%	F	0.086	0.621	74000	G	
To: WCL Chesapeake																
From: US 58 TO RTE 189 East 58 258 Ramp	City of Suffolk	0.17	560	G								0.111		560	G	
To: US 58-E451B TO RTE 189 SOUTH																
From: US 58-E451B TO RTE 189 SOUTH East 58 258 Ramp	City of Suffolk	0.05	230	G								0.113		230	G	
To: 1SR 189-P FROM RTE 58 EAST																
From: US 58-E451A TO RTE 189 SOUTH East 58 Ramp	City of Suffolk	0.03	240	G								0.138		240	G	
To: 1SR 189-P FROM RTE 58 EAST																
From: US 58 TO RTE 258 & 189 West 58 Ramp	City of Suffolk	0.19	440	G								0.143		440	G	
To: US 58-W451B TO RTE 258 & 189																
From: US 58-W451B TO RTE 258 & 189 West 58 189 Ramp	City of Suffolk	0.03	110	G								0.169		110	G	
To: US 258 Gap TO																
From: US 58-W451A TO RTE 258 & 189 West 58 Ramp	City of Suffolk	0.06	320	G								0.134		320	G	
To: US 258 US 258-W013A TO & FROM RTE 5																
From: Isle of Wight County Line Bus 58 Ruritan Blvd	City of Suffolk	2.65	2200	G	96%	1%	1%	1%	1%	0%	C	0.102	0.608	2400	G	
To: SR 189																
From: SR 189 Bus 58 Holland Rd	City of Suffolk	0.26	2500	G	96%	1%	1%	1%	1%	0%	F	0.091	0.654	2600	G	
To: 133-653 Dutch Rd; Glen Haven Drive																
From: 133-653 Dutch Rd; Glen Haven Drive Bus 58 Holland Rd	City of Suffolk	0.46	3300	G	96%	1%	1%	1%	1%	0%	C	0.096	0.667	3500	G	
To: US 58																
From: US 58 East of Holland Bus 58 Holland Rd	City of Suffolk	0.05	9500	G	96%	1%	1%	1%	1%	0%	F	0.095	0.569	10000	G	
To: 133-1722 Kilby Shores Rd																
From: 133-1722 Kilby Shores Rd Bus 58 Holland Rd	City of Suffolk	1.79	8700	G	96%	1%	1%	1%	1%	0%	C	0.094	0.647	9200	G	
To: SR 337 Constance Rd																
From: SR 337 Holland Rd Bus 58 Constance Rd	City of Suffolk	0.29	8500	G	98%	0%	1%	0%	1%	0%	F	0.086	0.547	9000	G	
To: WCL Suffolk Pitchkettle Rd																

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: WCL Suffolk Pitchkettle Rd																
Bus 58 Constance Rd	City of Suffolk	0.86	9700	G	98%	0%	1%	0%	1%	0%	C	0.081	0.53	10000	G	
To: SR 32 Main St																
From: SR 32 Main St																
Bus Bus Bus 58 13 460 Constance Rd	City of Suffolk	0.88	16000	G	97%	0%	1%	0%	2%	0%	F	0.08	0.566	17000	G	
To: Pinner Street																
From: Pinner Street																
Bus Bus Bus 58 13 460 Portsmouth Blvd	City of Suffolk	1.60	16000	G	97%	0%	1%	0%	2%	0%	C	0.084	0.525	17000	G	
To: SR 337 Washington St																
From: SR 337 Washington St																
Bus Bus Bus 58 13 460 Portsmouth Blvd	City of Suffolk	1.22	23000	G	96%	0%	1%	1%	2%	0%	C	0.081	0.579	25000	G	
To: US 58																
From: SR 10: SR 32 Godwin Blvd																
125 Kings Hwy	City of Suffolk	0.69	3100	G	96%	1%	2%	1%	1%	0%	C	0.091	0.696	3400	G	
To: 133-628 Crittenden Rd																
From: 133-628 Crittenden Rd																
125 Kings Hwy	City of Suffolk	1.09	570	G	96%	1%	2%	1%	1%	0%	F	0.091	0.696	610	G	
To: 133-620 Ferry Point Rd																
From: 133-620 Ferry Point Rd																
125 Kings Hwy	City of Suffolk	0.91	280	G	96%	1%	2%	1%	1%	0%	F	0.108	0.608	300	G	
To: Dead End																
From: Dead End @ Nansemond River																
125 Kings Hwy	City of Suffolk	1.34	620	G	96%	1%	2%	1%	1%	0%	F	0.102	0.623	660	G	
To: 133-629 W, Sleepy Hole Rd																
From: 133-629 W, Sleepy Hole Rd																
125 Kings Hwy	City of Suffolk	1.22	830	G	96%	1%	2%	1%	1%	0%	F	0.104	0.626	890	G	
To: 133-627 Bennetts Pasture Rd																
From: 133-627 Bennetts Pasture Rd																
125 Kings Hwy	City of Suffolk	0.48	2900	G	96%	1%	2%	1%	1%	0%	F	0.091	0.696	3100	G	
To: SR 337 Nansemond Parkway																
From: US 17 Bridge Rd																
135 College Dr	City of Suffolk	0.20	17000	G	98%	1%	0%	0%	0%	0%	F	0.088	0.500	18000	G	
To: SR 164 Western Freeway																
From: SR 164 Western Freeway																
135 College Dr	City of Suffolk	0.65	17000	G	98%	0%	1%	0%	1%	0%	F	0.093	0.510	18000	G	
To: 133-658 Towne Point Rd																
From: 133-658 Towne Point Rd																
135 College Dr	City of Suffolk	0.76	21000	G	98%	0%	1%	0%	1%	0%	C	0.084	0.596	22000	G	
To: I-664																
From: I-664																
135 College Dr	City of Suffolk	0.59	8200	G	93%	1%	1%	1%	4%	0%	C	0.093	0.633	8700	G	
To: SR 367 Tidewater Community College																
From: SR 135 TO I-664																
North 135 Ramp	City of Suffolk (Maint: 61)	0.37	4200	G								0.096		4200	G	
To: I-664-W FROM RT 135																
From: I-664-W FROM RT 135																
North 135 Ramp	City of Suffolk (Maint: 61)	0.12	3200	G								0.131		3200	G	
To: I-664-E FROM RT 135																
From: I-664-E FROM RT 135																

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 135 Ramp	From: SR 135 TO I-664 City of Suffolk (Maint: 61) To: I-664-W FROM RT 135	0.16	1100	G							0.108			1100	G	
South 135 Ramp	From: TO ROUTE 664 EAST City of Suffolk (Maint: 61) To: I-664-E FROM ROUTE 135 SOUTH	0.40	1600	G							0.124			1600	G	
164 Western Freeway	From: US 17 Bridge Road City of Suffolk (Maint: 61) To: I-664	0.84	20000	G	94%	0%	0%	1%	4%	0%	F	0.086	0.715	23000	G	
164 Western Freeway	From: SR 135 College Dr City of Suffolk (Maint: 61) To: WCL Portsmouth	0.64	40000	G	94%	0%	0%	1%	4%	0%	F	0.091	0.580	45000	G	
164 Western Freeway	From: SR 164 TO ROUTE 664 WESTNORTH City of Suffolk (Maint: 61) To: I-664-W FROM ROUTE 164 EAST	0.02	49000	A	94%	0%	0%	1%	4%	0%	C	0.102	0.54	55000	A	
East 164 Ramp	From: SR 164 TO ROUTE 664 EASTSOUTH City of Suffolk (Maint: 61) To: I-664-E FROM ROUTE 165 WEST	0.20	2100	G	94%	0%	0%	1%	4%	0%	F	0.172		2100	G	
West 164 Ramp	From: SR 164 TO ROUTE 664 WESTNORTH City of Suffolk (Maint: 61) To: I-664-W FROM ROUTE 164 WEST	0.22	8100	G	94%	0%	0%	1%	4%	0%	F	0.092		8100	G	
West 164 Ramp	From: Southhampton County Line City of Suffolk To: 133-666 Gates Rd	1.36	1700	G	98%	0%	1%	0%	0%	1%	C	0.102	0.718	1800	G	
189 Great Mill Rd	From: SR 272 South Quay Rd City of Suffolk To: US 58	0.82	3600	G	98%	0%	1%	0%	1%	0%	F	0.087	0.659	3800	G	
189 Great Mill Hwy	From: Ramp To US 58 City of Suffolk To: Ramp From SR 189	0.55	2400	G	98%	0%	1%	0%	1%	0%	F	0.087	0.659	2500	G	
189 189 Ramp	From: US 58 City of Suffolk To: SR 272	0.08			See VA 189 for directional traffic volume estimates for this segment.											
189 189 Ramp	From: SR 189 S Quay Rd City of Suffolk To: US 58 Holland Bypass	0.26	600	G								0.122		600	G	
189 58 189 Franklin Bypass	From: US 58 Holland Bypass City of Suffolk To: Cumberland Lane	1.01	18000	G	85%	1%	1%	1%	13%	0%	F	0.077	0.532	17000	G	
189 58 189 S Quay Rd	From: SR 189 S Quay Rd City of Suffolk To: US 58 Holland Bypass	4.23	20000	G	85%	1%	1%	1%	13%	0%	F	0.077	0.6	19000	G	
189 S Quay Rd	From: US 58 Holland Bypass City of Suffolk To: Cumberland Lane	0.37	680	G	90%	1%	2%	3%	3%	0%	C	0.094	0.558	720	G	













Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
189 S Quay Rd	From: Cumberland Lane															
	City of Suffolk	0.12	870	G	90%	1%	2%	3%	3%	0%	F	0.101	0.593	930	G	
	To: Bus US 58															
189 Ramp	From: SR 189-S005A TO RTE 58															
	City of Suffolk	0.26	600	G								0.122		600	G	
	To: US 58 FROM RTE 189															
North 189 Ramp	From: SR 189; 1SR 189-P TO RT 58 EAST															
	City of Suffolk	0.08	320	G								0.141		320	G	
	To: SR 189-S005A TO RTE 58															
South 189 Ramp	From: 1SR 189-P TO RTE 58 EAST															
	City of Suffolk	0.05	280	G								0.111		280	G	
	To: SR 189-N005A SR 189- 5A TO RTE 58															
189 58 Ramp	From: US 58-W451B TO RTE 258 & 189															
	City of Suffolk	0.03														
	To: US 258 Gap TO															
189 58 189 Franklin Bypass	From: SR 189															
	City of Suffolk	1.01	18000	G	85%	1%	1%	1%	13%	0%	F	0.077	0.532	17000	G	
	To: SR 272 South Quay Rd															
189 58 189 S Quay Rd	From: SR 189															
	City of Suffolk	4.23	20000	G	85%	1%	1%	1%	13%	0%	F	0.077	0.6	19000	G	
	To: SR 189															
258 58 Franklin Bypass	From: Southampton County Line															
	City of Suffolk	1.27	21000	G	85%	1%	1%	1%	13%	0%	F	0.079	0.574	20000	G	
	To: US 58 Franklin Bypass															
258 58 Ramp	From: x															
	City of Suffolk	0.17														
	To: x															
258 58 Ramp	From: US 58-E451B TO RTE 189 SOUTH															
	City of Suffolk	0.05														
	To: 1SR 189-P FROM RTE 58 EAST															
258 Great Mill Rd	From: US 58 Franklin Bypass; SR 189															
	City of Suffolk	0.97	2500	G	55%	1%	1%	6%	37%	0%	C	0.084	0.515	2700	G	
	To: NCL Suffolk															
258 258 Ramp	From: US 258-W013A TO RTE 58															
	City of Suffolk	0.19	350	G									0.123	350	G	
	To: US 58 FROM RTE 258 & 189															
East 258 Ramp	From: US 258 Gap TO															
	City of Suffolk	0.04	310	G									0.116	310	G	
	To: US 258-W013A TO RTE 58															
West 258 258 Ramp	From: US 258 US 58-W451B TO & FROM RTE 5															
	City of Suffolk	0.07	320	G									0.134	320	G	
	To: US 258-E013A US 258- 13A TO RTE 58															

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
258 258 Ramp	From:	US 258-W013A TO RTE 58														
	City of Suffolk	0.19	350	G							0.123			350	G	
258 258 Ramp	To:	US 58 FROM RTE 258 & 189														
	From:	US 258 US 58-W451B TO & FROM RTE 5														
City of Suffolk	0.07														See US 258 for directional traffic volume estimates for this segment.	
272 South Quay Rd	To:	US 258-E013A US 258- 13A TO RTE 58														
	From:	SR 189														
City of Suffolk	1.24	1500	G	95%	0%	1%	3%	1%	0%	C	0.108		0.783	1600	G	
337 Washington St	To:	US 58 South Quay Rd														
	From:	Bus US 58 Constance Rd														
City of Suffolk	0.34	6700	G	97%	1%	1%	0%	0%	0%	F	0.087		0.575	7200	G	
337 Washington St	To:	Broad St														
	From:	SR 32 Main St														
City of Suffolk	0.59	6800	G	97%	1%	1%	0%	0%	0%	C	0.088		0.57	7300	G	
337 Washington St	To:	Pinner St														
	From:	Old ECL Suffolk														
City of Suffolk	0.20	7000	G	97%	1%	1%	0%	0%	0%	C	0.077		0.534	7500	G	
337 Washington St	To:	Bus US 58 Portsmouth Blvd														
	From:	133-642 Wilroy Rd														
City of Suffolk	3.03	4000	G	95%	2%	1%	1%	0%	0%	C	0.099		0.547	4200	G	
337 Nansemond Parkway	To:	Whitley Lane														
	From:	SR 125 Kings Hwy														
City of Suffolk	1.40	10000	G	95%	2%	1%	1%	0%	0%	F	0.096		0.533	11000	G	
337 Nansemond Parkway	To:	WCL Chesapeake														
	From:	Isle of Wight County Line														
City of Suffolk	3.08	17000	G	83%	1%	1%	1%	14%	0%	F	0.091		0.635	16000	G	
460 Pruden Blvd	To:	133-604 Lake Prince Dr; Providence Rd														
	From:	133-634 Kings Fork Rd														
City of Suffolk	0.54	19000	G	83%	1%	1%	1%	14%	0%	F	0.09		0.620	18000	G	
460 Pruden Blvd	To:	US 58, BUS US 460; Suffolk Bypass														
	From:	US 58, BUS US 460, Purden Blvd														
City of Suffolk	1.47	25000	G	83%	1%	1%	1%	14%	0%	F	0.091		0.635	23000	G	
460 58 13 Suffolk Bypass	To:	SR 10 SR 32 Godwin Blvd														
	From:	61-642 Wilroy Rd														
City of Suffolk	0.93	49000	G	92%	0%	1%	1%	6%	0%	F	0.077		0.647	50000	G	
460 58 13 Suffolk Bypass	To:															
	From:															
City of Suffolk	1.87	58000	G	92%	0%	1%	1%	6%	0%	F	0.085		0.597	60000	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
	From:	61-642 Wilroy Rd															
 Suffolk Bypass	City of Suffolk	2.30	<b>49000</b>	<b>G</b>	92%	0%	1%	1%	6%	0%	F	0.084		0.618	51000	G	
	To:	Bus US 13, Bus US 58 Military Hwy															
	From:	XXX Bus US 13, Bus US 58 Military Hwy															
 Military Highway	City of Suffolk	3.46	<b>71000</b>	<b>G</b>	92%	0%	1%	1%	6%	0%	F	0.086		0.621	74000	G	
	To:	WCL Chesapeake															
	From:	US 58, US 460															
 Bus	City of Suffolk	1.11	<b>10000</b>	<b>G</b>	99%	0%	0%	0%	0%	0%	F	0.092		0.630	11000	G	
	To:	SR 10, SR 32															
	From:	SR 10, SR 32															
 Bus	City of Suffolk	1.49	<b>26000</b>	<b>A</b>	99%	0%	0%	0%	0%	0%	C	0.1		0.529	27000	A	
	To:	Old NCL Suffolk															
	From:	Old NCL Suffolk															
 Bus	City of Suffolk	0.09	<b>28000</b>	<b>G</b>	99%	0%	1%	0%	0%	0%	F	0.087		0.502	29000	G	
	To:	US 13, BUS US 58, SR 32															
	From:	US 13, BUS US 58, SR 32															
 Bus	City of Suffolk	0.88	<b>16000</b>	<b>G</b>	97%	0%	1%	0%	2%	0%	F	0.08		0.566	17000	G	
	To:	Pinner St															
	From:	Pinner St															
 Bus	City of Suffolk	1.60	<b>16000</b>	<b>G</b>	97%	0%	1%	0%	2%	0%	C	0.084		0.525	17000	G	
	To:	SR 337 Washington St															
	From:	SR 337 Washington St															
 Bus	City of Suffolk	1.22	<b>23000</b>	<b>G</b>	96%	0%	1%	1%	2%	0%	C	0.081		0.579	25000	G	
	To:	US 58															
	From:	US 58															
 Ramp	City of Suffolk (Maint: 61)	0.13	<b>NA</b>									NA			NA		
	To:	SR 164 FROM ROUTE 664															
	From:	SR 164 FROM ROUTE 664															
	From:	ECL Newport News															
 East	City of Suffolk (Maint: 61)	3.05	<b>31000</b>	<b>A</b>	94%	0%	1%	1%	4%	0%	F	0.115			33000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>62000</b> <b>A</b> 94% 0% 1% 1% 4% 0%																
	<i>East I-664 is signed as South I-664</i>																
	To:	SR 135 College Dr															
	From:	SR 135 College Dr															
 East	City of Suffolk (Maint: 61)	1.38	<b>31000</b>	<b>A</b>	94%	0%	1%	1%	4%	0%	C	0.120			34000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>64000</b> <b>A</b> 94% 0% 1% 1% 4% 0%																
	<i>East I-664 is signed as South I-664</i>																
	To:	SR 164 Western Freeway															
	From:	SR 164 Western Freeway															
 East	City of Suffolk (Maint: 61)	0.58	<b>27000</b>	<b>G</b>	94%	0%	1%	1%	4%	0%	F	0.111			29000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>56000</b> <b>G</b> 94% 0% 1% 1% 4% 0%																
	<i>East I-664 is signed as South I-664</i>																
	To:	US 17 Bridge Rd															



Virginia Department of Transportation  
 Traffic Engineering Division  
 2015  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 664	From: US 17 Bridge Rd Hampton Roads Beltway City of Suffolk (Maint: 61)	0.62	38000	G	94%	0%	1%	1%	4%	0%	F	0.095		41000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			77000	G	94%	0%	1%	1%	4%	0%	F	0.091	F	0.591	83000	G
<i>East I-664 is signed as South I-664</i>																
East 664	To: ECL Chesapeake Ramp City of Suffolk (Maint: 61)	0.26	1800	G								0.159		1800	G	
East 664	To: SR 135 N, College Dr Ramp City of Suffolk (Maint: 61)	0.21	4100	G								0.102		4100	G	
East 664	To: SR 135 FROM I-664 Ramp City of Suffolk (Maint: 61)	0.23	10000	G								0.108		10000	G	
East 664	To: I-664 East Exit 9B to SR 164 East Ramp City of Suffolk (Maint: 61)	0.18	NA									NA		NA		
East 664	To: SR 164 FROM ROUTE 66 Ramp City of Suffolk (Maint: 61)	0.46	NA									NA		NA		
West 664	From: ECL Newport News Monitor Merrimac Memorial Bridge Tunnel City of Suffolk (Maint: 61)	3.46	32000	A	94%	0%	1%	1%	4%	0%	F	0.111		34000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			62000	A	94%	0%	1%	1%	4%	0%	F	0.102	A	0.555	67000	A
<i>West I-664 is signed as North I-664</i>																
West 664	To: SR 135 College Dr Hampton Roads Beltway City of Suffolk (Maint: 61)	1.04	32000	A	94%	0%	1%	1%	4%	0%	C	0.116		35000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			64000	A	94%	0%	1%	1%	4%	0%	C	0.101	A	0.564	69000	A
<i>West I-664 is signed as North I-664</i>																
West 664	To: SR 164 Western Freeway Hampton Roads Beltway City of Suffolk (Maint: 61)	0.40	28000	G	94%	0%	1%	1%	4%	0%	F	0.116		31000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			56000	G	94%	0%	1%	1%	4%	0%	F	0.101	A	0.564	60000	G
<i>West I-664 is signed as North I-664</i>																
West 664	To: US 17 Bridge Rd Hampton Roads Beltway City of Suffolk (Maint: 61)	0.57	39000	G	94%	0%	1%	1%	4%	0%	F	0.083		42000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			77000	G	94%	0%	1%	1%	4%	0%	F	0.091	F	0.591	83000	G
<i>West I-664 is signed as North I-664</i>																
West 664	To: ECL Chesapeake Ramp City of Suffolk (Maint: 61)	0.16	1500	G								0.129		1500	G	
To: SR 135 RAMP FR I-664 FROM I-664																

Virginia Department of Transportation  
 Traffic Engineering Division  
 2015  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Nansemond Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 664 Ramp	From: I-664-W TO RT 135 City of Suffolk (Maint: 61) To: SR 135 FROM RTE 664	0.26	3500	G							0.12			3500	G	
West 664 Ramp	From: I-664-W TO INSPECTION STATION City of Suffolk (Maint: 61) To: I-664-W FROM INSPECTION STATION	0.26	360	G							0.119			360	G	
West 664 Ramp	From: I-664-W TO ROUTE 164 City of Suffolk (Maint: 61) To: SR 164 FROM ROUTE 664 WESTNORTH	0.24	7300	G							0.083			7300	G	
West 664 Ramp	From: I-664-W TO ROUTES 17 SOUTH & 164 EAST City of Suffolk (Maint: 61) To: I-664-W009C TO ROUTE 17 SOUTH	0.11	12000	G							0.078			12000	G	
West 664 Ramp	From: I-664-W009C TO ROUTE 17 SOUTH City of Suffolk (Maint: 61) To: I-664-E009B I-664- 9B TO ROUTE	0.17	NA								NA			NA		
West 664 Ramp	From: I-664-W009B TO ROUTE 17 SOUTH City of Suffolk (Maint: 61) To: US 17 FROM ROUTE 664 WESTNORTH	0.11	NA								NA			NA		

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Nansemond Maintenance Area</b>																
From: 690 46	Ennis Mill Rd	0.20	130	R							NA			NA		04/21/2011
To: 690 46	Ennis Mill Rd	0.10	350	R							NA			NA		04/21/2011
<b>City of Suffolk</b>																
From: 602 133	Kirk Rd	0.60	400	G	98%	0%	0%	1%	0%	0%	C	0.126	0.667	420	G	2015
To: 602 133	Kirk Rd															
From: 603 133	Everets Rd	0.30	1900	N	98%	0%	0%	1%	0%	0%	N	0.112	0.719	2000	N	2015
To: 603 133	Everets Rd	1.97	1900	G	98%	0%	0%	1%	0%	0%	C	0.112	0.719	2000	G	2015
From: 603 133	Everets Rd	0.97	1800	G	98%	0%	0%	1%	0%	0%	C	0.111	0.684	1900	G	2015
To: 603 133	Everets Rd															
From: 604 133	Desert Rd	6.91	220	G								0.13	0.895	220	G	2015
To: 604 133	Hosier Rd	1.54	500	G	96%	2%	2%	0%	0%	0%	F	0.115	0.743	530	G	2015
From: 604 133	Hosier Rd	4.11	660	G	96%	2%	2%	0%	0%	0%	C	0.116	0.785	700	G	2015
To: 604 133	Factory St	0.06	3000	G	96%	2%	2%	0%	0%	0%	F	0.091	0.598	3200	G	2015
From: 604 133	Pitchkettle Rd	1.30	4000	G	97%	1%	1%	0%	1%	0%	C	0.114	0.597	4200	G	2015
To: 604 133	Pitchkettle Rd	2.55	2700	G	97%	1%	1%	0%	1%	0%	F	0.127	0.584	2900	G	2015
From: 604 133	Providence Rd	0.51	1500	G	97%	1%	1%	0%	1%	0%	C	0.123	0.592	1600	G	2015
To: 604 133	Lake Prince Dr	0.78	2200	G	97%	1%	1%	0%	1%	0%	C	0.103	0.579	2400	G	2015
From: 604 133	Lake Prince Dr	3.16	1300	G	97%	1%	1%	0%	1%	0%	F	0.108	0.531	1400	G	2015
To: 604 133	Milford Lane	1.50	100	G								0.146	0.677	100	G	2015
From: 610 133	Buckhorn Rd	3.30	390	G	95%	1%	2%	2%	0%	0%	C	0.121	0.510	410	G	2015
To: 610 133	Buckhorn Rd	1.70	300	G	95%	1%	2%	2%	0%	0%	F	0.114	0.775	320	G	2015
From: 611 133	Gardner Lane	1.40	440	G								0.109	0.520	440	G	2015
To: 611 133	O'Kelly Dr	4.90	370	G	98%	0%	1%	1%	1%	0%	F	0.11	0.682	390	G	2015
From: 612 133	Kingsdale Rd	3.20	180	G	98%	0%	1%	1%	1%	0%	F	0.110	0.568	190	G	2015
To: 612 133	Kingsdale Rd	0.20	80	G	98%	0%	1%	1%	1%	0%	C	0.182	0.571	90	G	2015

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
613 133	Leafwood Rd	1.50	730	G							0.145		0.608	730	G	2015
616 133	Holy Neck Rd	2.20	730	G	91%	3%	4%	1%	1%	0%	F	0.095	0.516	780	G	2015
616 133	Holy Neck Rd	2.77	220	G	91%	3%	4%	1%	1%	0%	C	0.099	0.52	240	G	2015
616 133	Vicksburg Rd	1.69	220	G	91%	3%	4%	1%	1%	0%	F	0.109	0.556	230	G	2015
616 133	Longstreet Lane	0.10	440	G	91%	3%	4%	1%	1%	0%	F	0.110	0.658	470	G	2015
616 133	Mineral Spring Rd	3.43	520	G	91%	3%	4%	1%	1%	0%	F	0.109	0.638	560	G	2015
616 133	Mineral Spring Rd	1.48	400	G	91%	3%	4%	1%	1%	0%	F	0.096	0.605	420	G	2015
616 133	Wedgewood Rd	2.10	140	G							0.136		0.55	140	G	2015
623 133	Respass Beach Rd	1.69	5300	G							0.114		0.621	5300	G	2015
626 133	Shoulders Hill Rd	1.44	8100	G	97%	1%	1%	0%	0%	0%	C	0.111	0.531	8600	G	2015
626 133	Shoulders Hill Rd	1.63	12000	G	97%	1%	1%	0%	0%	0%	F	0.107	0.606	13000	G	2015
627 133	Bennetts Pasture Rd	1.36	5100	G	97%	2%	1%	0%	0%	0%	F	0.105	0.554	5400	G	2015
627 133	Bennetts Pasture Rd	3.51	9500	G	97%	2%	1%	0%	0%	0%	C	0.098	0.585	10000	G	2015
628 133	Crittenden Rd	5.26	2900	G	96%	1%	2%	1%	1%	0%	C	0.102	0.55	3100	G	2015
632 133	Old Myrtle Rd	5.70	600	G							0.131		0.679	600	G	2015
634 133	Kings Fork Rd	2.27	440	G	97%	1%	1%	0%	0%	0%	F	0.11	0.68	470	G	2015
634 133	Kings Fork Rd	1.70	1700	G	97%	1%	1%	0%	0%	0%	C	0.102	0.694	1800	G	2015
634 133	Kings Fork Rd	0.64	2400	G	97%	2%	1%	0%	0%	0%	C	0.112	0.547	2500	G	2015
634 133	Kings Fork Rd	2.27	4600	G	97%	2%	1%	0%	0%	0%	F	0.116	0.644	4900	G	2015
638 133	Murphys Mill Rd	1.25	540	G							0.111		0.627	540	G	2015
639 133	Lake Cohoon Rd	0.42	1500	G	97%	0%	1%	1%	1%	0%	C	0.113	0.533	1600	G	2015

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>City of Suffolk</b>																	
642 133 Adams Swamp Rd	3.32	370	G	97%	1%	1%	1%	1%	0%	C	0.114		0.696	400	G	2015	
						From: North Carolina State Line											
						To: SR 32 S, Carolina Rd											
642 133 White Marsh Rd	1.84	490	G	96%	2%	2%	0%	0%	0%	C	0.113		0.919	520	G	2015	
						From: 133-675 S, Cypress Chappel Rd											
						To: 133-604 Hosier Rd; Desert Rd											
642 133 White Marsh Rd	1.95	460	G	96%	2%	2%	0%	0%	0%	F	0.124		0.690	490	G	2015	
						From: 133-674 Badger Rd											
						To: 133-674 Badger Rd											
642 133 White Marsh Rd	2.80	600	G	98%	0%	1%	0%	0%	0%	F	0.123		0.711	630	G	2015	
						From: 2.80 MN 133-674 Badger Rd											
						To: 133-1125 Seminole Dr											
642 133 White Marsh Rd	0.79	810	G	98%	0%	1%	0%	0%	0%	F	0.109		0.670	870	G	2015	
						From: 133-1125 Seminole Dr											
						To: Old ECL Suffok; SR 337 Washington St											
642 133 Wilroy Rd	2.10	5200	G	96%	1%	1%	1%	2%	0%	C	0.107		0.501	5600	G	2015	
						From: Bus US 58 Constance Rd											
						To: US 58											
642 133 Wilroy Rd	1.77	8300	G	94%	1%	2%	1%	1%	0%	C	0.109		0.509	8800	G	2015	
						From: SR 337 Nansemond Pkwy											
						To: 133-616 E, Mineral Spring Rd											
643 133 Manning Rd	2.56	570	G	96%	2%	1%	0%	0%	0%	F	0.115		0.709	580	G	2015	
						From: 133-663 Leesville Rd											
						To: 133-647 Copeland Rd											
643 133 Manning Rd	1.30	1100	G	96%	2%	1%	0%	0%	0%	C	0.102		0.708	1100	G	2015	
						From: 133-645 Manning Bridge Rd											
						To: 133-645 Manning Rd											
643 133 Manning Bridge Rd	0.94	910	G								0.105		0.675	910	G	2015	
						From: 0.94 MN 133-645 Manning Rd											
						To: 133-740 Carr Lane											
644 133 Indian Trail	1.70	300	G	96%	0%	3%	1%	0%	0%	F	0.124		0.663	320	G	2015	
						From: 133-610 Buckhorn Rd											
						To: 133-634 Kings Fork Rd											
644 133 Indian Trail	3.70	390	G	96%	0%	3%	1%	0%	0%	F	0.11		0.565	420	G	2015	
						From: 133-634 Kings Fork Rd											
						To: 133-738 Kenyon Rd											
644 133 Indian Trail	2.30	540	G	96%	0%	3%	1%	0%	0%	C	0.121		0.629	570	G	2015	
						From: 133-738 Kenyon Rd											
						To: 133-637 Lake Meade Dr											
644 133 Indian Trail	1.18	1100	G	96%	0%	3%	1%	0%	0%	F	0.121		0.604	1200	G	2015	
						From: 133-637 Lake Meade Dr											
						To: 133-639 Cohoon Rd											
645 133 Manning Rd	1.70	650	G	94%	2%	1%	1%	1%	0%	C	0.102		0.667	690	G	2015	
						From: 133-643 Manning Bridge Rd											
						To: Urban Boundary											
645 133 Manning Rd	1.50	1400	G	96%	1%	1%	1%	0%	0%	C	0.1		0.667	1400	G	2015	
						From: US 58 Holland Rd											
						To: 133-705 Meadow Country Rd											
646 133 Airport Rd	0.40	950	G	96%	1%	2%	1%	1%	0%	C	0.097		0.514	1000	G	2015	
						From: US 13; SR 32 Carolina Rd											
						To: US 58 E, Holland Rd											
647 133 Lummis Rd	0.20	1400	G	92%	2%	2%	1%	2%	0%	F	0.093		0.781	1500	G	2015	
						From: 133-649 Lummis Rd											
						To: 133-643 Manning Bridge Rd											
647 133 Copeland Rd	2.50	460	G	92%	2%	2%	1%	2%	0%	F	0.104		0.534	490	G	2015	
						From: 133-643 Manning Bridge Rd											
						To: 133-685 Jackson Rd											

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
647 133	Copeland Rd	1.75	570	G	92%	2%	2%	1%	2%	0%	F	0.099	0.571	610	G	2015
650 133	Quince Rd	1.90	120	G								0.188	0.630	120	G	2015
653 133	Glen Haven Dr	0.13	1100	G	98%	0%	1%	0%	0%	0%	C	0.103	0.64	1200	G	2015
653 133	Dutch Rd	3.12	540	G	95%	1%	2%	2%	1%	0%	C	0.115	0.514	580	G	2015
653 133	Holland Corner Rd	2.17	190	G	96%	2%	2%	0%	0%	0%	C	0.151	0.571	190	G	2015
655 133	Brentwood Rd	0.90	130	G								0.174	0.579	130	G	2015
658 133	Town Point Rd	1.36	1200	G	95%	1%	3%	1%	0%	0%	C	0.093	0.557	1300	G	2015
658 133	Town Point Rd	0.46	2700	G	95%	1%	3%	1%	0%	0%	F	0.091	0.511	2900	G	2015
658 133	Town Point Rd	0.60	9400	G	95%	1%	3%	1%	0%	0%	F	0.089	0.514	10000	G	2015
658 133	Town Point Rd	0.18	11000	G	98%	0%	1%	0%	0%	0%	C	0.084	0.566	12000	G	2015
658 133	Town Point Rd	0.68	9500	G	99%	1%	0%	0%	0%	0%	C	0.092	0.502	10000	G	2015
659 133	Pughsville Rd	1.28	6100	G	98%	0%	1%	0%	0%	0%	C	0.109	0.539	6500	G	2015
660 133	Longstreet Ln	5.50	350	G								0.106	0.813	350	G	2015
662 133	Box Elder Rd	1.10	47	G								0.104	0.8	47	G	2015
666 133	Gates Rd	2.10	1200	G	65%	1%	1%	6%	27%	0%	F	0.094	0.583	1300	G	2015
666 133	Gates Rd	3.37	1300	G	65%	1%	1%	6%	27%	0%	F	0.092	0.635	1400	G	2015
666 133	Gates Rd	0.65	1300	G	65%	1%	1%	6%	27%	0%	C	0.098	0.677	1400	G	2015
667 133	Butler Dr	1.90	90	G								0.178	0.576	90	G	2015
668 133	Pittmantown Rd	0.12	1200	G	69%	1%	1%	2%	27%	0%	C	0.094	0.595	1200	G	2015
668 133	Freeman Mill Rd	4.50	550	G								0.102	0.807	550	G	2015
672 133	Little Fork Rd	3.60	120	G								0.121	0.655	120	G	2015

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
673 133 Liberty Spring Rd North	2.00	290	G			From: 133-759 E, Liberty Spring Rd West To: 133-647 Copeland Rd					0.121		0.714	290	G	2015
674 133 Badger Rd	1.30	110	G	95%	3%	1%	0%	0%	0%	C	0.137		0.529	120	G	2015
675 133 Cypress Chapel Rd	3.60	120	G	84%	5%	4%	7%	0%	0%	C	0.132		0.529	120	G	2015
675 133 Cypress Chapel Rd	0.50	170	G	95%	0%	4%	0%	0%	0%	C	0.156		0.667	180	G	2015
677 133 Great Fork Rd	3.60	1600	G	98%	0%	1%	1%	0%	0%	C	0.106		0.708	1700	G	2015
678 133 Cherry Grove Rd	2.60	90	G			From: 133-673 Greenway Rd To: 133-642 N, Adams Swamp Rd					0.132		0.56	90	G	2015
683 133 Benton Rd	1.00	350	G			From: Dead End To: US 13					0.168		0.547	350	G	2015
688 133 Turlington Rd	3.16	2100	G	97%	1%	1%	0%	0%	0%	C	0.102		0.616	2300	G	2015
695 133 Mockingbird Lane	1.25	100	G			From: 133-743 Matoaka Rd To: Dead End					0.171		0.583	100	G	2015
705 133 Meadow Country Rd	1.80	550	G	95%	2%	2%	1%	1%	0%	C	0.097		0.535	590	G	2015
715 133 Nansemond Dr North	0.53	490	G			From: 133-2023 N, Lake Rd To: 133-717 North Shore Dr					0.11		0.634	490	G	2015
731 133 Dill Rd	0.66	4200	G	89%	2%	3%	2%	5%	0%	C	0.091		0.576	4500	G	2015
739 133 Deer Path Rd	5.20	370	G			From: 133-644 W, Indian Trail To: 133-644 E, Indian Trail					0.120		0.664	370	G	2015
740 133 Carr Lane	0.80	70	G	96%	1%	1%	1%	0%	0%	C	0.206		0.643	70	G	2015
744 133 Jasmine Ln	0.93	100	G			From: Dead End To: 133-616 Holy Neck Rd					0.164		0.563	100	G	2015
757 133 Bennetts Creek Park Rd	1.03	3400	G			From: Dead End To: 133-626 Shoulders Hill Rd					0.100		0.58	3400	G	2015
759 133 Short Lane	0.12	1700	G	92%	5%	2%	1%	0%	0%	F	0.092		0.577	1800	G	2015
759 133 Gates Rd	1.23	1100	G	66%	1%	1%	3%	29%	0%	C	0.095		0.575	1200	G	2015
759 133 Pineview Rd	3.75	70	G	92%	5%	2%	1%	0%	0%	C	0.182		0.542	70	G	2015
						From: 133-668 S, Pittmantown Rd To: 133-668 N, Pittmantown Rd										
						From: 133-666 Pineview Rd To: 133-666 Gates Rd										
						From: 133-616 W, Holy Neck Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
759 133 Quaker Dr	3.55	670	G	92%	5%	133-616 E, Vicksburg Rd				F	0.114		0.884	680	G	2015
						133-653 N, Dutch Rd										
759 133 Liberty Spring Rd West	2.28	470	G			133-643 S, Manning Rd					0.099		0.505	470	G	2015
						US 13 S, Whaleyville Blvd										
785 133 Burnetts Ct	0.12	140	G			Cul-de-Sac					0.139		0.744	140	G	2015
						133-780 Burnetts Way										
1035 133 Chenaneo Rd	0.14	90	G			Cul-de-Sac					0.163		0.704	90	G	2015
						133-1034 Fallwater Way										
1101 133 County St	0.62	2700	G	87%	1%	133-1111 Dill Rd				C	0.098		0.576	2900	G	2015
						Old Suffolk Corp Limits										
1111 133 Dill Rd	0.39	110	G	68%	3%	133-731 W, Dill Rd				C	0.148		0.5	120	G	2015
						133-1101 County St										
1147 133 Summerfield Ct	0.06	340	G			133-1148 Winterview Dr					0.12		0.602	340	G	2015
						133-1145 Springfield Terrace										
1310 133 6th St	0.39	4700	G	98%	1%	133-1332 Truman Rd				C	0.093		0.537	5000	G	2015
						SR 337; Washington St East										
1310 133 6th St	0.17	740	G	98%	0%	133-1301 Railroad Ave; Gap Terminus				C	0.101		0.563	790	G	2015
						133-1318 Clary Dr										
1310 133 Goodman St	0.11	310	G	98%	0%	133-1317 Center Ave				F	0.12		0.658	340	G	2015
						133-642 Wilroy Rd										
1322 133 McArthur Dr	0.16	70	G			133-1319; 133-1323 Myrtle St					0.156		0.546	70	G	2015
						SR 337 Washington St										
1324 133 Hollywood Ave	0.06	2600	G	97%	1%	133-1325 Myrick Ave				C	0.143		0.780	2700	G	2015
						133-1310 Goodman St										
1325 133 Center Ave	0.39	1500	G	97%	1%	133-1324 Hollywood Ave				C	0.159		0.866	1600	G	2015
						Pinner St										
1329 133 Old Pinner St	0.17	2200	G	97%	1%	US 58 Bus; Constance Rd				C	0.135		0.918	2300	G	2015
						133-642 White Marsh Rd										
1332 133 Truman Rd	0.23	2700	G	98%	1%	133-1310 6th St				C	0.094		0.527	2900	G	2015
						133-1366 Blythewood Lane										
1368 133 Nixon Dr	0.06	860	G			133-1369 Sierra Dr					0.105		0.514	860	G	2015
						Dead End										
1502 133 Eclipse Dr	0.19	140	G			133-1505 Cross St					0.159		0.696	140	G	2015
						Dead End										
1605 133 Sunset Manor Dr	0.07	60	G			133-1601 Vaughan Ave					0.313		0.55	60	G	2015
						Bus US 58 Holland Rd										
1722 133 Kilby Shores Rd	0.03	5400	G	97%	1%	133-688 Turlington Rd				C	0.102		0.612	5800	G	2015



Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
1727 133 Brittle Dr	0.07	50	G			From 133-1718 N. Staley Dr				0.154			0.5	50	G	2015
						To Dead End										
1795 133 Ash Wood Dr	0.27	140	G			From 133-1790 Woods Pkwy				0.105			0.533	140	G	2015
						To Cul-de-Sac										
1856 133 Berkshire Blvd	0.35	450	G			From Cul-de-Sac				0.111			0.588	450	G	2015
						To 133-1851 Ashford Dr										
1905 133 Hawk Rd	0.11	310	G			From 133-1902 Wren Rd				0.115			0.521	310	G	2015
						To 133-1907 Beaver Lane										
2029 133 Foxcroft Rd	0.43	210	G			From 133-627 Bennets Pasture Rd				0.155			0.894	210	G	2015
						To 133-2028 Brittany Lane										
2073 133 Carter Ln	0.08	130	G			From 133-2075 Beech Grove Lane				0.140			0.5	130	G	2015
						To 133-2070 Drivers Station Way										
2140 133 Burbage Lake Circle	0.19	530	G			From 133-2143				0.104			0.646	530	G	2015
						To 133-2145 Olde Bullocks Circle										
2217 133 Breeze Point Way	0.27	2900	G			From Dead End				0.096			0.5	2900	G	2015
						To US 17 Bridge Rd										
2284 133 Harbour View Blvd	1.02	19000	G	98%	1%	1%	0%	0%	0%	C	0.089		20000	G	2015	
																From Town Point Rd
2284 133 Harbour View Blvd	1.44	4100	G	98%	1%	1%	0%	0%	0%	F	0.093		4400	G	2015	
																To SR 135
2354 133 Preakness Circle	0.04	110	G			From Cul-de-Sac				0.167			0.667	110	G	2015
						To 133-2350 Steeplechase Lane										
2450 133 Rabey Farm Rd	0.52	940	G			From Cul-de-Sac				0.114			0.69	940	G	2015
						To 133-626 N. Shoulders Hill Rd										
8501 133 Pinner St	0.63	5400	G	98%	0%	0%	0%	1%	0%	C	0.111		5700	G	2015	
																From Washington St
8501 133 Pinner St	0.41	8900	G	98%	0%	0%	0%	1%	0%	F	0.096		9500	G	2015	
																From Moore Ave
8505 133 South Broad St	0.15	1100	G	97%	1%	1%	0%	0%	0%	F	0.104		1200	G	2015	
																From Smith St
8505 133 North Broad St	0.68	830	G	97%	1%	1%	0%	0%	0%	C	0.119		890	G	2015	
																From Washington St
8505 133 Western Ave	0.12	1100	G	97%	1%	1%	0%	0%	0%	F	0.103		1200	G	2015	
																From East Riverview Dr
8507 133 Wellons St	0.65	1600	G	97%	1%	1%	1%	0%	0%	F	0.095		1800	G	2015	
																From Kilby Ave
8507 133 Market St	0.43	2800	G	97%	1%	1%	1%	0%	0%	C	0.098		3000	G	2015	
																From SR 337 Washington St
8507 133 Market St	0.06	5100	G	97%	1%	1%	1%	0%	0%	F	0.096		5400	G	2015	
																From Saratoga St
						To SR 32 Main St										

Virginia Department of Transportation  
Traffic Engineering Division  
2015  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Nansemond Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Suffolk</b>																
8508 133 Finney Ave	0.20	6900	G	99%	1%	Main St				C	0.091		0.505	7400	G	2015
						1%	0%	0%	0%							
8509 133 Saratoga St	0.31	2600	G	97%	1%	Carolina Ave				C	0.104		0.521	2800	G	2015
						2%	1%	0%	0%							
8509 133 Saratoga St	0.12	3300	G	97%	1%	Washington St				F	0.096		0.518	3500	G	2015
						2%	1%	0%	0%							
8510 133 Hall Ave	0.43	3100	G	98%	0%	Saratoga St				C	0.084		0.656	3400	G	2015
						1%	1%	0%	0%							
8511 133 Factory St	0.44	3100	G	94%	2%	SCL Suffolk				C	0.089		0.609	3300	G	2015
						2%	1%	1%	0%							
8512 133 Fayette St	0.17	710	G	86%	1%	Carolina Rd				F	0.108		0.541	750	G	2015
						1%	4%	9%	0%							
8512 133 Cedar St	0.04	630	G	86%	1%	Fayette St				F	0.104		0.723	670	G	2015
						1%	4%	9%	0%							
8512 133 Madison Ave	0.23	760	G	86%	1%	Madison Ave				C	0.109		0.604	810	G	2015
						1%	4%	9%	0%							
8512 133 Madison Ave	0.11	1400	G	86%	1%	County St				F	0.113		0.532	1400	G	2015
						1%	4%	9%	0%							
8514 133 Bank St	0.20	2000	G	98%	0%	North Main St				C	0.1		0.601	2100	G	2015
						1%	1%	0%	0%							
8813 133 County St	0.18	3500	G	92%	1%	Old Suffolk Corp Limits				F	0.097		0.594	3700	G	2015
						1%	2%	5%	0%							
8813 133 County St	0.27	3800	G	92%	1%	Madison Ave				C	0.094		0.513	4100	G	2015
						1%	2%	5%	0%							
8814 133 Liberty St / Moore Ave	0.64	5300	G	92%	1%	SR 337 Washington St				C	0.131		0.682	5600	G	2015
						1%	2%	4%	0%							
Burbage Lake Circle		1400	G			Repass Beach Rd					0.103		0.638	1400	G	2015
James Avenue		340	G			Smith Street					0.119		0.5	340	G	2015
Kensington Blvd		6200	G	98%	1%	W. Washington Street				C	0.105		0.608	6200	G	2015
						1%	0%	0%	0%							
Quince Rd		120	G	98%	0%	Ashford Dr				C	0.149		0.5	120	G	2015
						1%	0%	1%	0%							
Weatherby Way		310	G			Pioneer Ave					0.104		0.554	310	G	2015
						Ithacha Tr										
						Shoulders Hill Rd										